References

- Aas, P. 1960. The effects of impoundment on inland fisheries. Pages 374 in IUCN/FAO, Seventh technical meeting, Athens, September 1958. Vol. IV.
- Adams, B. L., W. S. Zaugg, and L. R. McLain. 1975. Inhibition of saltwater survival and Na-K-ATPase elevation in steelhead trout by moderate water temperatures Transactions of the American Fisheries Society 104:766-769.
- Adler, R. W. 1995. Filling the gaps in water quality standards: legal perspectives on biocriteria. Pages 345–358 in W. S. Davis and T. P. Simon, editors. Biological assessment and criteria: tools for water resource planning and decision making. Lewis, Boca Raton, Florida.
- Adriano, D. C. 1992. Biogeochemistry of trace metals. Lewis Publishers, Inc./CRC Press, Inc., Boca Raton, Florida.
- AFS (American Fisheries Society). 1988. Effects of surface mining on aquatic resources in North America. Fisheries 13(6):19-22.
- Agee, J. K. 1994. Fire and weather disturbances in terrestrial ecosystems of the eastern Cascades. General Technical Report PNW-GTR-320. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, Oregon.
- Aggus, L. R. 1979. Effects of weather on freshwater fish predator-prey dynamics. Pages 47–56 *in* H. Clepper, editor. Predator-prey systems in fisheries management. Sport Fishing Institute, Washington, D.C.
- Alabaster, J. S., D. G. Shurben, and M. J. Mallett. 1979. The survival of smolts of salmon *Salmo snlnr* L. at low concentrations of dissolved oxygen. Journal of Fish Biology 15:1–8.
- Alderdice, D. F., W. P. Wickett, and J. R. Brett. 1958. Some effects of temporary exposure to low dissolved oxygen levels on Pacific salmon eggs. Journal Fisheries Research Board of Canada 15:229-250.
- Alexandersdottir, M. 1987. Life history of pink salmon (Oncorhynchus gorbuscha) and implications for management in southeastern Alaska. Doctoral dissertation. University of Washington, Seattle.
- Ambus, P., and R. Lowrance. 1991. Comparison of denitrification in two riparian soils. Soil Science Society of America Journal 55:994-997.

- Anderson, D. C., K. T. Harper, and R. C. Holmgran. 1982.
 Factors influencing development of cryptogamic soil crusts in Utah deserts. Journal of Range Management 35(2): 180-185.
- Anderson, J. E. 1991. A conceptual framework for evaluating and quantifying naturalness. Conservation Biology 5:347–458.
- Anderson, J. W., R. L. Beschta, P. L. Boehne, D. Bryson, R.
 Gill, B. A. McIntosh, M. D. Purser, J. J. Rhodes, J. W.
 Sedell, and J. Zakel. 1992. The Upper Grande Ronde
 River anadromous fish protection, restoration, and
 monitoring plan. Upper Grande Ronde River Technical
 Working Group, Wallowa-Whitman National Forest,
 Baker City, Oregon.
- Anderson, J. W., R. L. Beschta, P. L. Boehne, D. Bryson, R. Gill, B. A. McIntosh, M. D. Purser, J. J. Rhodes, J. W. Sedell, and J. Zakel. 1993. A comprehensive approach to restoring habitat conditions needed to protect threatened salmon species in a severely degraded river: the Upper Grande Ronde River anadromous fish habitat protection, restoration, and monitoring plan. General Technical Report RM-226:175-179. U.S. Department of Agriculture, Forest Service, N.p.
- Anderson, M. G., and A. Culver. 1977. On the persistence of landscape features formed by a large flood. Transactions of the Institute of British Geographers 2:243–254.
- Angermeier, P. L., and J. R. Karr. 1984. Relationships between woody debris and fish habitat in a sinall warmwater stream. Transactions of the American Fisheries Society 113:716-726.
- Arkoosh, M. R., E. Casillas, E. Clemons, B. B. McDain, and U. Varanasi. 1991. Suppression of immunological memory in juvenile chinook salmon (*Oncorhynchus tshawytscha*) from an urban estuary. Fish and Shellfish Immunology 1:261-277.
- Arkoosh, M. R., P. Huffman, J. Evered, E. Clemons, J. E. Stein, E. Casillas, and U. Varanasi. 1994. Increased mortality of juvenile salmon from a contaminated estuary after exposure to *Vibrio anguillarum*. Page 182 in Abstracts of Society of Environmental Toxicology and Chemistry, 15th Annual Meeting held October 1994 in Denver, Colorado. SETAC, Pensacola, Florida.
- Armour, C. L., and J. G. Taylor. 1991. Evaluation of the instream flow incremental methodology by U.S. Fish and Wildlife Service field users. Fisheries 16(5):36-43.

- Arinour, C., D. Duff, and W. Elmore. 1994. The effects of livestock grazing on western riparian and stream ecosystem. Fisheries 19(9):9-12.
- ASCS (Agricultural Stabilization and Conservation Service). 1992. Agricultural Conservation program: 55-year summary. U.S. Departinent of Agriculture, ASCS, Washington, D.C.
- Atwater, B. F. 1987. Evidence for great Holocene earthquakes along the outer coast of Washington State. Science 236:942-944.
- Aukerman, R., and W. T. Springer. 1976. Effects of recreation on water quality in wildlands. Eisenhower Consortium Bulletin No. 12. U.S. Department of Agriculture. Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado.
- Auinen, N. G., C. P. Hawkins, and S. V. Gregory. 1990 Influence of woody debris on nutrient retention in catastrophically disturbed streams. Hydrobiologia 190:183-192.
- Aumen, N. G., P. J. Bottoinley. and S. V. Gregory. 1985a. Impact of nitrogen and phosphorus on (C-14) lignocellulose decomposition by stream wood microflora. Applied Environmental Microbiology 49:1113-1118.
- Aumen, N. G., P. J. Bottoinley, and S. V. Gregory. 1985b. Nitrogen dynamics in stream wood samples incubated with (C-14) lignocellulose and potassium (N-15) nitrate. Applied Environmental Microbiology 49:1119–1123.
- Austin, B., and D. A. Austin. 1993. Bacterial fish pathogens: disease in farmed and wild fish. 2nd edition. Ellis Horwood, England.
- Austin, R. C., and D. H. Baisinger. 1955. Some effects of burning on forest soils of western Oregon and Washington. Journal of Forestry 53:275–280.
- Auten, J. T. 1933. Porosity and water absorption of forest soils. Journal of Agricultural Research 46:997-1014.
- Azevedo, J., and D. L. Morgan. 1974. Fog precipitation in coastal California forests. Ecology 55:1135-1141.
- Bailey. R. G. 1978. Description of the ecoregions of the United States. U.S. Department of Agriculture. Forest Service, Odgen, Utah.
- Baker, J. R., G. D. Merritt, and D. W. Sutton. 1994. EMAP-Surface Waters field operations manual for lakes. U.S. Environmental Protection Agency. Las Vegas, Nevada.
- Bakke. P. D. 1993. The spatial and temporal variability of nitrate in streams of the Bull Run Watershed, Oregon. M.S. thesis. Oregon State University, Corvallis.
- Baltz, D. M., and P. B. Moyle. 1993. Invasion resistance to introduced species by a native assemblage of California stream fishes. Ecological Applications 3:246-255.

- Bams, R. A. 1976. Survival and propensity for homing as affected by presence or absence of locally adapted paternal genes in two transplanted populations of pink salinon (*Oncorhynchus gorbuscha*). Journal Fisheries Research Board of Canada 33:2716-2725.
- Barbour, M. T., J. B. Stribling, and J. R. Karr. 1995.
 Multimetric approach for establishing biocriteria and measuring biological condition. Pages 63-77 in W. S.
 Davis and T. P. Simon, editors. Biological assessment and criteria: tools for water resource planning and decision making. Lewis, Boca Raton, Florida.
- Barbour, S. E. 1984. Food size aiid jaw shape in Arctic charr, Salvelinus alpinus. Pages 571-574 in L. Johnson and B.
 L. Burns, editors. Proceedings of the international symposium on Arctic charr. University of Manitoba Press, Winnipeg.
- Barkley, P. W., and D. W. Seckler. 1972. Economic growth and environmental decay. Harcourt Brace Jovanovich, New York.
- Barnosky, C. W., P. M. Anderson, and P. J. Bartlein. 1987. The northwestern U.S. during deglaciation; vegetational history and paleoclimatic implications. Pages 289–321 in W. E. Ruddiman and H. E. Wright Jr., editors. North America and adjacent oceans during the last deglaciation. The Geological Society of America, Boulder, Colorado.
- Barrett, H., J. Cagney, R. Clark, J. Fogg, K. Gebhart, P. L.
 Hansen, B. Mitchell, D. Prochard, and D. Tippy. 1993.
 Riparian area management: process for assessing proper functioning condition. TR 1737-9. U.S. Department of the Interior, Bureau of Land Management, Denver, Colorado.
- Barrett, J. C., G. D. Grossman, and J. Rosenfeld. 1992. Turbidity-induced changes in reactive distance of rainbow trout. Transactions of the American Fisheries Society 121:437-443.
- Bayley, P. B., and H. W. Li. 1992. Riverine fishes. Pages
 251-281 in P. Calow and G. E. Petts, editors. The Rivers
 Handbook. Volume 1. Blackwell Scientific, Oxford,
 England.
- Beacham, T. D. 1984. Age and morphology of chum salmon in southern British Columbia. Transactions of the American Fisheries Society 113:727-736.
- Beacham, T. D. 1985. Meristic and morphometric variation in pink salmon (*Oncorhynchus gorbuscha*) in southern British Columbia aiid Puget Sound. Canadian Journal of Zoology 63:366-372.
- Beacham, T. D. 1988. A genetic analysis of early development in pink (*Oncorhynchus gorbuscha*) and chum salmon (*Oncorhynchus keta*) at three different temperatures. Genome 30:89-96.
- Beacham, T. D., and C. B. Murray. 1987. Adaptive variation in body size, morphology, egg size, and developmental biology of chum salmon (*Oncorhynchus keta*) in British Columbia. Canadian Journal of Fisheries and Aquatic Sciences 44:244–261.

- Beacliam. T. D., and C. B. Murray. 1988. Variation in developniental biology of pink salmon (*Oncorhynchus gorbuscha*) in British Columbia. Canadian Journal of Zoology 66:2634–2648.
- Beacliam, T.D., and C. B. Murray. 1989. Variation in developmental biology of sockeye salmon (*Oncorhynchus nerka*) and chinook salmon (*O. tshawytscha*) in British Columbia. Canadian Journal of Zoology 67:2081~2089.
- Beacliam, T. D., and C. B. Murray. 1990. Temperature, egg size. and development of embryos and alevins of five species of Pacific salmon: a comparative analysis. Transactions of the American Fisheries Society 119:927-945.
- Beacham. T. D., C. B. Murray, and R. E. Withler. 1988a. Age. morpliology, developmental biology, and biochemical genetic variation of Yukon River fall chum salmon (Oncorhynchus keta) and comparisons with British Columbia populations. Fisheries Bulletin of the United States 86:663–676.
- Beacham, T. D., C. B. Murray, R. E. Withler, and W. L. Barner. 1988b. Variation in body size, morphology, egg size, and biochemical genetics of pink salmon in British Columbia. Transactions of the Ainerican Fisheries Society 117:109-126.
- Beaniesderfer, R. C., B. Reinian, L. Bledsoe. and S. Vigg. 1990. Management implications of a model of predation by a resident fish on juvenile salmonids migrating through a Columbia River reservoir. North American Journal of Fisheries Management 10:290–304.
- Becker. C. D., and R. G. Genoway. 1979. Evaluation of the critical thermal maximum for determining thermal tolerance of freshwater fish. Environmental Biology of Fishes 4:245–256.
- Becker, C. D., and M. P. Fujihara. 1978. The bacterial pathogen, *Flexibacter columnaris*, and its epizootiology among Columbia River fish: a review and synthesis. Monograph Number 2. American Fisheries Society, Bethesda, Maryland.
- Bedient, P. B.. and W. C. Huber. 1992 (1948). Hydrology and floodplain analysis, 2nd edition. Addison-Wesley Publishing Company, Reading. Massachusetts.
- Behnke, R. J. 1977. Fish faunal changes associated with landuse and water development. Great Plains Rocky Mountain Geographical Journal 6:133-136.
- Behnke, R. J. 1992. Native trout of western North America. 92-72941. American Fisheries Society. Bethesda, Maryland,
- Behnke, R. J. and M. Zarn. 1976. Biology and management of threatened and endangered western trouts. General Technical Report RM-28, U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experimental Station, Fort Collins, Colorado.

- Beiningen, K. T. 1976. Fish runs. Pages E-1-E-65 in Investigative reports of Columbia River fisheries project. Pacific Northwest Regional Commission, Vancouver, Washington.
- Belding, D. L., and J. A. Kitson. 1934. Spring-run and fallrun Atlantic salmon. Transactions of the Ainerican Fisheries Society 64:225-231.
- Bell, M. C. 1986. Fisheries handbook of engineering requirements and biological criteria. U.S. Army, Corps of Engineers, Office of the Chief of Engineers, Fish Passage Development and Evaluation Program, Portland, Oregon.
- Belt, G. H. 1980. Predicting streamtlow changes caused by forest practices using tlie equivalent clearcut area model. Publication No. 32. University of Idaho Forest, Wildlife, and Range Experiment Station, Moscow, Idaho.
- Belt. G. H., J. O'Laughlin, and T. Merrill. 1992. Design of forest riparian buffer strips for protection of water quality: analysis of scientific literature. Report No. 8. University of Idaho; Idaho Forest, Wildlife and Range Policy Group; Moscow.
- Bencala, K. E. 1993. A perspective on stream-catchment connections. Journal of the North American Benthological Society 12:44-47.
- Benda, L., T. J. Beechie, and R. C. Wissmar. 1994.
 Landform evolution and the consequent development of salmonid habitats during tlie Holocene in a deglaciated valley, northwest Washington. In Abstracts with Programs. Vol. A-439. Geological Society of America, Boulder, Colorado. Meeting held in October in Seattle, Washington.
- Bendock, T., and Alexandersdottir. 1993. Hooking mortality of chinook salmon released in the Kenai River, Alaska. North American Journal of Fisheries Management 13:540-549.
- Benke, A. C., R. L. Henry, D. M. Gillespie, and R. J. Hunter. 1985. Importance of snag habitat for animal production on southeastern streams. Fisheries (5)10:8-13.
- Benke, A. C., T. C. Van Arsdall Jr., and D. M. Gillespie. 1984. Invertebrate productivity in a subtropical blackwater river: tlie importance of habitat and life history. Ecological Monographs 54:25-63.
- Benoit, D. A., E. N. Leonard, G. M. Christensen, and J. T. Fiandt. 1976. Toxic effects of cadmium on three generations of brook trout (*Salvelinus fontinalais*). Transactions of the American Fisheries Society 105:550-560.
- Benson, N. G., and B. C. Cowell. 1967. The environment and plankton density in Missouri River reservoirs. Pages 358-373 in Reservoir fishery resources symposium.
 American Fisheries Society, Southern Division, University of Georgia, Athens, Georgia.
- Bentley, W. W., and E. M. Dawley. 1976. Some effects of excess dissolved gas on squawfish, *Ptychocheilus*

- oregonensis (Richardson). In D. H. Fickeison and M. J. Schneider, editors. Gas bubble disease. Symposium held 8–9 October in Richland. Washington. NTIS CONF-741033. Energy Research and Development Administration, Technical Information Center, Oak Ridge Tennessee.
- Berndt, H. W.. and W. B. Fowler. 1969. Rime and hoarfrost in upper-slope forests of eastern Washington. Journal of Forestry 67:92–95.
- Besclita, R. L. 1978. Long-term patterns of sediment production following road construction and logging in the Oregon Coast Range. Water Resources Research 14:1011–1016.
- Beschta, R. L. 1990. Effects of fire on water quantity and quality. Pages 219–232 in J. D. Walstad and S. R. Radosevicli, editors. Natural and prescribed fire in Pacific Northwest forests. Oregon State University Press, Corvallis.
- Beschta, R. L., and R. L. Taylor. 1988. Stream temperature increases and land use in a forested Oregon watershed. Water Resources Bulletin 24:19-25.
- Beschta, R. L., and W. S. Platts. 1986. Morphological features of small streams: significance and function. Water Resources Bulletin 22:369-378.
- Beschta, R. L., J. R. Boyle, C. C. Chambers, W. P. Gibson,
 S. V. Gregory, J. Grizzel, J. C. Hagar, J. L. Li, W. C.
 McComb, M. L. Reiter, G. H. Taylor, and J. E. Warila.
 1995. Cumulative effects of forest practices in Oregon.
 Oregon State University, Corvallis. Prepared for the
 Oregon Department of Forestry. Salem, Oregon.
- Beschta, R. L., R. E. Bilby, G. W. Brown, L. B. Holtby. and T. D. Hofstra. 1987. Stream temperature and aquatic habitat: fisheries and forestry interactions. Pages 191–232 in E. O. Salo and T. W. Cundy, editors. Streamside nianagenient: forestry and fishery interactions. University of Washington. College of Foi-est Research. Seattle.
- Besclita, R. L., W. S. Platts, and J. B. Kauffinan. 1991. Field review of fish habitat improvement projects in the Grande Ronde and John Day River basins of eastern Oregon.
 Bonneville Power Administration Project 91-069 Contract DE-AP79-91BP21493, Portland, Oregon.
- Bevan, D., J. Harville, P. Bergman, T. Bjornn, J. Crutchfield.
 P. Klingeman, and J. Litclifield. 1994a. Snake River
 Salmon Recovery Team: final recommendations to the
 National Marine Fisheries Service. National Marine
 Fisheries Service, Portland. Oregon.
- Bevan, D., J. Harville, P. Bergman, T. Bjornn, J. Crutchfield.
 P. Klingeman, and J. Litchfield. 1994b. Snake River
 Salmon Recovery Team: final recommendations to the
 National Marine Fisheries Service—Appendices. National
 Marine Fisheries Service, Portland, Oregon.
- Bevan, D., J. Harville, P. Bergman, T. Bjornn, J. Crutchfield, P. Klingeman, and J. Litclifield. 1994c. Snake River Salinon Recovery Team: final recommendations to the

- National Marine Fisheries Service—Sununary . National Marine Fisheries Service, Portland, Oregon.
- Bilby, R. E. 1981. Role of organic debris dams in regulating the export of dissolved and particulate matter from a forested watershed. Ecology 62:1234-1243.
- Bilby, R. E. 1984. Characteristics and frequency of cool-water areas in a western Washington stream. Journal of Freshwater Ecology 2:593-602.
- Bilby, R. E. 1985. Contributions of road surface sediment to a western Washington stream. Forest Science 31:827-838.
- Bilby, R. E., and J. W. Ward. 1989. Changes in characteristics and function of woody debris with increasing size of streams in western Washington. Transactions of the American Fisheries Society 118:368-378.
- Bilby, R. E., and J. W. Ward. 1991. Characteristics and function of large woody debris in streams draining old-growth, clear-cut, and second-growth forests in southwestern Washington. Canadian Journal of Fisheries and Aquatic Sciences 48:2499–2508.
- Bilby, R. E., and P. A. Bisson. 1987. Emigration and production of hatchery coho salmon *Oncorhynchus kisutch* stocked in streams draining an old-growth and a clear-cut watershed. Canadian Journal of Fisheries and Aquatic Sciences 44:1397–1407.
- Bilby, R. E., and P. A. Bisson. 1992. Allochthonous versus autochthonous organic matter contributions to the trophic support of fish populations in clear-cut and old-growth forested streams. Canadian Journal of Fisheries and Aquatic Sciences 49:540–551.
- Bilby, R. E., B. R. Fransen, and P. A. Bisson. 1996. Incorporation of nitrogen and carbon from spawning coho salmon into the trophic system of sinall streams: evidence from stable isotopes. Canadian Journal of Fisheries and Aquatic Sciences 50:164–173.
- Bingham, S. C.. P. W. Westerman, and M. R. Overcash. 1980. Effects of grass buffer zone length in reducing the pollution from land application areas. Transaction of the American Society of Agricultural Engineers 23:330–342.
- Birch, P. B., H. E. Pressley, and P. D. Hartigan. 1992. Stormwater management manual for the Puget Sound basin. Washington Department of Ecology, Olympia. Washington.
- Bisson, P. A., and R. E. Bilby. 1982. Avoidance of suspended sediment by juvenile coho salmon. North American Journal of Fisheries Management 2:371-374.
- Bisson, P. A., R. E. Bilby, M. D. Bryant, C. A. Dolloff, G.
 B. Grette, R. A. House, M. L. Murphy, K. V. Koski, and
 J. R. Sedell. 1987. Large woody debris in forested streams in the Pacific Northwest: past, present, and future. Pages 143–190 in E. O. Salo and T. W. Cundy, editors.
 Streamside management: forestry and fishery interactions.

- Contribution No. 57. Institute of Forest Resources. University of Washington, Seattle.
- Bisson, P.A., G. E. Ice. C. J. Perrin, and R. E. Bilby. 1992a
 Effects of forest fertilization on water quality and aquatic resources in the Douglas-fir region. Pages 179–193 in H.
 N. Chappell, G. F. Weetman, and R. E. Miller, editors.
 Forest fertilization: sustaining and improving nutrition and growth of western forests. Contribution 73. University of Washington, Institute of Forest Research, Seattle.
- Bisson, P. A., T. P. Quinn, G. H. Reeves, and S. V. Gregory. 1992b. Best management practices, cumulative effects, and long-term trends in fish abundance in Pacific Northwest river systems. Pages 189–232 in R. J. Naiman, editor. Watershed management: balancing sustainability and environmental change. Springer-Verlag, New York.
- Bjornn, T. C., and D. W. Reiser. 1991. Habitat requirements of salmonids in streams. Pages 83–138 *in* W. R. Meehan, editor. Influences of forest and rangeland management on salmonid fishes and their habitats. Special Publication 19. American Fisheries Society, Betliesda, Maryland.
- Bjornn, T. C., M. A. Brusven, M. Molnau, F. J. Watts, R. L. Wallace, D. R. Neilson, M. F. Sandine, and L. C. Stuehrenberg. 1974. Sediment in streams and its effects on aquatic life. Technical Completion Report, Project B-025-IDA. University of Idaho, Water Resource Research Institute, Moscow.
- Blahm, T. H. 1974. Report to Corps of Engineers, gas supersaturation research. Prescott Facility, 1974. U.S. Department of Commerce. National Marine Fisheries Service, Northwest Fish Center, Seattle, Washington.
- Blahm, T. H., R. J. McConnell, and G. R. Snyder. 1975.
 Effect of gas supersaturated Columbia River water on the survival of juvenile chinook and coho salmon. Technical Report NMFS SSRF-688. U.S. Department of Commerce, National Oceanic and Atmospheric Administration.
- Blau, T. G. 1995. Stream bank stabilization methods using natural materials to enhance aesthetics and fish and wildlife habitat. Diverse values: seeking common ground Northwest Regional Riparian Symposia held 8–9 December 1994. Idaho Riparian Cooperative, Boise.
- Blaustein. A. R., D. B. Wake, and W. P. Sousa. 1994. Amphibian declines: judging stability, persistence, and susceptibility of populations to local and global extinctions. Conservation Biology 8(1):60-71.
- BLM (Bureau of Land Management). Forest Service,
 Washington State Shoreline Program, and Oregon State
 Parks & Recreation Department. 1994. Wallowa & Grande
 Ronde Rivers: final management plan/environmental
 assessment, December 1993, BLM/OR/WA/PL94/3 + 1792. U.S. Government Printing Office, Region X,
 Seattle, Washington.
- Blydenstein, J., C. R. Hungerford, G. I. Day, and R. R. Humphrey. 1957. Effect of domestic livestock exclusion on vegetation in the Sonoran Desert. Ecology 38:522-526.

- Bock, C. E., J. H. Bock, W. R. Kenney, and V. M. Hawthorne. 1984. Responses of birds, rodents, and vegetation to livestock exclosure in a semidesert grassland site. Journal of Range Management 37:239-242.
- Booth, D. B. 1991. Urbanization and the natural drainage system: impacts, solutions, and prognoses. The Northwest Environmental Journal 7:93–118.
- Booth, D. B., and L. Reinelt. 1993. Consequences of urbanization on aquatic systems—measured effects, degradation thresholds, and corrective strategies. Pages 545-550 in Proceedings Watershed '93: a national conference on watershed management. U.S. Government Printing Office, Washington, D.C. Conference held 21-24 March in Alexandria, Virginia.
- Borgstrom, R., and J. Heggenes. 1988. Smoltification of sea trout (*Salmo trutta*) at short length as an adaptation to extremely low summer flow. Polskie Arcliiwum Hydrobiol 35:375–384.
- Bosch, J. M., and J. D. Hewlett. 1982. A review of catchment experiments to determine the effect of vegetation changes on water yield and evapotranspiration. Journal of Hydrology (Amsterdam) 55:3-23.
- Botkin, D., K. Cummins, T. Dunne, H. Regier, M. Sobel, and L. Talbot. 1994. Status and future of salmon of western Oregon and northern California: findings and options. Report #8, DRAFT. The Center for the Study of the Environment, Santa Barbara, California.
- Bottom, D. L. 1997. To till the water: a history of ideas in fisheries conservation. Pages 569–597 in D. J. Stouder, P. A. Bisson, and R. J. Naiman, editors. Pacific salmon and their ecosystems: status and future options. Chapman & Hall. New York.
- Bottom, D. L., P. J. Howell, and J. D. Rodgers. 1985. The effects of stream alterations on salmon and trout habitat in Oregon. Oregon Department of Fish and Wildlife. Portland, Oregon.
- Bouck, G. R., A. V. Nebeker, and D. G. Stevens. 1976.
 Mortality, salt water adaptation and reproduction of fish exposed to gas supersaturated water. EPA 600/3-76/050
 U.S. Environmental Protection Agency, Office of Research and Development, Washington, D.C.
- Bovee, K. D. 1978. Probability-of-use criteria for the family Salmonidae. FWS/OBS-78-07. U.S. Department of the Interior, Fish and Wildlife Service, Washington, D.C.
- BR (Bureau of Reclamation). 1976. Final environmental statement, proposed Columbia Basin Project. Washington.
 U.S. Department of the Interior, Bureau of Reclamation, Pacific Northwest Region, Boise, Idaho.
- BR (Bureau of Reclamation). 1995. Fish passage improvements: Savage Rapids Dam planning report and final environmental statement. Pacific Northwest Region, U.S. Department of Interior, Bureau of Reclamation, Boise. Idaho.

- Bradbury, W.. W Nelilsen. T. E. Nickelson, K. Moore. R.
 M. Hughes. D. Heller. J. Nicholas, D. L. Bottom, W. E.
 Weaver, and R. L. Besclita. 1995. Handbook for prioritizing waterslied restoration to aid recovery of native salmon. Pacific Rivers Council. Portland, Oregon.
- Brady, W. W., M. R. Stromberg, E. F. Aldon, C. D. Bonham, and S. H. Henry. 1989. Response of a semidesert grassland to 16 years of rest from grazing. Journal of Range Management 42:284–288.
- Brannon, E. L. 1965. The influence of physical factors on the development and weight of sockeye salmon embryos and alevins. Progress Report 12. International Pacific Salmon Fisheries Commission, N.p.
- Brannon, E. L. 1972. Mechanisms controlling the migration of sockeye salmon fry. International Pacific Salmon Fisheries Commission Bulletin 21:1-86.
- Brannon, E. L. 1987. Mechanisms stabilizing salmonid fry emergence timing. Pages 120–124 in H. D. Smith, L. Margolis. and C. C. Wood. editors. Sockeye salmon (Oncorhynchus nerka) population biology and future inanagement. Canadian Special Publication Fisheries and Aquatic Science 96. Canadian Department of Fisheries & Oceans, Ottawa, Ontario.
- Branson, B. A., and D. L. Batch. 1971. Effects of strip mining on small stream fishes in east-central Kentucky Proceedings of the Biological Society of Washington 84(59):507-517.
- Brazier, J. R., and G. W. Brown. 1973. Buffer strips for stream temperature control. Research Paper 15. Oregon State University, Forest Research Laboratory, Corvallis.
- Brett, J. R. 1952. Temperature tolerance in young Pacific salmon, genus *Oncorhynchus*. Journal of tlie Fisheries Research Board of Canada 9:265-323.
- Brett, J. R. 1971. Energetic response of salmon to temperature: a study of some thermal relations in the physiology and freshwater ecology of sockeye salmon (*Oncorhynchus nerka*). American Zoologist 11:99–113.
- Briggs, J. C. 1953. The behavior and reproduction of salmonid fishes in a small coastal stream. California Department of Fish and Game Fish Bulletin 94.
- Broderson, J. M. 1973. Sizing buffer strips to maintain water quality. M.S. thesis. University of Washington, Seattle.
- Brown, D. J. A., and K. Sadler. 1989. Fish survival in acid waters. Pages 31-44 in R. Morris, E. W. Taylor, D. J. A. Brown. and J. A. Brown. editors. Acid toxicity and aquatic animals. Cambridge University Press, Cambridge, England.
- Brown, E. R. 1985. Managenient of wildlife and fish habitats in forests of western Oregon and Washington. Publication R6-F&WL-192-1985. U.S. Department of Agriculture, Forest Service. Pacific Northwest Region, Portland, Oregon.

- Brown, G. W. 1969. Predicting temperatures of small streams. Water Resources Research 5(1):68-75.
- Brown, G. W. 1980. Forestry and water quality. 2nd edition. Oregon State University Book Stores, Inc., Corvallis.
- Brown, G. W.. and J. T. Krygier. 1970. Effects of clearcutting on stream temperature. Water Resources Bulletin 6:1133-1139.
- Brown, G. W., G. W. Swank, and J. Rothacher. 1971. Water temperature in the Steamboat drainage U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, Oregon. Research Paper PNW-119.
- Brusven, M. A., and K. V. Prather. 1974. Influence of stream sediments on distribution of macrobenthos. Journal of the Entomological Society of British Columbia 71:25–32.
- Bryan, E. H. 1972. Quality of stormwater drainage from urban land. Water Resources Bulletin 8:578-588.
- Bryce, S. A, and S. E. Clark. 1996. Landscape-level ecological regions: linking state-level ecoregion frameworks with stream habitat classifications. Environmental Management 20:297–311.
- Buchanan, D. V., J. E. Sanders, J. L. Zinn, and J. L. Fryer. 1983. Relative susceptibility of four strains of summer steelhead to infection by *Ceratomyxa shasta*. Transactions of the American Fisheries Society 112:541-543.
- Buck, H. D. 1956, Effects of turbidity on fish and fishing. Transaction of the North American Wildlife Conference 21:249-261.
- Bugert, R. M. 1985. Microhabitat selection of juvenile salinonids in response to stream cover alteration and predation. M.S. thesis, University of Idaho, Moscow.
- Bullard. W. E., Jr. 1965, Role of watershed management in the maintenance of suitable environments for aquatic life Pages 265-269 in C. M. Tarzwell, editor. Biological problems in water pollution: transactions of the third seminar. U.S. Department of Health, Education, and Welfare, Public Health Service, Cincinnati. Ohio.
- Burger, C. V., R. L. Wilmot, and D. B. Wangaard. 1985. Comparison of spawning areas and times for two runs of chinook salmon (*Oncorhynchus tshawytscha*) in the Kenai River, Alaska. Canadian Journal of Fisheries and Aquatic Sciences 42:693-700.
- Burgner, R. L. 1991. Life history of sockeye salmon (*Oncorhynchus nerka*). Pages 1–118 *in* C. Groot and L. Margolis, editors. Pacific salmon life histories. University of British Columbia Press, Vancouver.
- Burner, C. J. 1951. Characteristics of spawning nests of Columbia River salmon. U.S. Fish and Wildlife Service Fishery Bulletin 61:97-110.
- Burton, T. A., E. Cowley, G. W. Harvey, and B. Wicherski. 1991. Protocols for evaluation and monitoring of

- stream/riparian habitats associated with aquatic communities in rangeland streams. Draft Report No. 4. Idaho Department of Health and Welfare, Division of Environmental Quality, Water Quality Bureau, Boise, Idaho.
- Bury, R. B. 1988. Habitat relationships and ecological importance of amphibians and reptiles. Pages 61–76 in K.
 J. Raedeke, editor. Streamside nianagement: riparian wildlife and forestry interactions. Contribution No. 59. University of Washington, Institute of Forest Resources, Seattle.
- Bury, R. B., and P. S. Corn. 1988. Responses of aquatic and streamside amphibians to timber harvest: a review. Pages 165-181 in K. J. Raedeke, editor. Streamside management: riparian wildlife and forestry interactions. Contribution No. 59. University of Washington, Institute of Forest Resources. Seattle.
- Busby, F. E. 1979. Riparian and stream ecosystems. livestock grazing, and multiple-use management. Pages 6-12 in O. B. Cope, editor. Forum—grazing and riparian/stream ecosystems. Trout Unlimited, Denver, Colorado.
- Bush, W. H., E. B. Welch, and B. W. Mar. 1974. Potential effects of thermal discharges on aquatic systems. Environmental Science Technology 8:561-568.
- Bustard, D. R., and D. W. Narver. 1975. Aspects of the winter ecology of juvenile coho saliiion (*Oncorhynchus kisutch*) and steelhead trout (*Salmo gairdneri*). Journal Fisheries Research Board of Canada 32:667-680.
- Butterfield, R. I., and P. T. Tueller. 1980. Revegetation potential of acid mine wastes in northeastern California. Reclamation Review 3:21-31.
- Cafferata, P. 1992. Soil compaction research. Pages 8-22 in A. Skaugset, editor. Forest soils and riparian zone nianagement: the contributions of Dr. Henry A. Froehlich to forestry. Oregon State University, Corvallis.
- Cairns, J. C., P. V. McCormick, and B. R. Niederlehner. 1993. A proposed framework for developing indicators of ecosystem health. Hydrobiologia 263:1-44.
- Cairns. J. C., Jr., G. R. Lanza, and B. C. Parker. 1972. Pollution related structural and functional changes in aquatic communities with emphasis on freshwater Algae and Protozoa. Proceedings of the Academy of Natural Sciences of Philadelphia 124:79–127.
- Caldwell, J. E., K. Doughty, and K. Sullivan. 1991.
 Evaluation of downstream temperature effects of type 4/5 waters. TFW-WQ5-91-004. Prepared for TIFIW (Timber, Fish and Wildlife Group) CMER Water Quality Steering Committee and Washington Department of Natural Resources, Olympia, Washington.
- Campbell, R. F.. and J. H. Neuner. 1985. Seasonal and diurnal shifts in habitat utilized by resident rainbow trout in western Washington Cascade Mountain streams. Pages 39–47 *in* Proceedings of the symposium on small hydro

- and fisheries. Symposium held 1-3 May. American Fisheries Society, Denver, Colorado.
- Carey, A. B. and C. Elliott, editors. 1994. Washington forest landscape management project—progress report.
 Washington Forest Landscape Management Project,
 Report No. 1. Washington Department of Natural Resources, Olympia, Washington.
- Carl, L. M., and M. C. Healey. 1984. Differences in enzyme frequency and body morphology among three juvenile life history types of chinook salmon (*Oncorhynchus* tshawytscha) in the Nanaimo River, British Columbia. Canadian Journal of Fisheries and Aquatic Sciences 41:1070-1077.
- Carroll, L. 1977(1865). Alice's adventures in wonderland. Delacorte Press, New York.
- Carson, M. A., and M. J. Kirkby. 1972. Hillslope form and process. Cambridge Geographical Studies Series No. 3. Cambridge University Press, Cambridge, England.
- Casillas, E., J. E. Stein, M. R. Arkoosh, D. W. Brown, D. A. Misitano, S. L. Chan, and U. Varanasi. 1993. Effects of estuarine habitat quality on juvenile salmon: I. Chemical contaminant exposure and II. Altered growth and immune function. *In* Coastal Zone 93 Proceedings, The Eighth Symposium on Coastal and Ocean Management, July 19–23, 1993. New Orleans, Louisiana.
- Castelle, A. J., A. W. Johnson, and C. Connolly. 1994. Wetland and stream buffer size requirements—a review. Journal of Environmental Quality 23:878–882.
- Castelle, A, J., C. Connolly, M. Emers, E. D. Metz, S. Meyer, M. Witter, S. Mauermann, T. Erickson, and S. S. Cooke. 1992. Wetland buffers: use and effectiveness. Prepared for Washington Department of Ecology, Shorelands and Coastal Zone Management Program, Olympia, Washington.
- Cederholm, C. J. 1994. A suggested landscape approach for salmon and wildlife habitat protection in western Washington riparian ecosystems. Pages 78–90 *in* A. B. Carey and C. Elliott, editors. Washington Forest Landscape Management Project Progress Report. Washington Department of Natural Resources, Olympia, Washington.
- Cederholm. C. J., and L. M. Reid. Impact of forest management on Coho salmon, *Oncorhynchus kisutclz* populations of the Clearwater River, Washington: A
 Project Summary. Pages 373–398 in E. O. Salo and T. W. Cundy, editors. Streamside Management: Forestry and Fishery Interactions. Contribution No. 57-1987. College of Forest Resources, University of Washington, Seattle.
- Cederliolm, C. J., and N. P. Peterson. 1985. The retention of coho salmon (*Oncorhynchus kisutch*) carcasses by organic debris in small streams. Canadian Journal of Fisheries and Aquatic Sciences 42:1222–1225.
- Cederholm, C. J., and W. J. Scarlett. 1982. Seasonal immigrations of juvenile salmonids into four small

- tributaries of the Clearwater River. Washington, 1977–1981. Pages 98–110 *in* E. L. Brannon and E. O. Salo, editors. Proceedings, salmon and trout migratory behavior symposium. University of Washington, College of Fisheries, Seattle.
- Cederholm, C. J.. L. C. Lestelle. B. G. Edle, D. J. Martin, J. V. Tagart, and E. O. Salo. 1978. The effects of landslide siltation on the salmon and trout resources of Stequalelio Creek and the main Clearwater River, Jefferson County, Washington, 1972–1975. Final Report FRI-UW-7804. University of Washington, Fisheries Research Institute, Seattle.
- Cederholm, C. J., L. M. Reid, and E. O. Salo. 1981.
 Cumulative effects of logging road sediment on salmonid populations in the Clearwater River, Jefferson County, Washington. Pages 38-74 in Proceedings, conference on salmon spawning gravel: a renewable resource in the Pacific Northwest? Report 39. Washington State University, Water Research Center, Pullman. Washington.
- Chamberlin, T. W., R. D. Harr, and F. H. Everest. 1991.
 Timber harvesting, silviculture. and watershed processes.
 Pages 181-205 in W. R. Meelian. editor. Influences of forest and rangeland nianagenient on salmonid fishes and their habitats. Special Publication 19. American Fisheries Society, Bethesda, Maryland.
- Chambers, J. S., G. H. Allen, and R. T. Pressey. 1955.
 Research relating to study of spawning grounds in natural areas. Unpublished Annual Report to U.S. Army, Corps of Engineers. Contract No. DA 35026-Eng-20572.
 Washington Department of Fisheries, Olympia.
- Chandler, D. C. 1942. Limnological studies of western Lake Erie. II. Light penetration and its relation to turbidity. Ecology 23:41-52.
- Chandler, G. L.. T. R. Maret, and D. W. Zaroban. 1993.
 Protocols for assessment of biotic integrity (fish) in Idaho streams. Water quality monitoring protocols. Report No.
 6. Idaho Department of Health aiid Welfare. Division of Environmental Quality. Water Quality Bureau, Boise, Idaho.
- Clianey, E., E. Elmore, and W S. Platts. 1990. Livestock grazing on western riparian areas. Produced for the U.S Environmental Protection Agency. Northwest Resource Inforination Center, Inc., Eagle, Idaho.
- Chapman. D. W. 1963. Physical and biological effects of forest practices upon stream ecology. Pages 321-330 in Proceedings, forest watershed nianagenient symposium. Society of American Foresters and Oregon State University, School of Forestry. Corvallis.
- Chapman, D. W., and T. C. Bjornn. 1969. Distribution of salmon in streams, with special reference to food and feeding. Pages 153-176 in T. G. Northcote. editor.
 Symposium on salmon and trout in streams. University of British Columbia, Vancouver.
- Chapman, G. A., and D. G. Stevens. 1978. Acutely lethal levels of cadmium, copper, and zinc to adult male coho

- salmon and steelhead. Transactions of the American Fisheries Society 107:837-840.
- Chapman, D. W., D. E. Weitcamp, T. L. Welsh, M. B. Dell, and T. H. Schadt. 1986. Effects of river flow on the distribution of chinook salmon redds. Transactions of the American Fisheries Society 115:537-547.
- Chapman, W. M. 1943. The spawning of chinook salmon in tlie main Columbia River. Copeia 1943:168–170.
- Charlon, N., B. Barbier, and L. Bonnet. 1970. Thernial resistance of rainbow trout, *Salmo gairdneri* Richardson, to abrupt temperature variation. Annals of Hydrobiology 1:73–89.
- Chen, J. 1991. Edge effects: microclimatic pattern and biological responses in old-growth Douglas-fir forests Doctoral dissertation. College of Forest Resources, University of Washington, Seattle.
- Clieng, J. D. 1989. Streamflow changes after clear-cut logging of a pine beetle-infested watershed in southern British Columbia, Canada. Water Resources Research 25:449-456.
- Clieng, J. D., T. A. Black, J. deVries, R. P. Willington, and B. C. Godell. 1975. The evaluation of initial changes in peak streamflow following logging of a watershed on the west coast of Canada. International Association of Hydrological Sciences 117:475-487.
- Choudliary, C., A. K. Ray, S. Bhattacharya, and S. Bliattacharya. 1993. Nonlethal concentrations of pesticide impair ovarian function in the freshwater perch. *Anabas testudineus*. Environinental Biology of Fishes 36:319–324.
- Christensen, N.L., A. M. Bartuska, J. H. Brown, S.
 Carpenter, C. D'Antonio, R. Francis, J. F. Franklin, J.
 A. MacMahon, R. F. Noss, D. J. Parsons, C. H.
 Peterson, M. G. Turner, and R. G. Woodmansee. 1996.
 The report of the Ecological Society of Anierica
 Coininittee on the Scientific Basis for Ecosystem
 Managenient. Ecological Society of America, Washington,
 D. C.
- Christy, E. J., and R. N. Mack. 1984. Variation in demography of juvenile *Tsuga heterophylla* without mycorrhizae and subsequent ectomycorrhizal development of decaying logs and mineral soil. Canadian Journal of Botany 60:1601-1605.
- Chu, E. W., and J. R. Karr. 1994. Editors' note. Illahee 10(4):245.
- Claire, E. W., and R. L. Storch. 1983. Streamside nianagenient and livestock grazing in the Blue Mountains of Oregon: a case study. Pages 111-128 in J. W. Menke, editor. Proceedings, workshop on livestock aiid wildlifefisheries relationships in the Great Basin. Special Publication 330. University of California, Agricultural Sciences, Berkeley.
- Clark, W. H., and T. R. Maret. 1993. Protocols for assessment of biotic integrity (macroinvertebrates) for

- wadable Idaho stream. Water quality monitoring protocols. Report No. 5. Idaho Department of Health and Welfare, Division of Environmental Quality, Water Quality Bureau. Boise, Idaho.
- Clarke, S. E., D. White, and A. L. Schaedel. 1991. Oregon, USA, ecological regions and subregions for water quality management. Environmental Management 15:847–856.
- Clay, C. H. 1961. Design of fishways and other fish facilities Canada Department of Fisheries. Ottawa.
- Clayton, J. L., and D. A. Kennedy. 1985. Nutrient losses from timber harvest on the Idaho Batholith. Soil Science Society of America Journal 49:1041–1049.
- Coble, D. W. 1961. Influence of water exchange and dissolved oxygen in redds on survival of steelhead trout embryos. Transactions of the American Fisheries Society 90:469-474.
- Coffin. B. A., and R. D. Harr. 1992. Effects of forest cover on volume of water delivery to soil during rain-on-snow:
 Final report for Project SH-1 (rain-on-snow field study).
 TFW-SH1-92-001. Submitted to tlie Sediment, Hydrology, and Mass Wasting Steering Committee, Timber Fish & Wildlife, Seattle, Washington.
- Collier, C. R., R. J. Pickering, and J. J. Musser, editors. 1970. Influences of strip mining on the hydrologic environment of parts of Beaver Creek basin, Kentucky, 1955–66. Professional Paper 427-C. U.S. Department of the Interior. Geological Survey, Waslington, D.C.
- Collings, M. R. 1974. Generalization of spawning and rearing discharges for several Pacific salmon species in western Washington. Open File Report. U.S. Department of the Interior. Geological Survey, Tacoma, Washington.
- Collings. M. R., R. W. Smith, and G. T. Higgins. 1972. Hydrology of four streams in western Washington as related to several Pacific salmon species: Humptulips, Elchoman, Green. aiid Wynoochee rivers. Open File Report. U.S. Department of the Interior, Geological Survey. Tacoma, Washington.
- Collins. B., and T. Dunne. 1989. Gravel transport, gravel harvesting, and channel-bed degradation in rivers draining tlie southern Olympic Mountains, Washington, U.S.A. Environmental Geology and Water Sciences 13:213–224.
- Collins, B.. and T. Dunne. 1990. Fluvial geomorphology and river-gravel mining: a guide for planners, case studies included. Special Publication 98, California Department of Conservation, Division of Mines and Geology, Sacramento, California.
- Combs. B. D. 1965. Effect of temperature on the development of salmon eggs. Progressive Fish-Culturist 27:134-137.
- Conquest. L. L.. S. C. Ralph, and R. J. Naiinan. 1994.
 Implementation of large-scale stream monitoring efforts:
 sampling design and data analysis issues. Pages. 69-90 in
 S. L. Loeb and A. Spacie, editors. Biological monitoring
 of aquatic systems. Lewis, Boca Raton, Florida.

- Cooney, C. X., and S. E. Jacobs. 1994. Oregon coastal salmon spawning surveys, 1992. Oregon Department of Fish and Wildlife, Fish Division, Portland.
- Cooper, A. B. 1990. Nitrate depletion in the riparian zone and stream channel of a small headwater catchment. Hydrobiologia 202;13–26.
- Cooper, A. C. 1959. Discussion of the effects of silt on survival of salmon eggs and larvae. Pages 18-22 in
 Proceedings of the fifth symposium—Pacific Northwest on siltation—its source and effects on aquatic environment.
 U.S. Department of Health, Education and Welfare, Portland, Oregon.
- Cooper, A. C. 1965. The effect of transported stream sediments on the survival of sockeye and pink salmon eggs and alevins. Bulletin 18. Interitational Pacific Salmon Fisheries Commission, New Westminster, British Columbia, Canada.
- Corbett, E. S., and J. A. Lynch. 1985. Management of streamside zones on municipal watersheds. Pages 187-190 in R. R. Johnson, C. D. Zieball, D. R. Patton, P. F. Folliott, and R. H. Hamre, editors. Riparian ecosystems and their management: reconciling conflicting uses. U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado.
- Cordone, A. J., and D. W. Kelley. 1961. The influences of inorganic sediment on the aquatic life of streams. California Fish and Game 47:189-228.
- Cordone, A. J., and S. Pennoyer. 1960. Notes on silt pollution in the Truckee River drainage. Inland Fisheries Administrative Report 60-14. State of California, California Fish and Game, Sacramento.
- Cottam, W. P., and F. R. Evans. 1945. A comparative study of the vegetation of grazed and ungrazed canyons of the Wasatcli Range, Utah. Ecology 26:171-181.
- Cowley, E. R., editor. 1992. Protocols for classifying, monitoring, and evaluating stream/riparian vegetation on Idaho rangeland stream. Idaho Department of Health & Welfare, Division of Environmental Quality, Boise, Idaho.
- Crandell. D. R. 1976. Preliminary assessment of potential hazards from future volcanic eruptions in Washington. Miscellaneous Field Studies, MF-774. U.S. Department of the Interior, Geological Survey, Washington, D.C.
- Crandell, D. R. 1965. The glacial history of western Washington and Oregon. Pages 341–354 in H. E. Wright Jr. and D. G. Frey, editors. The Quaternary of the United States. Princeton University Press, Princeton, New Jersey.
- CRFC (Columbia River Fisheries Council), 1979, Rationale for instream flows for fisheries in the Columbia aiid Snake rivers. CRFC, Portland, Oregon.
- Cross, F. B., and J. T. Collins. 1975. Fishes in Kansas. University of Kansas Museum of Natural History, Lawrence.

- Cross. S. P. 1988. Riparian system and small mammals and bats. Pages 93-112 in K. J. Raedeke. editor. Streamside nianagenient: riparian wildlife and forestry interactions. Contribution No. 59. Institute of Forest Resources, University of Washington. Seattle.
- Crouse, M. R., and R. R. Kindschy. 1981. A method for predicting riparian vegetation potential of senii-arid rangelands. Pages 110–116 in N. B. Armantrout, editor. Acquisition and utilization of aquatic habitat inventory information. American Fisheries Society, Western Division, Betliesda, Maryland.
- CRS (Congressional Research Service). 1994. Ecosystem management: Federal agency activities. U.S. Library of Congress. Congressional Research Service. Washington, D.C.
- Cuffiiey, T. F., M. E. Gurtz, and M. R. Meador. 1993.
 Methods for collecting invertebrate samples as part of the National Water-Quality Assessment Program. Open File Report 93-407. U.S. Department of the Interior, Geological Survey, Raleigh, North Carolina.
- Cuminins, K. W. 1974. Structure and function of stream ecosystems. BioScience 24:631-641.
- Cummins, K.. D. Botkin, H. Regier. M. Sobel, and L. Talbot. 1994, Status and future of salnion of western Oregon and northern California: management of the riparian zone for the conservation and production of salmon. Draft Research Report. The Center for the Study of the Environment, Santa Barbara, California.
- Cunjak, R. A., and J. M. Green. 1984. Species dominance by brook trout and rainbow trout in a simulated stream environment. Transactions of the Anierican Fisheries Society 113:737–743.
- Cunjak, R. A., and J. M. Green. 1986. Influence of water temperature on behavioural interactions between juvenile brook charr. Salvelinus fontinalis, and rainbow trout, Salmo gairdneri. Canadian Journal of Zoology 64:1288–1291.
- Currie, J. 1994. Issue paper: mitigating the effects of farm activities on fish habitat with references to the Stillaguamish River Basin. Prepared for The American Oceans Campaign, Santa Monica, California; The Tulalip Tribes Department of Environment, Marysville, Washington: and the Washington Department of Ecology, Olympia.
- Dahl, T. E. 1990. Wetlands losses in the United States 1780's to 1980's. U.S. Department of tlie Interior, Fish and Wildlife Service, Washington, D.C.
- Dahlberg, M. L. D. L. Shumway, and P. Doudoroff. 1968 Intluence of dissolved oxygen and carbon dioxide on swimming performance of largemouth bass and coho salmon. Journal Fisheries Research Board of Canada 25:49-70.
- Dahm, C. N. 1981. Pathways and mechanisms for removal of dissolved organic carbon from leaf leachate in stream.

- Canadian Journal of Fisheries and Aquatic Sciences 38:68-76.
- Dahm, C. N., S. V. Gregory, and P. K. Park. 1981. Organic carbon transport in the Columbia River. Estuarine and Coastal Shelf Sciences 13:645-658.
- Dale, T., and V. G. Carter. 1955. Topsoil and civilization. University of Oklahoma Press, Norman.
- Daly, H. E. 1973. Introduction. Pages 1–32 in H. E. Daly, editor. Toward a steady-state economy. W.H. Freeman, San Francisco, California.
- Dambacher, J. M., M. W. Buktenica, and G. L. Larson.
 1992. Distribution, abundance, and habitat utilization of bull trout and brook trout in Sun Creek, Crater Lake
 National Park, Oregon. Pages 30–36 in P. J. Howell and D. V. Buchanan, editors. Proceedings of the Gearhart Mountain bull trout workshop. Ainerican Fisheries
 Society, Oregon Chapter, Corvallis.
- D'Angelo, D. J., J. R. Webster, S. V. Gregory, and J. L. Meyer. 1993. Transient storage in Appalachian and Cascade mountain streams as related to hydraulic characteristics, Journal of the North American Benthological Society 12:223-235.
- Darienzo, M. E., and C. D. Peterson. 1990. Episodic tectonic subsidence of late Holocene salt marshes, northern Oregon central Cascadia margin. Tectonics 9:1-22.
- Darwin, C. 1871. The descent of man, and selection in relation to sex. Appleton, New York.
- Darwin, C. 1859. On the origin of species by means of natural selection, or the preservation of favored races in the struggle for life. Murray. London, England.
- Dauble, D. 1994. Influence of water use practices on fisheries resources in the Yakima River basin. Northwest Science 68:121. Conference information for the 67th Annual Meeting of the Northwest Scientific Association, Ellensburg, Washington.
- Davies, P. H., J. P. Goettl Jr., J. R. Sinley, and N. F. Smith. 1976. Acute and chronic toxicity of lead to rainbow trout, *Salmo gairdneri*, in hard and soft water. Water Research 10:199-206.
- Davis, G. E., J. Foster, C. E. Warren, and P. Doudoroff. 1963. The influence of oxygen concentration on the swimming perforniance of juvenile Pacific salmon at various temperatures. Transactions of the Ainerican Fisheries Society 92:111-124.
- Davis, J. C. 1975. Minimal dissolved oxygen requirements of aquatic life with emphasis on Canadian species: a review. Journal Fisheries Research Board of Canada 32:2295-2332.
- Dawley, D. 1986. Migrational characteristics, biological observations, and relative survival of juvenile salmonids entering the Columbia River estuary, 1966–1983. U.S. Department of Energy, Bonneville Power Administration

- and U. S. Department of Commerce. National Marine Fisheries Service, Coastal Zone and Estuarine Studies Division, Portland, Oregon.
- Dawley. E. M. T. Blahm, G. Snyder. and W. Ebel. 1975. Final report studies on effects of supersaturation of dissolved gases on fish. U.S. Department of Conimerce, National Marine Fisheries Service, Northwest Fisheries Center, Seattle, Washington.
- DeBonis, J. 1994. Public lands takings and corporate entitlement. Public Employees for Environmental Responsibility, Fall PEEReview. Washington. D.C.
- Decker, C., and R. Menendez. 1974. Acute toxicity of iron and aluminum to brook trout. Proceedings of the West Virginia Academy of Science 46:159–167.
- Deimling, E. A, and W. J. Liss. 1994. Fishery development in tlie eastern North Pacific: a natural-cultural system perspective, 1888–1976. Fisheries Oceanography 3:6–77.
- Den Boer, P. J. 1968. Spreading of risk and stabilization of animal numbers. Acta Biotheoretica 18:165-194.
- Dent. E. F. 1993. Influence of hillslope and instream processes on channel morphology of Esmond Creek in the Oregon Coast Range. M. S thesis. Oregon State University, Corvallis.
- Dickson, I. W., and R. H. Kramer. 1971. Factors influencing scope for activity and standard metabolism of rainbow trout (Salmo gairdneri). Journal Fisheries Research Board of Canada 28:587-596.
- Dickson, K. L., A. W. Maki, and W. A. Brungs, editors. 1987. Fate and effects of sediment-bound chemicals in aquatic systems. 6th Pellston Workshop, August 1984, Society of Environmental Toxicology & Chemistry (SETAC). Florissant, Colorado. Pergainon Press, New York.
- Dietrich. W. E., C. J. Wilson, D. R. Montgomery, and J. McKean. 1993. Analysis of erosion thresholds, channel networks and landscape morphology using a digital terrain model. Journal of Geology 101:259–278.
- Dietrich. W. E., T. Dunne, N. F. Humphrey. and L. M.
 Reid. 1982. Construction of sediment budgets for drainage basins. Pages 5–23 in F. J. Swanson, R. J. Janda. T.
 Dunne, and D. N. Swanston, editors. Sediment budgets and routing in forested drainage basins. General Technical Report PNW-141. U.S. Department of Agriculture, Forest Service. Pacific Northwest Forest and Range Experiment Station, Portland. Oregon.
- Dillaha, T. A., R. B. Reneau. S. Mostagahimi, and D. Lee. 1989. Vegetative filter strips for agricultural nonpoint source pollution control. Transactions of the American Society of Agricultural Engineers 32:513-519.
- Dolloff. C. A., D. G. Hankin, and G. H. Reeves. 1993. Basinwide estimation of habitat and fish population in streanis. General Technical Report SE-83. U.S.

- Department of Agriculture, Southeastern Forest Experiment Station, Asheville, South Carolina.
- Donaldson. J. R. 1967. The phosphorus budget of Illiamma Lake, Alaska, as related to cyclical abundance of sockeye salmon. Doctoral dissertation. University of Washington, Seattle.
- Doppelt, B., M. Scurlock, C. Frissell, and J. Karr. 1993. Entering tlie watershed: a new approach to save America's river ecosystems. Island Press, Washington, D.C.
- Dorn, M. W. 1989. A conditional logistic regression model for the onset of riverine salmon migrations. M.S. thesis. University of Washington, Seattle.
- Dose, J. J., and B. B. Roper. 1994. Long-term changes in low-flow channel widths within the South Umpqua watershed, Oregon. Water Resources Bulletin 30:993-1000.
- Doudoroff. P., and C. E. Warren. 1965. Environmental requirements of fishes and wildlife: dissolved oxygen requirements of fishes. Special Report 141. Oregon State University, Agricultural Experiment Station, Corvallis, Oregon.
- Doxiadis, C. A. 1971. Ecumenopolis, world city of tomorrow. Pages 427-440 in P. K. Anderson, editor. Omega: murder of the ecosystem and suicide of man. W. C. Brown, Dubuque, Iowa.
- Doyle, R. C., C. G. Stanton, and D. C. Wolf. 1977.
 Effectiveness of forest and grass buffer strips in improving tlie quality of water of manure polluted runoff. ASAE
 Paper No. 77-2501. American Society of Agricultural Engineers, Joseph, Michigan.
- Duaime, T., J. Sonderegger, and M. Zaluski. 1985.
 Hydrogeology of the Colorado tailings area. Pages 4-21 in
 C. E. Carlson and L. L. Bahls, editors. Proceedings,
 Clark Fork River symposium. Montana Academy of
 Sciences and Montana College of Mineral Science and
 Technology, Butte.
- Duff, J. H., and F. J. Triska. 1990. Denitirification in sediments froin the hyporheic zone adjacent to a sinall forested stream. Canadian Journal of Fisheries and Aquatic Sciences 47:1140-1147.
- Duncan, S. H. 1987. Transport of road-surface sediment through ephemeral stream channels. Water Resources Bulletin 23:113-119.
- Dunne, T. T., T. R. Moore, and C. H. Taylor. 1975. Recognition and prediction of runoff-producing zones in humid regions. Hydrological Sciences—Journal des Sciences Hydrologiques 20:305–325.
- Durning, A. T. 1994. Redesigning the forest economy. Pages 22-40 in L. Starke, editor. State of the world 1994. W. W. Norton, New York.
- Dyrness. C. T. 1967. Erodibility and erosion potential of forest watersheds. Pages 599-610 in W. E. Soper and H.

- W. Lull. editors. Forest hydrology. Proceedings of a National Science Foundation Advanced Science Seminar. Perganion Press, New York.
- Ebel, W. J. 1977. Major passage problems. Pages 33-39 in E. Schwiebert. editor. Columbia River salmon and steelliead. American Fisheries Society, Washington, D.C.
- Ebel, W. J., and H. L. Raymond. 1976. Effect of atmospheric gas supersaturation on salmon and steelhead trout of the Snake and Columbia rivers. Marine Fisheries Review 38:1-14.
- Ebel, W. J.. C. D. Becker, J. W. Mullan, and H. L.
 Rayinond. 1989. The Columbia River: toward a holistic understanding. Pages 205–219 in D. P. Dodge, editor.
 Pi-oceedings of international large river symposium (LARS), Toronto, Ontario. 14–21 September 1986.
 Canadian Special Publication of Fisheries and Aquatic Sciences 106. Canadian Department of Fisheries & Oceans, Ottawa, Ontario.
- Ehrlich, P. R., and J. P. Holdren. 1973. Impact of population growth. Pages 76–89 in H. E. Daly, editor. Toward a steady-state economy. W. W. Freeman, San Francisco, California.
- Ellis, M. M. 1931. Some factors affecting the replacement of the commercial freshwater mussels. Fisheries Circular 7.
 U.S. Department of Commerce, Bureau of Fisheries and U.S. Government Printing Office, Washington, D.C.
 - Ellison, W. D. 1950. Soil erosion by rainstorms. Science 111:245–249.
- Elmore, W. 1992. Riparian responses to grazing practices. Pages 442–457 *in* R. J. Naiman, editor. Watershed management: balancing sustainability and environmental change. Springer-Verlag, New York.
- Elniore, W., and R. L. Beschta. 1987. Riparian areas: perceptions in management. Rangelands 9(6):260-265.
- Elwood, J. W., J. D. Newbold, R. V. O'Neill, and W. Van Winkle. 1983. Resource spiraling: an operational paradigm for analyzing lotic ecosystems. Pages 3–27 in T. D. Fontaine and S. M. Bartell, editors. The dynamics of lotic ecosystems. Science Publishers, Inc., Ann Arbor, Michigan.
- EPA (U.S. Environmental Protection Agency). 1980a. An approach to water resources evaluation of noli-point silvicultural sources (a procedural handbook). EPA-600/8-80-12. U.S. Environmental Protection Agency, Environniental Research Laboratory, Athens. Georgia.
- EPA (U.S. Environiiiental Protection Agency). 1980b. 40 CFR Part 230: Section 404(b)(1), Guidelines for specification of disposal sites for dredged or fill material. Federal Register 45(249):85352-85353.
- EPA (U.S. Environinental Protection Agency). 1986. Quality criteria for water 1986 (with updates). U.S. Environmental Protection Agency, Office of Water Regulations and

- Standards, Criteria and Standards Division, Washington, D.C.
- EPA (U.S. Environinental Protection Agency). 1987. Report of the national workshop on instream biological monitoring and criteria. U.S. Environmental Protection Agency. Corvallis, Oregon.
- EPA (U.S. Environmental Protection Agency). 1990.
 Biological criteria: national program guidance for surface waters. EPA-440/5-90-004. U.S. Environmental Protection Agency. Washington, D.C.
- Erman, D. C., J. D. Newbold, and K. B. Roby. 1977.
 Evaluation of streamside bufferstrips for protecting aquatic organisms. Contribution 165. University of California,
 Water Resources Center, Davis, California.
- Evans, W. A., aiid B. Johnston. 1980. Fish migration and fish passage: a practical guide to solving fish passage problems. EM-7100-2. U.S. Department of Agriculture, Forest Service, Washington, D.C.
- Evelyn, T. P. T. 1993. Bacterial kidney disease—BKD. Pages 177-195 in V. Inglis, R. J. Roberts, and N. R. Bromage, editors. Bacterial diseases of fish. Halsted Press, New York
- Everest, F. E., and D. W. Chapman. 1972. Habitat selection and spatial interaction by juvenile chinook salmon and steelhead trout in two Idaho streams. Journal Fisheries Research Board of Canada 29:91~100.
- Everest, F. H., and R. D. Harr. 1982. Silvicultural treatments. Pages 1–18 in W. R. Meehan, editor. Influence of forest and rangeland management on anadromous fish habitat in Western North America. General Teclinical Report PNW-134. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, Corvallis, Oregon.
- Everest, F. H., R. L. Beschta, J. C. Scrivener, K. V. Koski, J. R. Sedell, aiid C. J. Cederholm. 1987. Fine sediment and salmonid production: a paradox. Pages 98–142 in E. O. Salo and T. W. Cundy, editors. Streamside management: forestry and fishery interactions. Contribution No. 57. University of Washington, Institute of Forest Resources, Seattle.
- Everest, F. H., N. B. Armantrout, S. M. Keller, W. D. Parante, J. R. Sedell, T. E. Nickelson, J. M. Johnston, and G. N. Haugen. 1985. Salmonids. Pages 199-230 in E. R. Brown, editor. Management of wildlife and fish habitats in forests of western Oregon and Washington. Publication R6-F&WL-192-1985. U.S. Department of Agriculture, Forest Service, Pacific Northwest Region, Portland, Oregon.
- Faler, M., L. Miller, and K. Welke. 1988. Effects of variation in flow on distribution of northern squawfish in the Columbia River below McNary Dam. North American Journal of Fisheries Management 8:30-35.

- Fausch, K. D. 1984. Profitable stream positions for salmonids: relating specific growth rate to net energy gain. Canadian Journal of Zoology 62:441-451.
- Fausch. K. D. 1988. Tests of competition between native and introduced salmonids in streams: what have we learned? Canadian Journal of Fisheries and Aquatic Sciences 45:2238-2246.
- Fausch, K. D., J. Lyons, J. R. Karr. and P. L. Angernieier 1990. Fish communities as indicators of environmental degradation. American Fisheries Society Symposium 8:123-144.
- FEMAT (Forest Ecosysteni Management Assessment Team).

 1993. Forest ecosystem management: an ecological,
 economic, and social assessment, Report of the Forest
 Ecosystem Management Assessment Team. U.S.
 Government Printing Office 1993-793-071. U.S.
 Government Printing Office for the U.S. Department of
 Agriculture, Forest Service; U.S. Department of the
 Interior, Fish and Wildlife Service, Bureau of Land
 Manageinent, and National Park Service; U.S Department
 of Commerce, National Oceanic and Atmospheric
 Administration and National Marine Fisheries Service; and
 the U.S. Environmental Protection Agency.
- Fickeison, D. H., J. C. Montgomery, and M. J. Schneider. 1973. Tolerance of selected fish species to atmospheric gas supersaturation. 103rd Annual Meeting. American Fisheries Society, Orlando, Florida.
- Field, C.W. 1993. Minerals and mining. Pages 122–127 in P. L. Jackson and A. J. Kinierling, editors. Atlas of the Pacific Northwest. Oregon State University Press. Corvallis.
- Fillion, D. B. 1967. The abundance and distribution of benthic fauna of three mountain reservoirs on the Kananaskis River in Alberta. Journal of Applied Ecology 4:1-11.
- Finlayson, B. J., and S. H. Ashuckian. 1959. Safe zinc and copper levels from the Spring Creek drainage for steelhead trout in tlie upper Sacrainento River, California. California Fish and Game 65:80–99.
- Fisher. J. P., and W. G. Pearcy. 1988. Growth of juvenile coho salmon (*Oncorhynchus kisutch*) in the ocean off Oregon and Washington, USA, in years of differing coastal upwelling. Canadian Journal of Fisheries aiid Aquatic Sciences 45:1036–1044.
- Fisher. S., and P. Deutscli. 1983. The soil resource: its importance in the West and its role in coal development and reclamation. Pages 845–984 in Coal development: collected papers: papers presented at coal development workshops in Grand Junction, Colorado, and Casper, Wyoming. Vol. 2. U.S. Bureau of Land Management, Washington, D.C.
- Fleischner. T. L. 1994. Ecological costs of livestock grazing in western North America. Conservation Biology 8:629-645.

- Fleming, I. A., and M. R. Gross. 1990. Latitudinal clines: a trade-off between egg number and size in Pacific salmon. Ecology 71:1-11.
- Folniar, L. C. 1993. Effects of chemical contaminants on blood chemistry of teleost fish: a bibliography and synopsis of selected effects. Environmental Toxicology and Chemistry 12:337–375.
- Folniar, L. C., and W. W. Dickhoff. 1980. The parr-smolt transformation (smoltification) and seawater adaptation in salmonids. Aquaculture 21:1–37.
- Fonda, R. C. 1974. Forest succession in relation to river terrace development in Olympic National Park, Washington. Ecology 55:927-942.
- Fowler, S. B., J. D. Helvey, and E. N. Felix. 1987.
 Hydrologic and climatic change in three small watersheds after timber harvest. General Technical Report 379. U.S.
 Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, Oregon.
- Francis, R. C., and T. H. Sibley. 1991. Climate change aiid fisheries: what are the real issues? The Northwest Environmental Journal 7:295–307.
- Franklin, J. F., and C. T. Dyrness. 1973. Natural vegetation of Oregon and Washington. General Technical Report PNW-80. U.S.Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, Oregon.
- Franklin, J. F., and C. T. Dyrness. 1988. Natural vegetation of Oregon and Washington. U.S.Department of Agriculture, Forest Service, Pacific Northwest Research Station, Oregon State University Press. Corvallis.
- Fraser, J. C. 1972. Regulated discharge and the stream environment. Pages 263–285 in R. T. Oglesby, C. A. Carlson, and J. A. McCann, editors. River ecology and man. Academic Press, New York.
- Frazer, D. W., J. G. McColl, and R. F. Powers. 1990. Soilnitrogen mineralization in a clearcutting clironosequence in a northern California conifer forest. Soil Science Society of America Journal 54:1145–1152.
- Fredriksen, R. L., D. Moore, and L. Norris. 1975. The impact of timber harvest, fertilization. and herbicide treatment on streamwater quality in western Oregon and Washington. Pages 283-313 in B. Bernier and C. Winger, editors. Forest soils and land management. Laval University Press, Quebec, Canada.
- Fried, S. M., J. D. McCleave, and G. W. LaBar. 1978. Seaward migration of hatchery-reared Atlantic salmon, Salmo salar, smolts in the Penobscot River estuary, Maine: riverine movements. Journal Fisheries Research Board of Canada 35:76-78.
- Frissell, C. A. 1991. Water quality. fisheries, and aquatic biodiversity under two alternative forest management scenarios for the west-side federal lands of Washington,

- Oregon. and northern California. A report prepared for Tlie Wilderness Society, N.p.
- Frissell, C. A. 1993a. A new strategy for waterslied restoration and recovery of Pacific salmon in the Pacific Northwest. Prepared for The Pacific Rivers Council, Eugene. Oregon.
- Frissell, C. A. 1993b. Topology of extinction and endangerment of native fishes in the Pacific Northwest and California (U.S.A.). Conservation Biology 7:342–354.
- Frissell, C. A., and R. K. Nawa. 1992. Incidence and causes of physical failure of artificial habitat structures in streams of western Oregon and Washington. North American Journal of Fisheries Management 12:182–197.
- Frissell, C. A., W. J. Liss, and D. Bayles. 1993. An integrated, biophysical strategy for ecological restoration of large watersheds. Pages 449-456 in D. F. Potts, editor. Proceedings of the symposium on: changing roles in water resources management and policy. American Water Resources Association, Bellevue, Washington.
- Frissell, C. A., W. J. Liss, C. E. Warren. and M. D. Hurley. 1986. A hierarchial framework for stream habitat classification: viewing streams in a watershed context. Environmental Management 10:199-214.
- Fry, F. E. J. 1947. Effects of the environment on animal activity. Publications of the Ontario Fisheries Research Laboratory, No. 68. University of Toronto Press, Toronto, Ontario, Canada.
- Fryer, J. L., and C. N. Lannan. 1993. The history and current status of *Renibacterium salmoninarum*, the causative agent of bacterial kidney disease. Fisheries Research 17:15–33.
- FS (Forest Service). 1993a. National hierarchical framework of ecological units. ECOMAP. U.S. Department of Agriculture. Forest Service, Washington, D.C.
- FS (Forest Service). 1993b. Stream inventory handbook: level 1 & 2. version 7.0. U.S. Department of Agriculture, Forest Service Region VI, Portland, Oregon.
- FS (Forest Service), 1995. Environmental assessment for the implementation of interim strategies for managing fishiproducing watersheds in eastern Oregon arid Washington. Idaho, western Montana, and portions of Nevada (INFISH). U.S. Government Printing Office, Washington. D.C.
- FS (Forest Sei-vice) and BLM (Bureau of Land Management). 1994a. Environniental assessment for tlie implementation of interim strategies for managing anadromous fisliproducing watersheds in eastern Oregon and Washington, Idaho, and portions of California (PACFISH). U.S. Department of Agriculture, Forest Service and the U.S. Department of tlie Interior, Bureau of Land Management, Washington. D.C.
- FS (Forest Service) and BLM (Bureau of Land Management). 1994b. Final supplemental environmental impact statement on management of habitat for late-successional and old-

- growth forest related species within the range of the northern spotted owl: Volume I. U.S.Government Printing Office: 1994-589-111/80005, Region No. X. U.S. Department of Agriculture in cooperation with U.S. Department of the Interior, Fish and Wildlife Service, National Park Service; U.S. Department of Commerce, National Oceanic & Atmospheric Administration. National Marine Fisheries Service; and the U.S. Environmental Protection Agency.
- FS (Forest Service) and BLM (Bureau of Land Management). 1994c. Record of decision for amendments to Forest Service and Bureau of Land Management planning documents within the range of the northern spotted owl; standards and guidelines. U.S. Government Printing Office, Washington, D.C.
- FS (Forest Service), National Marine Fisheries Service, Bureau of Land Management, Fisheries and Wildlife Service, Bureau of Indian Affairs, U.S. Environniental Protection Agency, State of Washington, and State of California. 1994. Interagency framework for monitoring the President's Forest Ecosystem Plan N.p., N.p.
- Furniss, M. J., T. D. Roelofs, and C. S. Yee. 1991. Road construction and maintenance. Pages 297-324 in W. R. Meelian. editor. Influences of forest and rangeland maiiagement on salmonid fishes and their habitats. American Fisheries Society Special Publication 19. Betliesda, Maryland.
- Galat, D., and J. Rasmussen. 1995. Realizing the vision for floodplain management on the lower Missouri River. Fisheries 20(6):30.
- Gale, J. A., D. E. Line, D. L. Osmond, S. W. Coffey, J. Spooner, J. A. Arnold. T. J. Hoban, and R. C. Wimberley. 1993. Evaluation of the experimental rural clean water program. EPA-841-R-93-005. North Carolina State University, Biological and Agricultural Engineering Department, Raleigh.
- Gammon, J. R. 1970. The effect of inorganic sediment on stream biota. EPA Grant Number 18050 VWC. U.S. Government Printing Office, Washington, D.C.
- Gammon, J. R. 1977. The status of Indiana streams and fish from 1800 to 1900. Proceedings from the Indiana Academy of Science 86:209-216.
- GAO (General Accounting Office). 1981. Better monitoring techniques are needed to assess tlie quality of rivers and streams. Volume 1. CED-81-30. U.S. Congress, General Accounting Office, Washington, D.C.
- GAO (General Accounting Office). 1986. The Nation's water: key unanswered questions about the quality of rivers and streams. GAO/PEMD-886-6. U.S. Congress, General Accounting Office, Washington, D.C.
- GAO (General Accounting Office). 1988a. Public rangelands: some riparian areas restored but widespread improvements will be slow. GAO/RCE9-88-105. U.S. Congress, General Accounting Office, Washington. D.C.

- GAO (General Accounting Office). 1988b. Rangeland management: more emphasis needed on declining and overstocked grazing allotments. GAO/RCED-88-80. U.S. Congress. General Accounting Office. Washington, D.C.
- GAO (General Accounting Office). 1991. Rangeland management: comparison of rangeland condition reports. GAO/RCED-91-191. U.S. Congress, General Accounting Office, Washington. D.C.
- GAO (General Accounting Office). 1994. Ecosystem management: additional actions needed to adequately test a promising approach. GAO/RCED-94-111. U.S. General Accounting Office, Washington, D.C.
- Gardner, J. L. 1950. Effects of thirty years of protection froin livestock grazing in *a* desert grassland. Ecology 31:44-50.
- Garside, E. T. 1966. Effects of oxygen in relation to temperature on the development of embryos of brook and rainbow trout. Journal Fisheries Research Board of Canada 23:1121-1134.
- Gary, H. L. 1972. Rime contributes to water balance in highelevation aspen forests. Journal of Forestry 70:93–97.
- Gessel, S. P., and D. W. Cole. 1973. Nitrogen balances in forest ecosystems of the Pacific Northwest. Soil Biology and Biochemistry 5:19–34.
- Gibbs, R. J. 1970. Mechanisms controlling world water chemistry. Science 170:1088-1090.
- Gillen, R. L., W. C. Krueger, and R. F. Miller. 1984. Cattle distribution on mountain rangeland in northeast Oregon. Journal of Range Management 37:549–553.
- Gilliam, J. W., and R. W. Skaggs. 1988. Natural buffer areas and drainage control to remove pollutants from agricultural drainage waters. Pages 145–148 in J. A. Kusler, M. Quammen, and G. Brooks, editors. Proceedings of the national wetland symposium: mitigation of impacts and losses, held 8–10 October 1986. ASWM Technical Report 3. Association of State Wetlands Managers, Berne, New York.
- Glova, G. J. 1986. Interaction for food and space between experimental populations of juvenile coho salmon (Oncorhynchus kisutch) and coastal cutthroat trout (Salmo Clarki) in a laboratory stream. Hydrobiologia 132:155-168.
- Golding, D. L. 1987. Changes in streamflow peaks following timber harvest of a coastal British Colombia watershed.
 Page 625 in R. H. Swanson. P. Y. Bernier, and P. D. Woodard, editors. Forest hydrology and watershed management. IAHS Press, Wallingford, Oxfordshire.
 IAHS publication no. 167. Proceedings of an international symposium held during the XIXth General Assembly of the International Union of Geodesy and Geophysics at Vancouver. British Columbia, Canada, 9-22 August 1987.
- Gore, J. A. 1978. A technique for predicting in-stream tlow requirements of benthic macroinvertebrates. Freshwater Biology 8:141-151.

- Gorman, O. T., and J. R. Karr. 1978. Habitat structure and stream fish communities. Ecology 59:507-515.
- Gosz, J. M. 1981. Nitrogen cycling in coniferous ecosystems. Pages 405-426 in F. E. Clark and T. Rosswall, editors. Terrestrial nitrogen cycles: processes, ecosystem strategies, and nianagenient impacts. Ecological Bulletins 33. Swedish National Science Research Council, Stockholm.
- Grant, G. E., F. J. Swanson, and M. G. Wolman. 1990. Pattern and origin of stepped-bed morphology in highgradient streams. Geological Society of America Bulletin 102:340-352.
- Grant, G. E., F. J. Swanson, and S. V. Gregory. 1994.
 Valley floor morphology of mountain streams: controls on salmon habitat quality and channel disturbance processes.
 Geological Society of America. Abstracts with Programs 26, A-439.
- Grant, J. W. A., and D. L. G. Noakes. 1988. Aggressiveness and foraging mode of young-of-the-year brook char, *Salvelinus fontinalis* (Pisces: Salmonidae). Behavioral Ecology and Sociobiology 22:435-445.
- Graumlich, L. J. 1987. Precipitation variation in the Pacific Northwest (1675–1975) as reconstructed from tree rings. Annals of the Association of American Geographers 77:19–29.
- Graybill, J. P., R. L. Burgner, J. C. Gislason, P. E.
 Huffman, K. H. Wyman, R. G. Gibbons, K. W. Kurko,
 Q. J. Stober, T. W. Fagnan, A. P. Stayman, and D. M.
 Eggers. 1979. Assessment of the reservoir-related effects of tlie Skagit River project on downstream fishery resources of tlie Skagit River, Washington. Final report to Seattle City Light. FRI-UW-7905. University of Washington Fisheries Research Institute, Seattle.
- Green. D. M., and J. B. Kauffman. 1989. Nutrient cycling at tlie land-water interface: the importance of the riparian zone. Pages 61-67 in R. E. Gresswell. B. A. Barton, and J. L. Kershner, editors. Practical approaches to riparian resource management: an educational workshop, 8-11 May. U.S. Department of tlie Interior, Bureau of Land Management, Billings, Montana. Technical Paper 8724, Oregon Agricultural Experiment Station, Corvallis, Oregon.
- Gregory, S. V. 1980. Effects of light, nutrients, and grazing on periphyton communities in streams. Doctoral dissertation. Oregon State University, Corvallis.
- Gregory, S. V., F. J. Swanson, W. A. McKee, and K. W. Cuminins. 1991. An ecosystem perspective of riparian zones: focus on links between land and water. BioScience 41:540-551.
- Gregory, S. V., G. A. Lamberti, D. C. Erman, K. V. Koski,
 M. L. Murphy, and J. R. Sedell. 1987. Influence of forest practices on aquatic production. Pages 233-255 m E. O.
 Salo and T. W. Cundy, editors. Streainside management: forestry and fishery interactions. Contribution No. 57.

- Institute of Forest Resources. University of Washington, Seattle.
- Gresswell. R. E., and J. D. Varley. 1988. Effects of a century of human intluence on the cutthroat trout of Yellowstone Lake. Pages 45-52 in R. E. Gresswell. editor. Status and management of interior stocks of cutthroat trout. American Fisheries Society Symposium 4. American Fisheries Society, Betliesda, Maryland.
- Gresswell, R. E., W. J. Liss, and G. L. Larson. 1994. Lifehistory organization of Yellowstone cutthroat trout (Oncorhynchus clarki bouvieri) in Yellowstone Lake. Canadian Journal of Fisheries and Aquatic Sciences 51(supplement 1):298-309.
- Grette, G. B. 1985. The role of large organic debris in juvenile salmonid rearing habitat in small streams. M. S. thesis. University of Washington, Seattle.
- Gribanov, V.I. 1948. The coho salmon (Oncorhynchus kisutch Walb.)—a biological sketch. Izv. Tikliookean. Nauchno-Issled. Inst. Rybn. Khoz. Okeanogr. 28:43–101.
 Translated from Russian. Fisheries Research Board of Canada Translation Service 370.
- Grier, C. C., K. M. Lee, N. M. Nadkarni, G. O. Klock, and P. J. Edgerton. 1989. Productivity of forests of the United States and its relation to soil and site factors and management practices: a review. General Technical Report PNW-GTR-222. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. Portland, Oregon.
- Griffiths, J. S., and D. F. Alderdice. 1972. Effects of acclimation and acute temperature experience on tlie swimming speed of juvenile coho salmon. Journal Fisheries Research Board of Canada 29:251-264.
- Griswold, B. L., C. Edwards. L. Woods, and E. Weber. 1978. Some effects of stream channelization on fish populations. macroinvertebrates, and fishing in Oliio and Indiana. FWS/OBS-77/46. U.S. Department of the Interior. Fish and Wildlife Service. Washington. D.C.
- Groberg, W. J.. Jr., R. H. McCoy, K. S. Pilcher, and J. L. Fryer. 1978. Relation of water temperature to infections of coho salmon (Oncorhynchus kisutch), chinook salmon (O. tshawytscha), and steelhead trout (Salmo gairdneri) with Aeromonas salmonicida and A. hydrophla. Journal of the Fisheries Research Board of Canada 35:1~7.
- Groffiian, P. M., E. A. Axelrod, J. L. Lemunyon. and W. M. Sullivan. 1991. Denitrification in grass and forest vegetated filter strips. Journal of Environmental Quality 20:671-674.
- Groot. C. 1982. Modifications on a theine—a perspective on migratory behavior of Pacific salmon. Pages 1–21 in E. L.
 Brannon and E. O. Salo, editors. Proceedings, salmon and trout migratory behavior symposium. University of Washington. College of Fisheries. Seattle.

- Groot, C., and L. Margolis. editors. 1991. Pacific salmon life histories. University of British Columbia Press, Vancouver.
- GS (Geological Survey). 1976a. Hydrologic unit map, 1974,
 State of California. Map scale 1:500,000. U.S.
 Department of the Interior, Geological Survey, Reston,
 Virginia.
- GS (Geological Survey). 1976b. Hydrologic unit map, 1974, State of Oregon. Map scale 1:500,000. U.S. Department of the Interior, Geological Survey, Reston, Virginia.
- GS (Geological Survey). 1978. Hydrologic unit map, 1978.
 State of California. Map scale 1:500,000. U.S.
 Department of the Interior, Geological Survey, Reston, Virginia.
- GS (Geological Survey). 1982. Hydrologic unit map, 1981, State of Idaho. Map scale 1:500,000. U.S. Department of the Interior, Geological Survey, Reston, Virginia.
- GS (Geological Survey). 1994a. Hydrology map of the 48 conterminous United States. Map scale 1:250,000. U.S. Department of the Interior, Geological Survey, Washington, D.C.
- GS (Geological Survey). 1994b. Hydrologic unit map of tlie United States. Map scale 1:7,500,000. U.S. Department of tlie Interior, Geological Survey, Washington, D.C.
- Guenther, P. M., and W. A. Hubert 1993. Method for determining minimum pool requirements to maintain and enhance salmonid fisheries in small Wyoming reservoirs. Environmental Management 17:645–653.
- Gunsolus, R. T. 1978. The status of Oregon coho and recommendations for managing the production, harvest and escapement of wild and hatchery-reared stocks. Oregon Department of Fish and Wildlife Processed Report. Oregon Department of Fish and Wildlife, Columbia Region, Clackamas, Oregon.
- Gurtz, M. E. 1993. Design of biological components of the National Water-Quality Assessment Program (NAWQA). Chapter 15 in Biological monitoring of aquatic systems. Lewis Publishers, Boca Raton, Florida.
- Gwin, S. E., and M. E. Kentula. 1990. Evaluating design and verifying compliance of wetlands created under section 404 of the Clean Water Act in Oregon. EPA/600/3-90/061. U.S. Environmental Protection Agency, Corvallis, Oregon.
- Gwin, S. E.. M. E. Kentula, and D. L. Frostliolm. 1991. Evaluating design and verifying compliance of created wetlands in the vicinity of Tampa, Florida. EPA/600/3-91/068. U.S. Environiiiental Protection Agency, Corvallis, Oregon.
- Hakala, J. B., R. K. Seemel, R. Ricliey, and J. E. Keurtz.
 1971. Fire effects and rehabilitation methods— Swanson-Russian River fires. Pages 87-99 in C. W. Slaughter, R. J. Barry, and G. M. Hanson, editors. Fire in the northern environment—a symposium. U.S. Department of

- Agriculture, Forest Service. Pacific Northwest Forest and Range Experiment Station, Portland, Oregon.
- Hale, J. G. 1977. Toxicity of metal mining wastes. Bulletin oi Environmental Contamination and Toxicology 17:66–73.
- Hall, J. D., and N. J. Knight. 1981. Natural variation in abundance of salmonid populations in streams and its implications for design of impact studies. EPA-600/S3-81-021. U.S. Environmental Protection Agency, Environmental Research Laboratory, Corvallis, Oregon.
- Hall, J. D., and R. L. Lantz. 1969. Effects of logging on the habitat of coho salmon and cutthroat trout in coast streams. Pages 355-375 in C. G. Northcote, editor.
 Symposium on salmon and trout in streams. University of British Columbia Institute of Fisheries, Vancouver.
- Hall, J. D.. G. W. Brown, and R. L. Lantz. 1987. The Alsea watershed study: a retrospective. Pages 399-416 in E. O. Salo and T. W. Cundy. editors. Streamside management: forestry and fishery interactions. Institute of Forest Resources, University of Washington, Seattle.
- Hall, J. D., M. L. Murphy, and R. S. Aho. 1978. an improved design for assessing impacts of waterslied practices on small streams. Verhandlungen Internationale Vereinigung fur theoretisclie und angewandte Liinnologie 20:1359-1365.
- Hallock, R. J., R. J. Elwell, aiid D. H. Fry Jr. 1970.
 Migrations of adult king salmon *Oncorhynchus* tshawytscha in the San Joaquin Delta as demonstrated by the use of sonic tags. Fish Bulletin 151. California Departinent of Fish and Game, Sacramento, California.
- Hamilton, E. L., and P. B. Rowe. 1949. Rainfall interception by chaparral in California. California State Board of Forestry in cooperation with the California Forest aiid Range Experiment Station and the U.S. Department of Agriculture, Forest Service, Sacrainento, California.
- Hankin. D. B., and M. C. Healey. 1986. Dependence of exploitation rates for maximum yield and stock collapse on age and sex structure of chinook salmon (*Oncorhynchus tshawytscha*) stocks. Canadian Journal of Fisheries and Aquatic Sciences 43:1746–1759.
- Hankin. D. G., and G. H. Reeves. 1988. Estimating total fish abundance and total habitat area in small stream based on visual estimation methods. Canadian Journal of Fisheries and Aquatic Sciences 45:834-844.
- Hankin, D. G., J. W. Nicholas, and T. W. Downey. 1993. Evidence for inheritance of ape of maturity in chinook salmon (*Oncorhynchus tshawytscha*). Canadian Journal of Fisheries and Aquatic Sciences 50:347–358.
- Hanski, I. 1991. Single-species metapopulation dynamics: concepts, models and observations. Biological Journal of the Linnean Society 42:17–38.
- Hanski, I.. and M. Gilpin. 1991. Metapopulation dynamics: brief history and conceptual domain. Biological Journal of the Linnean Society 42:3-16.

- Hanson, D. L. 1977. Habitat selection and spatial interaction in allopatric and sympatric populations of cutthroat and steelhead trout. Doctoral dissertation. University of Idaho, Moscow.
- Hansson, L. 1991. Dispersal and connectivity in metapopulations. Biological Journal of the Linnean Society 42:89-103,
- Hardin, G. 1968. The tragedy of the commons. Science 162:1243-1248.
- Harmon, J. R., K. L. Thomas, K. W. McIntyre, and N. N. Paasch. 1991, Prevalence of marine mammal tooth and claw abrasions on adult anadromous salmonids returning to the Snake River. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Northwest Fisheries Center, Coastal Zone and Estuarine Studies Division, Seattle, Washington.
- Harmon, M. E., J. F. Franklin, F. J. Swanson, P. Sollins, S.
 V. Gregory, J. D. Lattin, N. H. Anderson, S. P. Cline,
 N. G. Aumen, J. R. Sedell, G. W. Lienkaemper, K.
 Cromack Jr., and K. W. Cummins. 1986. Ecology of coarse woody debris in temperate ecosystems. Advances in Ecological Research 15:133–302.
- Harr, R. D. 1982. Fog drip in the Bull Run municipal watershed, Oregon. Water Resources Bulletin 18:785-789.
- Harr, R. D. 1986. Effects of clearcutting on rain-on-snow runoff in western Oregon: a new look at old studies. Water Resources Research 22:1095-1100.
- Harr, R. D., and F.M. McCorison. 1979. Initial effects of clearcut logging on size and timing of peak flows in a small watershed in western Oregon. Water Resources Research 15:90-94.
- Harr. R. D.. aiid J. T. Krygier. 1972. Clearcut logging and lowflows in Oregon coastal watersheds. Research Note No. 54. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, Oregon.
- Harr, R. D., and R. A. Nichols. 1993. Stabilizing forest roads to help restore fish habitats: a northwest Washington example. Fisheries 18:18-22.
- Harr, R. D., and T. W. Cundy. 1992. The November 1990 tloods in western Washington, U.S.A. Pages 229-239 in Proceedings, Interpraevent 1992: symposium on protection of habitat against tloods, debris flows, and avalanches. 28 June-3 July 1992. Bern, Switzerland.
- Harr, R. D., A. Levno, and R. Mersereau. 1982. Streamflow changes after logging '130-year-old Douglas-fir in two small watersheds. Water Resources Research 18:637-664.
- Harr, R. D., R. L. Fredriksen, and J. Rothacher. 1979.
 Changes in streamflow following timber harvest in southwestern Oregon. Research Paper PNW-249. U.S.
 Department of Agriculture, Forest Service. Pacific Northwest Forest and Range Experiment Station, Portland, Oregon.

- Harr, R. D., W. C. Harper, J. T. Krygier, and F. S. Hsieh. 1975. Changes in storm liydrographis after roadbuilding and clearcutting in the Oregon Coast Range. Water Resources Research 11:487-491.
- Harris, D. D. 1977. Hydrologic changes after logging in two small Oregon coastal watersheds U.S. Department of the Interior, Geological Survey, N.p. 31 p. Water Supply Paper 2037.
- Harrison, C. W. 1923. Planting eyed salmon and trout eggs Transactions of the American Fisheries Society 53:191-200.
- Harrison, S. 1991. Local extinction in a metapopulation context: an empirical evaluation. Biological Journal of the Linnean Society 42:73–88.
- Hartman. G. F., and J. C. Scrivener. 1990. Impacts of forestry practices on a coastal stream ecosystem, Carnation Creek, British Columbia. Canadian Bulletin of Fisheries arid Aquatic Sciences 223. Department of Fisheries & Oceans, Ottawa, Ontario, Canada.
- Hartman. G. F., J. C. Scrivener, L. B. Holtby, and L. Powell. 1987. Some effects of different streamside treatments on physical conditions aiid fish population processes in Carnation Creek, a coastal rain forest stream in British Columbia. Pages 330-372 in E. O. Salo and T. W. Cundy, editors. Streamside management: forestry and fishery interactions. Contribution No. 57. University of Washington, Institute of Forest Resources. Seattle.
- Harvey, A. E., J. M. Geist, G. I. McDonald, M. F.
 Jurpensen. P. H. Cochran. D. Zabowski. and R. T.
 Meurisse. 1994. Biotic and abiotic processes in eastside ecosystems: the effects of management on soil properties, processes. and productivity, General Technical Report PNW-GTR-323. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, Oregon.
- Harvey, H. H.. and A. C. Cooper. 1962. Origin and treatment of a supersaturated river water. Progress Report 9.
 International Pacific Salmon Fish Commission, New Westminster. British Columbia.
- Hawkins, C. P., M. L. Murphy, and N. H. Anderson. 1982. Effects of canopy, substrate composition, and gradient on tlie structure of macroinvertebrate communities in Cascade range streams of Oregon. Ecology 63:1840–1856.
- Hawkins, C. P.. M. L. Murphy, N. H. Anderson. and M. A. Wilzbach. 1983. Density of fish and salamanders in relation to riparian canopy and physical habitat in streams of the northwestern United States. Canadian Journal of Fisheries and Aquatic Sciences 40:1173–1185.
- Hayslip. G. A., editor. 1993. EPA Region X In-stream biological monitoring liandbook (for wadable stream in tlie Pacific Northwest) EPA 910/9-92-013 U.S.
 Environmental Protection Agency. Region X, Seattle, Washington.

- Hayslip, G., D. J. Klemm, and J. M. Lazorchak (editors).
 1995. Environmental Monitoring and Assessment
 Program—Surface Waters and Region X Regional
 Environmental Monitoring and Assessment Program: 1994
 pilot field operations aiid methods manual for stream on
 tlie coast range ecoregion of Oregon aiid Washington and
 the Yakima River basin. U.S. Environmental Protection
 Agency. Cincinnati, Ohio.
- Heady, H. F., and R. D. Child. 1994. Rangeland ecology aiid management. Westview Press, Inc., Boulder, Colorado.
- Healey, M. C. 1991. Life history of chinook salmon (Oncorhynchus tshawytscha). Pages 311-394 in C. Groot and L. Margolis, editors. Pacific salmon life histories. University of British Columbia Press, Vancouver.
- Healey, M. C., and W. R. Heard. 1984. Inter- and intrapopulation variation in the fecundity of chinook salmon (*Oncorhynchus tshawytscha*) and its relevance to life history theory. Canadian Journal of Fisheries and Aquatic Sciences 41:476-483.
- Heard, W. R. 1991. Life history of pink salinon (*Oncorhynchus gorbuscha*). Pages 119-230 in C. Groot and L. Margolis, editors. Pacific salmon life histories. University of British Columbia Press, Vancouver.
- Heiffetz, J., M. L. Murphy, and K. V. Koski. 1986. Effects of logging on winter habitat of juvenile salmonids in Alaskan streams. North American Journal of Fisheries Managenient 6:52-58.
- Heiman, D. C. 1988. Recruitment trends and physical characteristics of coarse woody debris in Oregon Coast Range streams. M.A. thesis. Oregon State University. Corvallis.
- Hem, J. D., editor. 1992. Study and interpretation of the chemical characteristics of natural water, Third edition, Water-Supply Paper 2254. U.S. Department of the Interior, Geological Survey, Washington, D.C.
- Hemmingsen, A. R., R. A. Holt, R. D. Ewing, and J. D. McIntyre. 1986. Susceptibility of progeny from crosses among three stocks of coho salmon to infection by Ceratomyxa shasta. Transactions of the American Fisheries Society 115:492-495.
- Hendricks, S. P., and D. S. White. 1991. Physiochemical patterns within a hyporheic zone of a northern Michigan river, with comments on surface water patterns. Canadian Journal of Fisheries and Aquatic Sciences 48:1645–1654.
- Henegar, D. L., and K. W. Harmon. 1971. A review of references to channelization and its environmental impact. Pages 79-83 in Stream channelization. American Fisheries Society, Bethesda, Maryland.
- Henjum, M. G., J. R. Karr, D. L. Bottom, D. A. Perry, J. C. Bednarz. S. G. Wright, S. A. Beckwitt, and E. Beckwitt. 1994. Interim protection for late-successional forests. fisheries, and watersheds: national forests east of the Cascade Crest, Oregon, and Washington. The Wildlife Society, Bethesda, Maryland.

- Henry. T.. and A. Ferguson. 1985. Kinetic studies on the lactate dehydrogenase (LDH-5) isozymes ot brown trout. Salmo trutta L. Coniparative Biochemistry and Physiology 82B:95-98.
- Herbert, D. W. M., J. S. Alabaster, M. C. Dart, and R. Lloyd. 1961. Tlie effect of china-clay wastes on trout streams. International Journal of Air and Water Pollution 5:56-74.
- Hesse, L. W., and W. Sheets. 1993. The Missouri River hydrosystem. Fisheries 18:5-14.
- Hetherington, E. D. 1987. Carnation Creek, Canada-review of a west coast fish/forestry watershed impact project. International Association of Hydrological Sciences 167:531-537.
- Hewlett, J. D., and W. L. Nutter. 1970. The varying source area of streanitlow from upland basins. Pages 56-58 in Proceedings, interdisciplinary aspects of waterslied management symposium. American Society of Civil Engineers. New York.
- Hibbert, A. R. 1967. Forest treatment effects on water yield. Pages 527–543 in W. E. Sopper and H. W. Lull, editors. Forest liydrology: proceedings, forest hydrology seminar. Pergamon Press, New York.
- Hickman, G. D. 1975. Value of instream cover to the fish populations of Middle Fabius River, Missouri. Aquatic Series Number 14. Missouri Department of Conservation, Jefferson City.
- Hicks. B. J., J. D. Hall. P. A. Bisson, and J. R. Sedell. 1991a. Responses of salmonids to habitat changes. Pages 483-518 in W. R. Meelian, editor. Influences of forest and rangeland management on salmonid fishes and their habitats. Special Publication 19. American Fisheries Society, Bethesda, Maryland.
- Hicks, B. J., R. L. Besclita. and R. D. Harr. 1991b. Longterm changes in streamflow following logging in western Oregon and associated fisheries implications. Water Resources Bulletin 27:217–226.
- Hillborn. R. 1992. Hatcheries and the future of salmon in the Northwest. Fisheries 17(1):5-8.
- Hillman, T. W. and J. W. Mullen. 1989. Effect of hatchery releases on the abundance and behavior of wild juvenile salmonids. Pages 265-285 in Summer and winter ecology of juvenile chinook salmon and steelhead trout in the Wenatcliee River. Washington. Final Report to Chelan County Public Utility District. Don Chapman Consultants Inc., Boise, Idaho.
- Hillman, T. W., D. W. Chapman, and J. S. Griffith. 1989. Seasonal habitat use and behavioral interaction of juvenile chinook salmon and steelhead. I: Daytime habitat selection. Pages 42-82 in Summer and winter ecology of juvenile cliinook salmon and steelhead trout in the Wenatcliee River. Washington. Final report to Chelan County Public Utility District, Washington. Prepared by Don Chapman Consultants Inc. Boise, Idaho.

- Hindar, K., N. Ryman, and F. Utter. 1991. Genetic effects of cultured fish on natural fish populations. Canadian Journal of Fislieries and Aquatic Sciences 48:945-957.
- Hindman, E. E., R. D. Borys, and P. J. DeMott. 1983. Hydrometeorological significance of rime ice deposits in tlie Colorado Rockies. Water Resources Bulletin 19:619-624.
- Hoar, W. S. 1988. Tlie physiology of smolting salmonids. Pages 275-343 in W.S. Hoar and D. J. Randall, editors. Fish physiology. Vol. XI. Academic Press, New York.
- Hobbs, D. F. 1937. Natural reproduction of quinnat salmon, brown and rainbow trout in certain New Zealand waters. Fisheries Bulletin 6. New Zealand Marine Department, Wellington.
- Hoffman, G. L., and O. N. Bauer. 1971. Fish parasitology in water reservoirs: a review. Pages 495-511 in G. E. Hall, editor. Reservoir fisheries and limnology. Special Publication 8. American Fisheries Society, Washington, D.C.
- Holcombe, G. W., D. A. Benoit, and E. N. Leonard. 1979 Long-term effects of zinc exposures on brook trout (Salvelinus fontinalis). Transactions of the American Fisheries Society 108:76–87.
- Holland, C. C., and M. E. Kentula. 1992. Impacts of Section 404 permits requiring compensatory mitigation on wetlands in California (USA). Wetlands Ecology and Management 2:157-169.
- Holt, R. A., J. S. Roliovec, and J. L. Fryer. 1993. Bacterial cold-water disease. Pages 3-22 in V. Inglis, R. J. Roberts, and N. R. Bromage, editors. Bacterial diseases of fish. Halsted Press, New York.
- Holtby, L. B. 1988. Effects of logging on stream temperatures in Carnation Creek, British Columbia, and associated impacts on the coho salmon (*Oncorhynchus kisutch*). Canadian Journal of Fisheries and Aquatic Sciences 45:502-515.
- Holtby, L. B., and C. P. Newcombe. 1982. A preliminary analysis of logging-related temperature changes in Carnation Creek, British Columbia. Pages 81–99 in G. F. Hartman, editor. Proceedings of the Carnation Creek workshop: a ten-year review. Held 24–26 February, Malaspina College, Nanaimo, British Columbia, Canada.
- Holtby, L. B., B. C. Andersen, and R. K. Kadowaki. 1990. Importance of smolt size and early ocean growth to interannual variability in marine survival of coho salmon Oncorhynchus kisutch. Canadian Journal of Fisheries and Aquatic Sciences 47:2181–2194.
- Holtby, L. B., G. F. Hartman, and J. C. Scrivener. 1984.

 Stream indexing from the perspective of tlie Carnation

 Creek experience. Page 258 in P. E. K. Symons and M.

 Waldicliuk, editors. Proceedings of the workshop: stream indexing for salmon escapement estimation. Canadian

 Technical Report of Fisheries and Aquatic Sciences 1326.

- Canada Department of Fisheries & Oceans. Ottawa, Ontario.
- Holtby. L. B., T. E. McMahon, and J. C. Scrivener. 1989. Stream temperatures and inter-annual variability in the emigration timing of coho salmon (Oncorhynchus kisutch) smolts and fry and chum salmon (O. keta) fry from Carnation Creek, British Columbia. Canadian Journal of Fisheries and Aquatic Sciences 46:1396–1405.
- Hooper, D. R. 1973. Evaluation of the effects of flows on trout stream ecology. Pacific Gas and Electric Company, Department of Engineering Research. Emeryville, California.
- Hornbeck, D., P. Kane. D. L. Fuller. R. Doss, and R. Kuboshima. 1983. California patterns: a geographical and historical atlas. California State University, Northridge, California.
- Hornbeck, J. W., R. S. Pierce, and C. A. Federer. 1970. Streamflow changes after forest clearing in New England. Water Resources Research 6:1124-1132.
- Horner, R. R. 1978. Stream periphyton development in relation to current velocity and nutrients. Doctoral dissertation. University of Washington, Seattle.
- Hsieh, F. S. 1970. Storm runoff response from road building and logging on small watersheds in the Oregon Coast Range. MS, thesis. Oregon State University. Corvallis.
- Hubert, W. A., R. P. Lanka, T. A, Wesche, and F. Stabler. 1985. Grazing management influences on two brook trout streams in Wyoming. Pages 290–294 in R. R. Jolinson, editor. Riparian ecosystems and their management—reconciling contlicting uses. General Technical Report RM-120. U.S. Department of Agriculture, Forest Service. Rocky Mountain Forest and Range Experiment Station. Fort Collins. Colorado.
- Hughes, R. M. 1985. Use of watershed characteristics to select control streanis for estimating effects of metal mining wastes on extensively disturbed streams. Environmental Management 9:253–262.
- Hughes, R. M. 1993. Stream indicator and design workshop. EPA/600/R-93/138. U.S. Environmental Protection Agency. Corvallis, Oregon.
- Hughes. R. M. 1995. Defining acceptable biological status by comparing with reference conditions. Pages 31-47 in W.
 S. Davis and T. P. Simon. editors. Biological assessment and criteria: tools for water resource planning and decision making. Lewis. Boca Raton. Florida.
- Hughes, R. M., and R. F. Noss. 1992. Biological diversity and biological integrity: Current concerns for lakes and streanis. Fisheries 17:11–19.
- Hughes, R. M., C. Burch Johnson, S. S. Dixit, A. T.
 Herlihy, P. R. Kaufinann, W. L. Kinney, D. P. Larsen,
 P. A. Lewis, D. M. McMullen, A. K. Moors, R. J.
 O'Connor, S. G. Paulsen, R. S. Stemberger, S. A. Thiele,
 T. R. Whittier, and D. L. Kugler. 1993. Development of

- lake condition indicators for EMAP. Pages 7–90 *in* D. P. Larsen and S. J. Christie, editors. EMAP-Surface Waters 1991 pilot report. EPA/620/R-93/003. U.S. Environmental Protection Agency, Corvallis, Oregon.
- Hughes, R. M., D. P. Larsen, and J. M. Omernik. 1986.Regional reference sites: a method for assessing stream potentials. Environmental Management 10:629-635.
- Hughes, R. M., E. Rexstad, and C. E. Bond. 1987. Tlie relationship of aquatic ecoregions, river basins, and physiographic provinces to the ichthygeographic regions of Oregon. Copeia 1989: 423-432.
- Hughes, R. M., S. A. Heiskary, W. J. Mattliews, and C. O. Yoder. 1994. Use of ecoregions in biological monitoring Pages 125-151 in S. L. Loeb and A. Spacie, editors. Biological monitoring of aquatic systems. Lewis, Boca Raton, Florida.
- Hughes, R. M., T. R. Whittier, S. A. Thiele, J. E. Pollard,
 D. V. Peck, S. G. Paulsen, D. McMullen, J. Lazorchak,
 D. P. Larsen, W. L. Kinney, P. R. Kaufmann, S. Hedtke,
 S. S. Dixit, G. B. Collins, and J. R. Baker. 1992. Lake and stream indicators for the US EPA's Environinental Monitoring and Assessment Program. Pages 305-338 in
 D. H. McKenzie, D. E. Hyatt, and V. J. McDonald, editors. Ecological indicators. Elsevier, New York.
- Hunter, J. W. 1973. A discussion of game fish in the State of Washington as related to water requirements. Report by the Washington State Department of Game, Fishery Management Division, to the Washington State Department of Ecology, Olympia.
- Huntington, C. W., W. Nelilsen, and J. Bowers. 1996. A survey of healthy native stocks of anadromous salmonids in the Pacific Northwest and California. Fisheries 21(3):6-14.
- Hutchinson, G. E. 1967. A treatise on limnology. 11.
 Introduction to lake biology and the limnoplankton. John Wiley & Sons, Inc., New York.
- Hynes, H. B. N. 1970. Tlie ecology of running waters. 3rd edition. University of Toronto Press, Toronto, Ontario.
- Ihssen, P. E., and J. S. Tait. 1974. Genetic differences in retention of swimbladder gas between two populations of lake trout (*Salvelinus namaycush*). Journal Fisheries Research Board of Canada 31:1351–1354.
- Ihssen, P. E., D. O. Evans, W. J. Christie, J. A. Reckahn, and R. L. DesJardine. 1981. Life history, morphology, and electrophoretic characteristics of five allopatric stocks of lake whitefish (*Coregonus clupeaformis*) in the Great Lakes Region. Canadian Journal of Fisheries and Aquatic Sciences 38:1790–1807.
- Inglis, V., R. J. Roberts, N. R. Bromage, editors. 1993. Bacterial diseases of fish. Halsted Press, New York.
- Irwin, L. L., J. G. Cook, R. A. Riggs, and J. M. Skovlin. 1994. Effects of long-term grazing by big game and livestock in the Blue Mountains forest ecosystem. General

- Technical Report PNW-GTR-325 U.S. Department of Agriculture, Forest Service. Pacific Northwest Research Station, Portland, Oregon.
- Isaiah 44:14-20.
- Ishida, Y., S. Ito, M. Kaeriyama, S. McKinnell, and K. Nagasawa. 1993. Recent changes in age and size of chum salmon (*Oncorhynchus keto*) in the north Pacific Ocean and possible causes. Canadian Journal of Fisheries and Aquatic Sciences 50:290–295.
- Iwamoto, R. N.. E. O. Salo. M. A. Madej, and R. L. McComas. 1978. Sediment and water quality: a review of the literature including a suggested approach for water quality criteria. EPA 910/9-78-048. U.S. Environmental Protection Agency, Region X, Seattle, Washington.
- Jackson, P. L. 1993. Pages 48–57 in P. L. Jackson and A. J. Kimerling. editors. Atlas of the Pacific Northwest, 8th edition. Oregon State University Press, Corvallis.
- Jacobs, S. E.. and C. X. Cooney. 1993. Improvement of methods used to estimate the spawning escapement of Oregon coastal natural coho salmon. Fish Research Project F-145-R-1, Annual Progress Report. Oregon Department of Fish and Wildlife, Portland.
- Jaenicke. H. W., and A. G. Celewycz. 1994. Marine distribution and size of juvenile Pacific salmon in southeast Alaska and northern British Columbia. Fishery Bulletin 92:79-90.
- Jenkins, T. M., Jr. 1969. Social structure, position choice. and microdistribution of two trout species (*Salmo trutta* and *Salmo gairdneri*) resident in mountain streams. Animal Behavior Monograph 2:57–123.
- Jensen, A. J., and B. O. Johnsen. 1986. Different adaptation strategies of Atlantic salmon (*Salmo snlnr*) populations to extreme climates with special reference to some cold Norwegian rivers. Canadian Journal of Fisheries and Aquatic Sciences 43:980–984.
- Jensen, J. G. 1993. Commercial timberland resources. Pages 103-109 in P. L. Jackson and A. J. Kimmerling, editors. Atlas of the Pacific Northwest. 8th edition. Oregon State University Press, Corvallis.
- Jobling. M. 1993. Bioenergetics: feed intake and energy partitioning. Pages 1-44 in J. C. Rankin and F. B. Jensen, editors. Fish ecophysiology. Chapman & Hall, London, England.
- Jobling. M. E. 1994. Fish bioenergetics. Chapman & Hall, New York.
- Johannes, R. E., and P. A. Larkin. 1961. Competition for food between redside shiners (*Richardsonius balteatus*) and rainbow trout (*Salmo gairdneri*) in two British Columbia lakes. Journal Fisheries Research Board of Canada 18:203-220.
- Johannessen, C. L., W. A. Davenport, A. Millet, and S. McWilliams. 1971. The vegetation of the Willamette

- Valley. Annals of the American Association of Geographers 61:286~302.
- Johns, C., and J. Moore. 1985. Copper, zinc and arsenic in bottom sediments of Clark Fork River reservoirs: preliminary findings. Pages 74-88 in C. E. Carlson and L. L. Bahls, editors. Proceedings, Clark Fork River symposium. Montana Academy of Sciences and Montana College of Mineral Science and Technology, Butte, Montana.
- Johnson, A. W., and D. M. Ryba. 1992. A literature review of recommended buffer widths to maintain various functions of stream riparian areas. King County Surface Water Management Division, Seattle, Washington.
- Johnson, C. G., Jr., R. R. Clausnitzer, P. J. Mehringer, and C. D. Oliver. 1994. Biotic and abiotic processes of eastside ecosystems: the effects of management on plant and community ecology and on stand and landscape vegetation dynamics. General Technical Report PNW-GTR-322. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, Oregon.
- Johnson, D. W., and D. A. Webster. 1977. Avoidance of low pH in selection of spawning sites by brook trout (Salvelinus fontinalis). Journal Fisheries Research Board of Canada 34:2215-2218.
- Johnson, J. H., and P. A. Kucera. 1985. Summer-autumn habitat utilization of subyearling steelhead trout in tributaries of the Clearwater River, Idaho. Canadian Journal of Zoology 63:2283–2290.
- Johnson, K. L. 1992. Management for water quality on rangelands through best management practices: the Idaho approach. Pages 415-441 in R. J. Naiman, editor. Watershed management: balancing sustainability and environmental change. Springer-Verlag, New York.
- Johnson, O. W., T. A. Flagg, D. J. Maynard, G. B. Milner, and F. W. Waknitz. 1991. Status review for lower Columbia River coho salmon. Technical Memo NMFS F/NWC-202. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Northwest Fisheries Center, Coastal Zone and Estuarine Studies Division, Seattle, Washington.
- Johnson, R. C., R. J. Gerke, D. W. Heiser, R. F. Orrell, S.
 B. Matthews, and J. G. Olds. 1971. Pink and chum salmon investigations, 1969. Supplementary Progress
 Report. Washington Department of Fisheries, Fisheries
 Management and Research Division, Olympia.a
- Johnson, R. R., and S. W. Carothers. 1982. Riparian habitats and recreation: interrelationships and impacts in the Rocky Mountain region. Eisenhower Consortium Bulletin No. 12. U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins. Colorado.
- Johnson, R. W., and R. Paschal. 1995. The limits of prior appropriation. Illahee 11:40-50.

- Jones, R. C., and C. C. Clark. 1987. Impact of watershed urbanization on stream insect communities, Water Resources Bulletin 23:1047–1055.
- Judy, R. D., P. N. Seeley, T. M. Murray, S. C. Svirsky, M. R. Whitworth, and L. S. Ischinger. 1984. 1982 National fisheries survey. Volume 1 Technical Report: Initial Findings. FWS/OBS-84/06. U.S. Departinelit of the Interior, Fish and Wildlife Service, Washington, D.C.
- Junk, W. J., P. B. Bayley. and R. E. Sparks. 1989. Tlie flood pulse concept in river-floodplain systems. Pages 110–127 in D. P. Dodge. editor. Proceedings of international large river symposium (LARS), Toronto, Ontario, 14–21 September 1986. Canadian Special Publication of Fisheries and Aquatic Sciences 106. Canadian Department of Fisheries & Oceans, Ottawa, Ontario.
- Kaczynski, V. W., and J. F. Palmisano. 1993. Oregon's wild salnion and steelhead trout: a review of the impact of management and environmental factors. Prepared for Oregon Forest Industries Council, Salem, Oregon.
- Karlstrom, E. T.. and T. N. V. Karlstrom. 1987. Late Quaternary alluvial history of the American West: toward a process paradigm. Geology 15:88-89.
- Karr, J. R. 1990. Biological integrity and the goal of the environmental legislation: lessons for conservation biology. Conservation Biology 4:244–250. Biodiversity and Biointegrity Report 3.
- Karr, J. R. 1991. Biological integrity: a long-neglected aspect of water resource management. Ecological Applications 1:66-84.
- Karr, J. R. 1994. Biological monitoring: challenges for the future. Pages 357–373 in S.L. Loeb and A. Spacie, editors. Biological monitoring of aquatic systems. Lewis Boca Raton. Florida.
- Karr, J. R. 1995. Clean water is not enough. Illahee 11:51-59.
- Karr, J. R. In press. Rivers as sentinels: using the biology of rivers to guide landscape management. In R. J. Naiman and R. E. Bilby, editors. The ecology and management of streams and rivers in the Pacific Northwest Coastal Ecoregion. Springer-Verlag. New York.
- Karr. J. R.. and D. R. Dudley. 1981. Ecological perspective on water quality goals. Environmental Management 5:55-68.
- Karr. J. R.. and I. J. Schlosser. 1978. Water resources and the land-water interface. Science 201:229–234.
- Karr, J. R., K. D. Fausch, P. L. Angernieier. P. R. Yant, and
 I. J. Scholsser. 1986. Assessing biological integrity in running waters: a method and its rationale. Special Publication 5. Illinois Natural History Survey, Champaign, Illinois.

- Karr, J. R., L. A. Toth, and D. R. Dudley. 1985. Fish communities of midwestern rivers: a history of degradation. BioScience 35:90-95.
- Karr, J. R., L. A. Toth, and G. D. Garman. 1983. Habitat preservation for midwest stream fishes: principles and guidelines. EPA-600/S3-83-006. U.S. Environmental Protection Agency, Corvallis, Oregon.
- Kaster, J. L., and G. Z. Jacobi. 1978. Benthic macroinvertebrates of a fluctuating reservoir. Freshwater Biology 8:283-290.
- Kauffinan, J. B. 1988. The status of riparian habitats in Pacific Northwest forests. Pages 45-55 in K. J. Raedeke, editor. Streamside management: riparian wildlife and forestry interactions. Institute of Forest Resources, University of Washington, Seattle.
- Kauffman, J. B., and W. C. Krueger. 1984. Livestock impacts on riparian ecosystem and streamside management implications. . .a review. Journal of Range Management 37:430-438.
- Kauffman, J. B., R. L. Beschta, and W. S. Platts. 1993. Fish habitat improvement projects in the Fifteenmile Creek and Trout Creek basins of central Oregon: field review and management recommendations. BPA Project No. 86-079; 84-062, Bonneville Power Administration, Division of Fish and Wildlife, Portland, Oregon.
- Kauffman, J. B., W. C. Krueger, and M. Varva. 1983. Impacts of cattle on streambanks in northeastern Oregon Journal of Range Management 36:683–685.
- Kay, J. J., and E. D. Schneider. 1992. Thermodynamics and measures of ecological integrity. Pages 159–182 in D. H.
 McKenzie, D. E. Hyatt, and V. J. McDonald, editors. Ecological indicators. Elsevier, New York.
- Kelsey, H. M. 1980. A sediment budget and an analysis of geomorphic process in the Van Duzen River basin, north coastal California, 1941–1975: summary. Geological Society of America Bulletin. Part I 91:190–195.
- Kelsey, H. M. 1982. Hillslope evolution and sediment movement in a forested headwaters basin, Van Duzen River, California. Pages 86–96 in F. J. Swanson, R. J. Janda, T. Dunne, and D. N. Swanston, editors. Sediment budgets and routing in forested drainage basins. General Technical Report PNW-141. U.S. Departinelit of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, Oregon.
- Kelso, B. W., T. G. Northcote, and C. F. Wehrhahn. 1981. Genetic and environmental aspects of the response to water current by rainbow trout (*Salmo gairdneri*) originating from inlet and outlet streams of two lakes. Canadian Journal of Zoology 59:2177–2185.
- Kentula, M. E., J. C. Sifiieos, J. W. Good, M. Rylko. and K. Kunz. 1992. Trends and patterns in Section 404 permitting requiring compensatory mitigation in Oregon and Washington, USA. Environmental Management 16:109–119.

- Keppeler. E. T., and R. R. Ziemer. 1990. Logging effects on streanitlow-water yield and summer low flows at Caspar Creek in northwestern California. Water Resources Research 26: 1669-1679.
- Kerans. B. L., and J. R. Karr. 1994. A benthic index of biotic integrity (B-IBI) for rivers of the Tennessee Valley. Ecological Applications 4:768-785.
- Keynes, J M. 1931. Essays in persuasion: economic possibilities for our grandchildren. Norton, New York
- King, J. G. 1989. Streamflow responses to road building and harvesting: a comparison with the equivalent clearcut procedure. Research Paper INT-401. U.S. Department of Agriculture, Forest Service. Intermountain Research Station, Moscow, Idaho.
- King, J. G., and L. C. Tennyson. 1984. Alteration of streanitlow characteristics following road construction in north central Idaho. Water Resources Research 20:1159-1163.
- Kingsbury, P. D. 1983. Permethrin in New Brunswick salmon nursery streams. Canadian Forest Service, Forest Pest Management Institute Report FPM-X-52. N.p., N.p.
- Kirpiclinikov. V. S., and I. M. Ivanova. 1977. Variation in the frequencies of the alleles of the lactate dehydrogenase and phosphoglucomutase loci in local populations. different age groups. and successive generations of sockeye salmon (*Oncorhynchus nerka*). Soviet Genetics 13:791-799.
- Klein, R. D. 1979. Urbanization and stream quality impairment. Water Resources Bulletin 15:948–963.
- Kleiner, E. F., and K. T. Harper. 1977. Soil properties in relation to cryptogamic groundcover in Canyonlands National Park. Journal of Range Management 30:202-205.
- Klemm. D. J., and J. M. Lazorchak. 1993. EMAP 1993 field operations and methods manual lor streams. U.S. Environmental Protection Agency. Cincinnati. Ohio.
- Klemm, D. J., and J. M. Lazorchak. 1995. Environmental Monitoring and Assessment Program—Surface Waters: field operations and methods for measuring tlie ecological condition of wadeable streams, U.S. Environmental Protection Agency, Cincinnati, Ohio.
- Klingeman, P. C. 1993. Indications of streambed degradation in the Willamette Valley. WRRI-21. Oregon Water Resources Research Institute, Oregon State University, Corvallis.
- Knighton, M. D., and R. M. Soloinan. 1989. Applications and research in sediment delivery and routing models in the USDA-Forest Service. Pages 344–349 in S. S. Y. Wang, editor. International Symposium on Sediment Transport Modeling. American Society of Civil Engineers, New York.

- Kondolf, G. M. 1994. Geomorphic and environmental effects of instreain gravel mining. Landscape and Urban Planning 28:225-243.
- Kondolf, G. M., and M. L. Swanson. 1993. Channel adjustments to reservoir construction and gravel extraction along Stony Creek, California. Environiiiental Geology 21:256-269.
- Konkel, G. W., and J. D. McIntyre. 1987. Trends in spawning populations of Pacific anadromous salmonids Fish and Wildlife Service Technical Report 9. U.S.
 Department of the Interior, Fish and Wildlife Service, Washington. D.C.
- Konopacky, R. C. 1984. Sedimentation and productivity in a salmonid stream. Doctoral dissertation. University of Idaho, Moscow.
- Kope, R. *G*. 1992. Optimal harvest rates for mixed populations of natural and hatchery fish. Canadian Journal of Fisheries and Aquatic Sciences 49:931–938.
- Koski, K. V. 1966. The survival of coho salmon (Oncorhynchus kisutch) from egg deposition to emergence in three Oregon coastal streams. M.S. thesis. Oregon State University, Corvallis.
- Koski, K. V. 1972. Effect of sediment on fish resources. Paper presented at Washington State Department of Natural Resources Management Seminar, Lake Limerick, Washington.
- Kroger, R. L. 1973. Biological effects of fluctuating water levels in the Snake River, Grand Teton National Park, Wyoming. American Midland Naturalist 89:478–481.
- Kusler, J. A. 1979. Regulating critical riparian lands: a challenge in intergovernmental cooperation. Pages 332-335 in R. R. Johnson and J. F. McCormick, editors. Strategies for protection and management of floodplain wetlands and other riparian ecosystems. General Technical Report WO-12. U.S. Department of Agriculture, Forest Service, Washington, D.C.
- L'Abee-Lund, J. H., A. J. Jensen, B. Jonsson, L. M. Saettem, T. G. Heggberpet, B. O. Johnsen, and T. F. Naesje. 1989. Latitudinal variation in life history characteristics of sea-run migrant brown trout *Salmo trutta* from 58 to 70 degrees north. Journal of Animal Ecology 5:525-542.
- Lagasse, P. F., B. R. Winkley, and D. B. Simons. 1980. Impact of gravel mining on river system stability. Journal of the Waterway Port Coastal and Ocean Division, Proceedings of the American Society of Civil Engineers 106:389-404.
- Lamberti, G. A., and S. V. Gregory. 1989. Influence of channel geomorphology and riparian zones on nutrient retention in stream ecosystems. Pages 33-39 in California riparian systems—protection, management and restoration for the 1990s. University of California Press, Davis.

- Lamberti, G. A., S. V. Gregory, R. Ashkenas, R. C. Wildman, and K. M. S. Moore. 1991. Stream ecosystem recovery following a catastrophic debris flow. Canadian Journal of Fisheries and Aquatic Sciences 48:196–208.
- Landers, D. H.. R. M. Hughes. S. G. Paulsen, D. P. Larsen. and J. M. Omernik. In review. How can regionalization and survey sampling make limnological research more relevant'? Verhandlungen Internationale Vereinigung für theoretische und angewandte Limnologie.
- Landres, P. B. 1992. Ecological indicators: panacea or liability'? Pages 1295–1318 in D. H. McKenzie, D. E. Hyatt, and V. J. McDonald. editors. Ecological indicators Elsevier, New York.
- Larimore, R. W., and P. W. Smith. 1963. Tlie fishes of Champaign County, Illinois, as affected by 60 years of stream changes. Illinois Natural History Survey Bulletin 28:299-382.
- Larsen, D. P. 1995. The role of ecological sample surveys in the implementation of biocriteria. Pages 287–300 in W. S. Davis and T. P. Simon. editors. Biological assessment and criteria: tools for water resource planning and decision making. Lewis, Boca Raton. Florida.
- Larsen, D. P.. K. W. Thornton, N. S. Urquhart, and S. G. Paulsen. 1994. The role of sample surveys for monitoring the condition of the Nation's lakes. Environniental Monitoring and Assessment 32:101–134.
- Larsen, D. P., N. S. Urquhart, and D. L. Kugler. 1995.Regional scale trend monitoring of indicators of trophic condition of lakes. Water Resources Bulletin 31:117-140.
- Larson, G. L.. S. E. Moore, and B. Carter. In press. Ebb and flow of encroachment by noli-native rainbow trout in a sinall stream in the southern Appalachian mountains. Transactions of the American Fisheries Society.
- Larson. K. R., and R. C. Sidle. 1981. Erosion and sedimentation data catalog of the Pacific Northwest. U.S. Department of Agriculture, Forest Service. Pacific Northwest Region. Portland, Oregon.
- Lawson, P. W. 1993. Cycles in ocean productivity, trends in habitat quality. and tlie restoration of salmon runs in Oregon. Fisheries 18(8):6-10.
- Larsson, P. O. 1985. Predation on migrating smolt as a regulating factor of Baltic salmon. Salmo salar L.. populations. Journal of Fish Biology 26:391–397.
- Lee, R. M., and J. N. Rime. 1980. Critical thermal maxima of five trout species in the southwestern United States. Transactions of the American Fisheries Society 109:632-635.
- Lee, D. S., C. R. Gilbert, C. H. Hocutt, R. E. Jenkins, D. E. McAllister, and J. R. Stauffer Jr. 1980. Atlas of North American freshwater fishes. North Carolina State Museum of Natural History, Raleigh

- Lee, H. Y., D. T. Fu, and M. H. Song. 1993. Migration of rectangular mining pit composed of uniform sediments. Journal of Hydraulic Engineering 119:64–80.
- Leek, S. L. 1987. Viral erythrocytic inclusion body syndrome (EIBS) in occurring in juvenile spring chinook salmon (Oncorhynchus tshawytscha) reared in freshwater. Canadian Journal of Fisheries and Aquatic Sciences 44:685-688.
- Lehmkuhl, D. M. 1972. Change in thermal regime as a cause of reduction of benthic fauna downstream of a reservoir. Journal Fisheries Research Board of Canada 29:1329-1332.
- Leidy, R. B. 1980. Aquatic organisms. Pages 120–134 in F. E. Guthrie and J. J. Perry, editors. Introduction to environmental toxicology. Elsevier North Holland, Inc., New York.
- Leopold, A. 1949. A Sand County almanac and sketches here and there. Oxford University Press, New York.
- Lestelle, L. C., and L. G. Gilbertson, editors. 1993. Harvest management and recovery of Snake River salmon stocks: recovery issues for threatened and endangered Snake River salmon. Technical report 7 of 11. U.S. Department of Energy, Bonneville Power Administration, Department of Fish and Wildlife.
- Levins, R. A. 1969. Some demographic and genetic consequences of environmental heterogeneity for biological control. Bulletin of the Entornological Society of America 15:237-240.
- Levno, A., and J. Rothacher. 1967. Increases in maximum stream temperature after slash burning in a small experimental watershed U.S. Department of Agriculture, Forest Service, N.p. Research Note PNW-110.
- Li, H. W. 1994. Cumulative effects of riparian disturbances along high desert trout stream of the John Day Basin, Oregon. Transactions of the American Fisheries Society 123:627-640.
- Li H. W., K. Currens, D. Bottom, S. Clarke, J. Dambacher, C. Frissell, P. Harris, R. M. Hughes, D. McCullough, A. McGie, K. Moore, R. Nawa, and S. Thiele. 1995. Safe havens: refuges and evolutionarily significant units. American Fisheries Society Symposium 17:371-380.
- Li H. W., M. Dutcliuk, C. B. Schreck. 1979 (unpublished data). Available froin the senior author, Department of Fisheries and Wildlife, Oregon State University, Corvallis, Oregon.
- Li. H. W., T. N. Pearsons, C. K. Tait. J. L. Li, and R. Gaither. 1991, Approaches to evaluate habitat improvement programs in streams of the John Day basin. Completion Report. Oregon Cooperative Fishery Research Unit, Department of Fisheries and Wildlife, Oregon State University. Corvallis.
- Licliatowich, J. A., and J. D. McIntyre. 1987. Use of hatcheries in the management of Pacific anadromous

- salmonids. American Fisheries Society Symposium 1:131-136.
- Lichatowich, J., L. Mobrand, L. Lestelle, and T. Vogel. 1995. An approach to the diagnosis and treatment of depleted Pacific salmon populations in Pacific Northwest watersheds. Fisheries 20:10–18.
- Lienkaemper, G. W. Minshall, S. B. Monsen. R. L. Nelson, J. R. Sedell, and J. S. Tuhy, editors. 1987. Methods for evaluating riparian habitats with applications to management. U. S Department of Agriculture, Forest Service, Intermountain Research Station, Ogden, Utah.
- Likens, G. E., F. H. Bormann, R. S. Pierce, J. S. Eaton, and N. M. Johnson. 1977. Biogeochemistry of a forested ecosystem. Springer-Verlag. New York.
- Limburg, K. E., and R. E. Schmidt. 1990. Patterns of fish spawning in Hudson River tributaries: response to an urban gradient'? Ecology 71:1238–1245.
- Lindsey, C. C. 1981. Stocks are chameleons: plasticity in gill rakers of coregonid fishes. Canadian Journal of Fisheries and Aquatic Sciences 38:1497-1506.
- Lindskov. K. L. and B. A. Kimball. 1984. Water resources and potential hydrologic effects of oil-shale development in the Southeastern Uinta Basin, Utah and Colorado. Geological Survey Professional Paper 1307. U.S. Department of Interior. Reston, Virginia.
- Lisle, T. E. 1982. Effects of aggradation and degradation on pool-riffle morphology in natural gravel channels, northwestern California. Water Resources Research 18:1643–1651.
- Lloyd, D. S., J. P. Koenings. and J. D. LaPerriere. 1987 Effects of turbidity in fresh waters of Alaska. North American Journal of Fisheries Management 7:18-33.
- Loope, W. L., and G. F. Gifford. 1972. Influence of a soil inicrotloral crust on select properties of soils under pinyon-juniper in southeastern Utah. Journal of Soil and Water Conservation 27:164-167.
- Lorz, H. W., S. W. Glenn, R. H. Williams, C. M. Kunkel,
 L. A. Norris. and B. R. Loper. 1979. Effects of selected herbicides on smolting of coho salnion. EPA-600/3-79-071. U.S. Environmental Protection Agency,
 Environmental Research Laboratory, Corvallis. Oregon.
- Lowrance, R. 1992. Groundwater nitrate and denitrification in a coastal plain riparian forest. Journal of Environmental Quality 21:402-405.
- Lowrance. R., R. Todd. J. Fail Jr., O. Hendrickson Jr., R. Leonard, and L. Asmussen. 1984. Riparian forests as nutrient filters in agricultural watersheds. Bioscience 34:374–377.
- Lucchetti, G., and R. Fuerstenberg. 1993. Management of coho salmon habitat in urbanizing landscapes of King County, Washington. USA. Pages 308–317 in Proceedings of the coho salmon workshop. Canadian Department of

- Fisheries & Oceans, Habitat Management Sector, Policy & Information Unit, Vancouver, British Columbia.
- Lyford, J. H., and S. V. Gregory. 1975. The dynamics and structure of periphyton communities in three Cascade mountain streams. Verhandlungen Internationale Vereinigung für theoretische und angewandte Liinnologie 19:1610-1616.
- Lynch. J. A., E. S. Corbett, and K. Mussallem. 198.5. Best management practices for controlling nonpoint-source pollution on forested watersheds. Journal of Soil and Water Conservation 40:164–167.
- MacDiarmid, B. N, and B. R. Watkin. 1971. Tlie cattle dung patch: I. Effect of dung patches on yield and botanical composition of surrounding and underlying pasture. Journal of the British Grassland Society 26:239–245.
- MacDiarmid, B. N., and B. R. Watkin. 1972. The cattle dung patch: III. Distribution and rate of decay of dung patches and their influence on grazing beliaviour. Journal of the British Grassland Society 27:48-54.
- MacDonald, A., and K. W. Ritland. 1989. Sediment dynamics in type 4 and 5 waters: a review and synthesis. TFW-012-89-002. Prepared for the TFW/SMER Sediment, Hydrology & Mass Wasting Steering Committee and Washington Department of Natural Resources, Forest Regulation and Assistance, Olympia, Washington.
- MacDonald, L. H., A. W. Smart, and R. C. Wissmar. 1991 Monitoring guidelines to evaluate effects of forestry activities on streams in the Pacific Northwest and Alaska EPA 910/9-91-001. U.S. Environmental Protection Agency, Region X, Seattle, Washington.
- Madison, C. E, R. L. Blevins, W. W. Frye, and B. J. Barfield. 1992. Tillage and grass filter strip effects upon sediment and chemical losses. Page 31 in Agronomy Abstracts. American Society of Agronomy, Madison, Wisconsin.
- Major, R. J., and J. L. Mighell. 1966. Influence of Rocky Reach dam and the temperature of the Okanogan River on the upstream migration of sockeye salmon. U.S. Fish and Wildlife Service Fishery Bulletin 66:131–147.
- Manzer, J. I., and M. P. Shepard. 1962. Marine survival, distribution and migration of pink salmon (*Oncorhynchus gorbuscha*) off the British Columbia coast. Pages 113–122 in H. R. Wilimovsky, editor. Syinposiuni on pink salmon. MacMillan Lectures in Fisheries, University of British Columbia. Vancouver.
- Marcus, M. D., M. K. Young. L. E. Noel, and B. A. Mullan. 1990. Salmonid-habitat relationships in the western United States: a review and indexed bibliography. General Technical Report RM-GTR-188. U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado.
- Maret, T. J., M. Parker, and T. E. Fannin. 1987. The effect of beaver ponds on the nonpoint source water quality of a

- stream in southwestern Wyoming. Water Research 21:262–268.
- Marnell, L. F. 1986. Impacts of hatchery stocks on wild fish populations. Pages 339-347 in R. H. Stroud. editor. Fish culture section aiid fisheries management section of the Ainerican Fisheries Society. Proceedings of a symposium on the role of fish culture in fisheries management at Lake Ozark, Missouri, 31 March-3 April 1985. Aiiierican Fisheries Society, Betliesda. Maryland.
- Marsh, G. P. 1965(1864). Man and nature: or physical geography as modified by human action. Harvard University Press, Cambridge. Massachusetts.
- Marzolf, G. R. 1978. The potential effects of clearing and snagging on stream ecosystems. FWS/OBS-78/14. U.S. Department of the Interior, Fish and Wildlife Service, Washington. D.C.
- Maser. C., and J. R. Sedell. 1994. From the forest to the sea: the ecology of wood in streams, rivers, estuaries, and oceans. St. Lucie Press, Delray Beach, Florida.
- Maser, C., R. F. Tarrant, J. M. Trappe. and J. F. Franklin.
 1988. From the forest to the sea: a story of fallen trees.
 General Technical Report PNW-GTR-229. U.S.
 Department of Agriculture, Forest Service. Pacific
 Northwest Research Station, Portland, Oregon. Published in cooperation with the U.S Department of tlie Interior,
 Bureau of Land Management and the U.S. Department of Labor.
- Matske, G. E. 1993. Population. Pages 18–24 in P. L.
 Jackson and A. J. Kimerling, editors. Atlas of the Pacific Northwest. 8th edition. Oregon State University Press, Corvallis.
- Mathews, S. B., and R. Buckley. 1976. Marine mortality of Puget Sound coho salmon (*Oncorhynchus kisutch*). Journal Fisheries Research Board of Canada 33:1677–1684.
- Matthews, W. J., and D. C. Heins, editors. 1987. Community and evolutionary ecology of North American stream fishes. University of Oklahoma Press, Norman.
- Maxted, J. R., E. L. Dickey, and G. M. Mitchell. 1994a. Habitat quality of Delaware nontidal streams. Delaware 305(b) Report for 1994. Department of Natural Resources and Environmental Control. Dover, Delaware.
- Maxted, J. R., E. L. Dickey. and G. M. Mitchell. 1994b. Tlie water quality effects of channelization in coastal plain streams of Delaware. Delaware Department of Natural Resources and Environinental Control, Division of Water Resources, Dover, Delaware.
- McBride, D. K., D. E. Peterson. and H. A. Lamey. 1988. Persistence and mobility of pesticides in soil aiid water. Bulletin 49. North Dakota State University Extension Service. Fargo.
- McCammon, B. 1993, Determining the risk of cumulative waterslied effects resulting from multiple activities—Endangered Species Act. Section 7. U S.

- Department of Agriculture, Forest Service, Portland, Oregon.
- McConnell, C. A., D. R. Parsons. G. L. Montgomery, and W. L. Gainer. 1980. Stream renovation alternatives: the Wolf River story. Journal of Soil and Water Conservation 35:17-20.
- McCullough, D. R. 1979. The George Reserve deer herd: population ecology of a K-selected species. University of Michigan Press, Ann Arbor.
- McDade, M. H., F. J. Swanson, W. A. McKee, J. F. Franklin, and J. Van Sickle. 1990. Source distances for coarse woody debris entering small streams in western Oregon and Washington. Canadian Journal of Forest Sciences 20:326–330.
- McDowell, P. F. 1986. Reconstructing the setting of the Talikenitch Landing Site. Pages 91–103 *in* The Archaeology of the Talikenitch Landing Site: early prehistoric occupation on the Oregon Coast. Heritage Research Associates Report No. 46. Heritage Research Associates, Eugene, Oregon.
- McDowell, P. F. 1987. Geomorphic processes in the Pacific Coast and mountain system of Oregon and Washington. Pages 539–549 in W. L. Graf, editor. Geomorphic systems of North America. Centennial Special Volume 2 edition. The Geological Society of America, Boulder, Colorado.
- McHenry, M. L., D. C. Morrill, and E. Currence. 1994. Spawning gravel quality, watershed characteristics and early life history survival of coho saliiion and steelhead in five North Olympic Peninsula watersheds. A study funded by tlie Department of Ecology, Centennial Clean Water Fund & Section 205J Clean Water Act. Prepared by the Lower Elwha S'Kallan Tribe and the Makah Tribe, Port Angeles and Neali Bay, Washington,
- McIntire, C. D. 1966. Some factors affecting respiration of periphyton communities in lotic environments. Ecology 47:918-930.
- McIntosh, B. A., J. R. Sedell, J. E. Smith, R. C. Wissmar, S. E. Clarke, G. H. Reeves, and L. A. Brown 1994a. Historical changes in fish habitat for select river basins of eastern Oregon and Washington. Northwest Science 68:36–53.
- McIntosh, B. A., J. R. Sedell, J. E. Smith. R. C. Wissmar, S. E. Clarke, G. H. Reeves, and L. A. Brown. 1994b.
 Management history of eastside ecosystems: changes in fish habitat over 50 years, 1935 to 1992. General Technical Report PNW-GTR-321. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, Oregon.
- McKee, A., G. LeRoi, and J. F. Franklin. 1982. Structure, composition and reproductive behavior of terrace forests.
 South Fork Holi River, Olympia National Park. Pages 22–29 in E. E. Starkey, J. F. Franklin, and J. W.
 Mattliews, editors. Ecological research in national parks of

- tlie Pacific Northwest. National Park Service Cooperative Studies Unit, Corvallis. Oregon.
- McKim, J. M., and D. A. Benoit. 1971. Effects of long-term exposures to copper on survival. growth, and reproduction of brook trout (*Salvelinus fontinalis*). Journal Fisheries Research Board of Canada 28:655-662.
- McNeil, W. J. 196%. Migration and distribution of pink salmon spawners in Sashin Creek in 1965 and survival of their progeny. U.S. Fish and Wildlife Service Fishery Bulletin 66:575–586.
- McNeil, W. J., and W. H. Ahnell. 1964. Success of pink salmon spawning relative to size of spawning bed materials. Special Scientific Report—Fisheries 469. U.S. Department of the Interior, Fish and Wildlife Service, Washington, D.C.
- McPliail. J. D., and C. Lindsey. 1986. Zoogeography of the freshwater fishes of Cascadia (the Columbia systems and rivers north to the Stikine). Pages 615–637 in Tlie zoogeography of North American freshwater fishes. John Wiley. New York.
- McPliail. J. D., and C. B. Murray. 1979. Tlie early lifehistory and ecology of Dolly Varden (Salvelinus malma) in tlie upper Arrow Lakes. University of British Columbia, Department of Zoology and Institute of Animal Resources, Vancouver.
- Meador. M. R., T. F. Cuffiiey, and M. E. Gurtz. 1993a.
 Methods for sampling fish communities as part of the National Water-Quality Assessment Program. Open File Report 93-104. U.S. Department of the Interior, Geological Survey, Raleigh, North Carolina.
- Meador. M. R., C. R. Hupp, T. F. Cuffiiey, and M. E.
 Gurtz. 1993b. Methods for characterizing stream habitat as part of the National Water-Quality Assessment Program.
 Open File Report 93-408. U.S. Department of the Interior, Geological Survey, Raleigh, North Carolina.
- Meelian. W. R., editor. 1991. Influences of forest and rangeland management on salmonid fishes and their habitat. Special Publication 19. American Fisheries Society. Betliesda, Maryland.
- Meelian, W. R., and T. C. Bjornn. 1991. Salmonid distributions and life histories. Pages 47-82 in W. R. Meehan, editor. Influences of forest and rangeland management on salmonid fishes and their habitats. Special Publication 19. American Fisheries Society. Betliesda, Maryland.
- Meekin. T. K., and T. L. Allen. 1974. Nitrogen saturation levels in mid-Columbia River, 1965–1971. Washington Department of Fisheries Technical Report 12:32–77.
- Meekin, T. K., and B. K. Turner. 1974. Tolerance of salmonid eggs, juveniles and squawfish to supersaturated nitrogen. Washington Department of Fisheries Technical Report 12:78–126.

- Meffe, G. K. 1992. Techno-arrogance and halfway technologies: salmon hatcheries on the Pacific Coast of North America. Conservation Biology 6:350–354.
- Megalian, W. F. 1991. Erosion and site productivity in western-montane forest ecosystems. Pages 146-150 in A.
 E. Harvey and L. F. Neuenscliwander, editors.
 Proceedings—Management and productivity of western-montane forest soils. General Technical Report INT-280.
 U.S. Department of Agriculture, Forest Service, Intermountain Research Station, Ogden, Utah.
- Meisner, J. D. 1990. Effect of climatic warming on the southern margins of tlie native range of brook trout (*Salvelinus fontinalis*). Canadian Journal of Fisheries and Aquatic Sciences 47:1065–1070.
- Menzel, B. W, J. B. Bamum, and L. M. Antosch. 1984. Ecological alterations of Iowa prairie-agricultural streams Iowa State Journal of Research 59:5-30
- Merritt, R. W., and K. W. Cummins. 1984. An introduction to the aquatic insects of North Anierica. 2nd edition. Kendall/Hunt Publishing Company, Dubuque, Iowa.
- Merz, R. W, and R. F. Finn. 1951. Differences in infiltration rates on graded and ungraded strip-mined lands. Station Notes CS-65. U.S. Department of Agriculture, Forest Service. Central States Forest Experiment Station, Columbus, Ohio.
- Messer, J. J. 1990. EMAP indicator concepts. Pages 21–26 in C. T. Hunsaker and D. E. Carpenter, editors. Ecological indicators for tlie Environmental Monitoring and Assessment Program. EPA 600/3-90/060. U.S. Environmental Protection Agency. Research Triangle Park. North Carolina.
- Messer, J. J. 1992. Indicators in regional ecological monitoring and risk assessment. Pages 135-146 in D. H
 McKenzie, D. E. Hyatt, and V. J. McDonald. editors.
 Ecological indicators. Elsevier, New York.
- Messer, J. J., R. A. Linthurst, and W. S. Overton. 1991. An EPA program for monitoring ecological status and trends, Environmental Monitoring and Assessment 17:67–78.
- Meyer, D. F., and H. F. Martinson. 1989. Rates and processes of channel development and recovery following tlie 1980 eruption of Mount St. Helens, Washington. Hydrological Sciences—Journal des Sciences Hydrologiques 34:115–127.
- Meyer, J. L., W. H. McDowell, T. L. Bott. J. W. Elwood. C. Ishizaki, J. M. Melack, B. L. Peckarsky, B. J. Peterson, and P. A. Rublee. 1988. Elemental dynamics in streams. Journal of the North American Benthological Society 7:410-433.
- Mill, J. S. 1857. Principles of political economy, Volume 2. J.W. Parker & Son. London, England.
- Millenbach, C. 1973. Genetic selection of steelhead trout for managing purposes. Interiiational Atlantic Salmon Journal 4:253-257.

- Miller, D. L., P. M. Leonard, R. M. Hughes. J. R. Karr, P.
 B. Moyle, L. H. Schrader. B. A. Thompson. R. A.
 Daniels, K. D. Fausch, G. A. Fitzhugh, J. R. Gammon.
 D. B. Halliwell, P. L. Angermeier, and D. J. Ortli. 1988.
 Regional applications of an index of biotic integrity for use in water resource management. Fisheries 13(5):12-20.
- Miller, R. F., L. E. Eddleman, and R. F. Angell. 1989a. Effects of plant structure and composition on upland hydrologic cycles: juniper woodlands. Pages 171–172 in R. E. Gresswell. B. A. Barton. and J. L. Kershner, editors. Practical approaches to riparian resource management: an educational workshop, 8–11 May 1989. U.S. Department of the Interior. Bureau of Land Management, Billings. Montana. Technical Paper 8724, Oregon Agricultural Experiment Station. Corvallis.
- Miller, R. J., and E. L. Brannon. 1981. The origin and development of life history patterns in Pacific salmonids. Pages 296–309 *in* E. L. Brannon and E. O. Salo, editors. Salmon and trout migratory behavior symposium. University of Washington. School of Fisheries, Seattle.
- Miller, R. R., J. D. Williams. and J. E. Williams. 1989b Extinctions of North Anierican fishes during the past century. Fisheries 14(6):22-38.
- Miller. W. H., T. C. Coley, H. L. Burge, and T. T. Kisanuki. 1990. Analysis of salmon and steelhead supplementation: emphasis on unpublished reports and present programs. Part I pages 1–43 in W. H. Miller, editor. Analysis of salmon and steelhead supplementation Project No. 88-100. Bonneville Power Administration, Portland, Oregon.
- Minckley, W. L.. D. A. Hendrickson. and C. E. Bond. 1986.
 Geography of western North American freshwater fishes: description and relationships to intracontinental tectonism.
 Pages 519-613 in C. H. Hocutt and E. O. Wiley, editors.
 The zoogeography of North American freshwater fishes.
 John Wiley, New York.
- Minshall. G. W. 1988. Stream ecosystem theory: a global perspective. Journal of tlie North American Bentliological Society 7:263–288.
- Minshall. G. W., J. T. Brock, and J. D. Varley. 1989. Wildfire and Yellowstone's stream ecosystems. BioScience 39:707-715
- Minshall, G. W., K. W. Cuminins, R. C. Petersen, C. E. Cushing. D. A. Bruns, J. R. Sedell. and R. L. Vannote. 1985. Developments in stream ecosystem theory. Canadian Journal of Fisheries and Aquatic Sciences 42:1045-1055.
- Minsliall, G. W., R. C. Petersen, K. W. Cuminins, T. L. Bott, J. R. Sedell, C. E. Cusliing, and R. L. Vannote 1983. Interbiome comparison of stream ecosysteni dynamics. Ecological Monographs 53:1–25.
- Mitchell, G. A. 1995. Monitoring in support of the Pacific Northwest Forest Plan: a report on requirements and key questions. EPA/600/R95/057. U.S. Environmental Protection Agency, Corvallis. Oregon.

- Monan, G. E., J. H. Johnson, and G. F. Esterberp. 1975.
 Electronic tags and related tracking techniques aid in study of migrating salmon and steelhead trout in the Columbia River basin. Marine Fisheries Review 37:9-15.
- Mongillo, P. E. 1984. A summary of salmonid hooking mortality. Washington Department of Game, Fish Management, Fish Management Division, Olympia, Washington.
- Montgomery, D. R. 1993. Road surface drainage, channel extension, and slope stability. Geology 20:675–679.
- Montgomery, D. R. 1994. Geomorphological influences on salmonid spawning distributions. Geological Society of America Abstracts with Programs 26(7):A-439.
- Montgoinery, D. R., and J. M. Buffington. 1993. Channel classification, prediction of channel response, and assessment of channel condition. TFW-SH10-93-002. Prepared for the SHAMW committee of the Washington State Timber Fish & Wildlife agreement. Timber Fish & Wildlife, Seattle, Washington.
- Montgomery, D. R., G. E. Grant, K. Sullivan. 1995. Watershed analysis as a framework for implementing ecosystem management. Water Resources Bulletin 31:369–385.
- Moring, J. R., and R. L. Lantz. 1975. The Alsea watershed study: effects of logging on the aquatic resources of three headwater streams of the Alsea River, Oregon. Part I—Biological studies, Fishery Research Report 9. Oregon Department of Fish and Wildlife, Corvallis.
- Morrison. P. H., and F. J. Swanson. 1990. Fire history and pattern in a Cascade Range landscape. General Technical Report PNW-GTR-254. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, Oregon.
- Morrissy, N. M. 1973. Comparison of strains of *Salmo* gairdneri Richardson from New South Wales, Victoria and Western Australia. Bulletin of the Australian Society of Limnologists 5:11-20.
- Mortensen, D. G.. B. P. Snyder, and E. O. Salo. 1976. An analysis of the literature on the effects of dredging on juvenile salmonids. Contract Number N-68248-76-C-0011.
 Special report to tlie Departinelit of Navy. University of Washington, College of Fisheries, Fisheries Research Institute, Seattle.
- Moussalli, E., and R. Hilborn. 1986. Optimal stock size and harvest rate in multistage life history models. Canadian Journal of Fisheries and Aquatic Sciences 43:135–141.
- Moyle, P. B. 1976. Inland fishes of California. University of California Press, Berkeley.
- Moyle. P. B.. and B. Vondracek. 1985. Persistence and structure of the fish assemblage in a small California stream. Ecology 66:1-13.

- Moyle, P. B.. and D. M. Baltz. 1985. Microhabitat use by an assemblage of California stream fishes: developing criteria for instream tlow determinations. Transactions of the American Fisheries Society 114:695–704.
- Moyle, P. B., and G. M. Sato. 1991. On the design of preserves to protect native fishes. Pages 155-169 in W. L. Minckley and J. E. Deacon. editors. Battle against extinction: native fish management in the American West. University of Arizona Press. Tucson.
- Moyle, P. B., and J. E. Williams. 1990. Biodiversity loss in the temperate zone: decline of the native fish fauna of California. Conservation Biology 4:275–284.
- Moyle, P. B., and J. J. Cech, Jr. 1982. Fishes: an introduction to ichthyology. Prentice-Hall, Inc., Englewood Cliffs, New Jersey.
- Moyle, P. B., H. W. Li, and B. A. Barton. 1986. The Frankenstein effect: impact of introduced fishes on native fishes in North America. Pages 415-426 in R. H. Stroud, editor. Fish culture in fisheries management. American Fisheries Society. Fish Culture Section, Bethesda, Maryland.
- MSG (Monitoring Study Group). 1993. Assessing the effectiveness of California's forest practice rules in protecting water quality: recommendations for a pilot monitoring project and longer term assessment program. Prepared by the Monitoring Study Group of the California State Board of Forestry with assistance froin William M. Kier Associates, Sacramento. California.
- Muckleston. K. W. 1993. Water resources. Pages 71–80 in P. L. Jackson and A. J. Kimerling, editors. Atlas of the Pacific Northwest. 8th edition. Oregon State University Press. Corvallis.
- Mulder, B., J. Alegria, R. Czaplewski. P. Ringold, and T. Tolle. 1995. Effectiveness monitoring: an interagency program for the northwest forest plan with an emphasis on late-successional forest. northern spotted owl. marbled murrelet, survey and manage species. and riparian and aquatic. Inter-Agency Research and Monitoring Committee, Portland. Oregon.
- Mulholland, P. J. 1992. Regulation of nutrient concentrations in a temperate forest stream: roles of upland. riparian. and instream processes. Limnology and Oceanography 37:1512–1526.
- Munro, D. A., and P. A. Larkin. 1950. The effects of charges to natural water levels and water courses on wildlife. Transaction of the British Columbia Natural Resource Conference 3:267-272.
- Murphy. M. L. 1995. Forestry impacts on freshwater habitat of anadromous salmonids in the Pacific Northwest and Alaska—Requirements for protection and restoration.
 Decision Analysis Series Number 1. U.S. Department of Commerce, National Oceanic and Atmospheric Administration. National Marine Fisheries Service. Coastal Ocean Program. Juneau. Alaska.

- Murphy, M. L., and K. V. Koski. 1989. Input of woody debris in Alaska streams and implications for streamside management. North American Journal of Fisheries Management 9:427-436.
- Murphy, M. L., and W. R. Meehan. 1991. Stream ecosystems. Pages 17-46 in W. R. Meelian. editor. Influences of forest and rangeland management on salmonid fishes and their habitats. Special Publication 19. American Fisheries Society, Betliesda, Maryland.
- Murphy, M. L., C. P. Hawkins, and N. H. Anderson. 1981.
 Effects of canopy modification and accumulated sediment on stream communities. Transaction of the North American Wildlife Conference 110:469-478.
- Murphy, M. L., J. F. Thedinga, and K. V. Koski. 1988. Size and diet of juvenile Pacific salmon during seaward migration through a small estuary in southeastern Alaska. Fishery Bulletin 86:213-222.
- Murphy, M. L., J. F. Thedinga, K. V. Koski, and G. B.
 Grette. 1984. A stream ecosystem in and old-growth forest in southeastern Alaska: Part V. Seasonal changes in habitat utilization by juvenile salmonids. Pages 89–98 in W. R.
 Meelian, T. R. Merrill Jr., and T. A. Hanley, editors.
 Proceedings, fish and wildlife relationships in old-growth forests symposium. American Institute of Fishery Research Biologists, Asheville, North Carolina.
- Murphy. M. L., J. Heifetz, S. W. Johnson, K. V. Koski. and J. F. Thedinga. 1986. Effects of clear-cut logging with and without buffer strips on juvenile salmonids in Alaskan streams. Canadian Journal of Fisheries and Aquatic Sciences 43:1521–1533.
- Murray, C. B., and J.D. McPhail. 1988. Effect of incubation temperature on the development of five species of Pacific salmon (*Oncorhynchus*) embryos and alevins. Canadian Journal of Zoology 66:266–273.
- Mutch, R. W., S. F. Arno, J. K. Brown, C. E. Carlson. R.
 D. Ottmar, and J. L. Peterson. 1993. Forest health in tlie
 Blue Mountains: a management strategy for fire-adapted ecosystems. General Technical Report PNW-GTR-310.
 U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, Oregon.
- Myers, R. A., J. A. Hutchings, and R. J. Gibson. 1986.Variation in male parr maturation within and among populations of Atlantic salmon. Salmo solar. Canadian Journal of Fisheries and Aquatic Sciences 43:1242–1248
- Myrold, D. D., and J. M. Tiedje. 1985. Establishment of denitrification capacity in soil: effects of carbon, nitrate and moisture. Soil Biology and Biochemistry 17:819–822
- Mysak, L. A. 1986. El Niño, interannual variability and fisheries in the northeast Pacific Ocean. Canadian Journal of Fisheries and Aquatic Sciences 43:464–497.
- Naiman. R. J., editor. 1992. Watershed management: balancing sustainability and environmental change. Springer-Verlag Inc., New York.

- Naiman, R. J.. D. M. McDowell, and B. S. Farr. 1984. Tlie influence of beaver (*Castor canadensis*) on the production dynamics of aquatic insects. Verhandlungen Internationale Vereinigung ftir tlieoretisclie und angewandte Limnologie 22:1801–1810.
- Naiman, R. J., J. M. Melillo, and J. E. Hobbie. 1986. Ecosystem alteration of boreal forest streams by beaver (Castor canadensis). Ecology 67:1254-1269.
- Naiman, R. J., T. J. Beechie, L. E. Benda, D. R. Berg, P. A. Bisson, L. H. MacDonald, M. D. O'Connor, P. L. Olson, and E. A. Steel. 1992. Fundamental elements of ecologically healthy watersheds in the Pacific Northwest coastal ecoregion. Pages 127–188 in R. J. Naiman, editor. Watershed management: balancing sustainability and environmental change. Springer-Verlag, New York.
- Nasli, R. F. 1989. Tlie rights of nature. University of Wisconsin Press, Madison.
- Nawa, R. K. 1994. Stock status, stock origin, and causes of declines of spring and summer chinook salmon in California, Oregon, Washington, and Idaho. Poster presented at 1994 American Fisheries Society Northeast Pacific Chinook and Coho Salmon Workshop in Eugene, Oregon, 7–10 November 1994.
- Nawa, R. K.. and C. A. Frissell. 1993. Measuring scour aiid fill of gravel streambeds with scour chains and slidingbead monitors. North American Journal of Fislieries Management 13:634–639.
- Nebeker, A. V. 1971. Effect of high winter temperatures on adult emergence of aquatic insects. Water Resources Research 5:777-783.
- Nebeker, A. V., and J. R. Brett. 1976. Effects of air-saturated water on survival of Pacific salmon and steelhead smolts. Transactions of the American Fisheries Society 105:338–342.
- Neel, J. K. 1966. Impact of reservoirs. Pages 734 pp in D. G. Frey. editor. Limnology in North America. University of Wisconsin Press, Madison
- Nelilsen, W., J. E. Williams, and J. A. Lichatowich. 1991. Pacific salmon at the crossroads: stocks at risk from California, Oregon, Idaho. and Washington. Fisheries 16:4-21.
- Nehring, R. B., and P. G. Walker. 1996. Whirling disease in the wild: the new reality in the intermountain West. Fisheries 21:28-30.
- Neitzel. D. D., C. S. Abernathy, and E. W. Lusty. 1990. A fisheries evaluation of the Westside Ditch and Wapato Canal fish screening facilities. Annual report DOE/BP/01830—8, prepared for U.S. Bonneville Power Administration. Yakima, Washington.
- Neilson, J. D., and C. E. Banford. 1983. Chinook salmon (Oncorhynchus tshawytscha) spawner characteristics in relation to redd physical features. Canadian Jourial of Zoology 61:1254–1531.

- Nelson. J. A. 1982. Physiological observations on developing rainbow trout, *Salmo gairdneri* (Richardson), exposed to low pH and varied calcium ion concentrations. Journal of Fish Biology 20:359–372.
- Nelson. R. L., M. L. McHenry, and W. S. Platts. 1991.
 Mining. Pages 425-482 in W. R. Meelian, editor.
 Influences of forest aiid rangeland management on salmonid fishes and their habitats. Special Publication 19.
 American Fisheries Society, Betliesda, Maryland,
- Nelson R. W., J. R. Dwyer, and W. E. Greenberg. 1987. Regulated flushing in a gravel-bed river for channel habitat maintenance: a Trinity River fisheries case study. Environmental Management 11:479–493.
- Nestler, J. M. 1990. Reflections on a standard reference. Rivers 1:74–78.
- Newbold, J. D., D. C. Erman, and K. B. Roby. 1980. Effects of logging on macroinvertebrates in stream with and without buffer strips. Canadian Journal of Fisheries and Aquatic Sciences 37:1076-1085.
- Newbold, J. D., R. V. O'Neill, J. W. Elwood, aiid W. Van Winkle. 1982. Nutrient spiraling in streams: implications for nutrient limitation and invertebrate activity. The American Naturalist 120:628-653.
- Nicholas, J. W., aiid D. G. Hankin. 1988. Chinook salmon populations in Oregon coastal river basins: description of life histories and assessment of recent trends in run strength. Information Report 88-1, Oregon Department of Fish and Wildlife. Corvallis.
- Nickelson, T. E. 1986. Influences of upwelling, ocean temperature, and smolt abundance on marine survival of coho salmon *Oncorhynchus kisutch* in the Oregon production area. Canadian Journal of Fisheries aiid Aquatic Sciences 43:527–535.
- Nickelson, T. E., and R. R. Reisenbichler. 1977. Streamflow requirements of salmonids. Final report, Project AFS-62 (Contract 14-16-0001-4247). Oregon Department of Fish and Wildlife, Portland.
- Nickelson, T. E., M. F. Solazzi, aiid S. L. Johnson. 1986. Use of hatchery coho salmon (*Oncorhynchus kisutch*) presmolts to rebuild wild populations in Oregon coastal streams. Canadian Journal of Fisheries aiid Aquatic Sciences 43:2443–2449.
- Nielsen, J. L., T. E. Lisle, and V. Ozaki. 1994. Thermally stratified pools aiid their use by steelhead in northern California streams. Transactions of the American Fisheries Society 123:613-626
- Niering, W. A., and E. B. Allen. 1995. A cautionary tale. Restoration Ecology 3:145.
- Nilsson, N. A., and T. G. Northcote. 1981. Rainbow trout (Salmo gairdneri) and cutthroat trout (S. clarki) interactions in coastal British Columbia lakes. Canadian Journal of Fisheries and Aquatic Sciences 38:1228–1246.

- NMFS (National Marine Fisheries Service). 1994. U.S. Department of Commerce. National Oceanic & Atmospheric Administration, 50 CFR Part 227. Listing endangered and threatened species and designating critical habitat: initiation of status reviews for pink salmon, chum salmon. sockeye salmon, chinook salmon, arid sea-run cuttlirnat trout populations in Washington, Oregon, Idaho, and California. Proposed Rules, Federal Register 59(175):46808~46810.
- NMFS (National Marine Fisheries Service) 1995a. Endangered and threatened species; proposed threatened status for three contiguous ESUs of coho salmon ranging from Oregon through central California. Proposed Rules. Federal Register 60(142):38011–38030.
- NMFS (National Marine Fisher-ies Service). 1995b. Proposed recovery plan for Snake River salmon: summary. U.S. Department of Commerce. National Oceanic and Atmospheric Administration. National Marine Fisheries Service, N.p.
- NMFS (National Marine Fisheries Service). 1995c. Making Endangered Species Act determinations of effect for individual or grouped actions at the watershed scale. Nonfederal version. draft. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Portland, Oregon.
- Norris, L. A., and W. L. Webb. 1989. The effects of fire retardant on water quality. Pages 79–86 in N. H. Berg, editor. Proceedings of tlie symposium on fire and waterslied nianagement. General Technical Report PSW-109. U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station, Berkeley, California.
- Norris. L. A., H. W. Lorz. and S. V. Gregory. 1991. Forest chemicals. Pages 207–296 in W. R. Meehan, editor. Influences of forest and rangeland management on salmonid fishes and their habitats. Special Publication 19. American Fisheries Society, Betliesda. Maryland.
- Noss. R. F. 1990. Indicators for monitoring biodiversity: a hierarchical approach. Conservation Biology 4:355–364.
- Noss. R. F. 1992. The wildlands project: land conservation strategy. Wild Earth Special Issue.IO-25.
- Novitzki. R. P. 1973. Improvement of trout streams in Wisconsin by augmenting low flows with ground water. Geological Survey Water-Supply Paper 2017. U.S. Government Printing Office. Washington, D.C.
- Novitzki. R. P. 1979. Hydrologic characteristics of Wisconsin's wetlands and their intluence on floods, stream flow. and sediment. Pages 377-388 in P. E. Greeson, J. R. Clark, and J. E. Clark, editors. Wetland functions and values: the state of our understanding. Proceedings of the national symposium on wetlands. 7-10 November 1978. Anierican Water Resources Association, Minneapolis. Minnesota.
- Novitzki, R. P. 1989. Wetland hydrology. Pages 48-64 in S. K. Majumdar, R. P. Brooks, F. J. Brenner. and R. W.

- Tiner Jr., editors. Wetlands ecology and conservation: emphasis in Pennsylvania. The Pennsylvania Academy of Science, Easton.
- Novitzki, R. P., B. H. Rosen, L. McAllister, T. Ernst, B. Huntley, and K. Dwire. 1993. Environmental monitoring and assessment program-wetlands: research strategy for tlie assessment of wetland condition. U.S. Environniental Protection Agency, Corvallis, Oregon.
- NPPC (Northwest Power Planning Council). 1986. 1987 Columbia River Basin fish and wildlife program. NPPC. Portland, Oregon.
- NPPC (Northwest Power Planning Council). 1992a. Columbia River Basin fish and wildlife program: strategy for salmon—Volume I. Report 92-21. NPPC, Portland, Oregon.
- NPPC (Northwest Power Planning Council). 1992b. Columbia River Basin fish and wildlife program: strategy for salmon—Volume II. Report 92-21A. NPPC, Portland, Oregon.
- NPS (National Park Service), Fish and Wildlife Service, Bureau of Reclamation, Bureau of Indian Affairs, National Marine Fisheries Service, and Lower Elwha S'Klallam Tribe, 1994. Tlie Elwha report: restoration of the Elwha River ecosystem and native anadromous fisheries. U.S. Government Printing Office, Washington, D.C.
- NRC (National Research Council). 1992. Restoration of aquatic ecosystem: science, technology, and public policy, Prepared by the Committee on Restoration of Aquatic Ecosystems—Science, Technology, and Public Policy. National Academy of Sciences, Washington D.C.
- Nunnally, N. R. 1978. Stream renovation: an alternative to channelization. Environmental Management 2:403-411
- Nunnally, N. R., and E. Keller. 1979. Use of fluvial processes to minimize adverse effects of stream channelization.
 Publication 79-144. University of North Carolina, Water Resources Research Institute, Chapel Hill.
- Nuttall, P. M. 1972. The effects of sand deposition upon the macroinvertebrate fauna of the River Camel, Cornwall. Freshwater Biology 2:181–186.
- Nuttall, P. M., and G. H. Bielby. 1973. The effect of china clay wastes on stream invertebrates. Environmental Pollution 5:77–86.
- Nyman, O. L., and D. H. Sliaw. Molecular weight heterogeneity of serum esterases in four species of salmonid fish. Comparative Biochemistry and Physiology 40B:563-566.
- Oberlander, G. T. 1956. Summer fog precipitation on the San Francisco Peninsula. Ecology 37:851-852.
- ODEQ (Oregon Department of Environmental Quality). 1995. 1992–1994 water quality standards review. Standards and Assessment Section, ODEQ, Portland.

- ODF (Oregon Department of Forestry). 1994. 1994 waterslied classification and protection rules: reference guide. ODF. Salem.
- ODFW (Oregon Department of Fish and Wildlife). 1982. Comprehensive plan for production and management of Oregon's anadromous salmon and trout. Part II. Coho salmon plan. ODFW, Portland, Oregon.
- ODFW (Oregon Department of Fish and Wildlife). 1991, Comprehensive plan for production and management of Oregon's anadromous salmon and trout. Part IV. Coastal chinook salmon plan. ODFW, Portland, Oregon.
- ODFW (Oregon Department of Fish and Wildlife). 1992.
 Rogue Basin fisheries evaluation: effects of Lost Creek
 Dam on fall chinook salmon in the Rogue River. Phase II completion report. ODFW, Research and Development
 Section, Portland, Oregon.
- Ohio EPA. 1990. Ohio water resource inventory: 1990. 305(b) report. Executive summary and Volume I. Ohio Environmental Protection Agency, Columbus, Ohio.
- Ohio EPA. 1992. Ohio water resource inventory, summary. Ohio Environmental Protection Agency. Columbus, Ohio.
- O'Laughlin, J. 1995. Endangered and threatened species related to riparian management. Northwest regional riparian symposia. Diverse values: seeking common ground. Held 8–9 December 1994. Idaho Riparian Cooperative, Boise.
- O'Laughlin, J., and G. H. Belt. 1994. Functional approaches to riparian buffer strip design. Western Forester 27:12-14.
- Olson, R. E., C. F. Dungan, and K. A. Holt. 1991. Water-borne transmissions of *Dermocystidium salmonis* in the laboratory. Diseases of Aquatic Organisms 12:41–48.
- Omernik, J. M. 1987. Ecoregions of the conterminous United States. Annals of the Association of American Geographers 77:118-125.
- Omernik. J. M. 1977. Nonpoint source-stream nutrient level relationships: a nationwide study. EPA-600/3/77-105. U.S. Environmental Protection Agency, Corvallis. Oregon.
- Omernik. J. M., and A. L. Gallant. editors. 1986. Ecoregions of the Pacific Northwest EPA/600/3-86/033. U.S. Environmental Protection Agency, Corvallis, Oregon.
- Overcash, M. R. S. C. Bingham, and P. W. Westerman. 1981. Predicting runoff pollutant reduction in buffer zones adjacent to land treatment sites. Transactions of the American Society of Agricultural Engineers 24:430-435.
- Overton, W. S., D. L. Stevens, and D. White. 1990. Design report for EMAP, Environmental Monitoring and Assessment Program. EPA/600/4-91. U.S. Environmental Pi-otection Agency. Washington, D.C.
- OWRRI (Oregon Water Resources Research Institute). 1995. Gravel disturbance impacts on salmon habitat and stream

- health. Volume II: technical background report. Prepared by the OWRRI for the Oregon Division of State Lands, Salem, Oregon.
- Packard, V. 1960. The waste makers. Penguin Books. Middlesex, England.
- Packer, P. E. 1951. Status and research on watershed protection requirements for granitic mountain soils in southwestern Idaho. Research Paper 27, U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station, Moscow, Idaho.
- Packer, P. E. 1963. Soil stability requirements for the Gallatin elk winter range. Journal of Wildlife Management 27:401-410.
- Packer, P. E., and W. A. Laycock 1969. Watershed management in the United States: concepts and principles. Lincoln College Papers in Water Resources 8:1-22.
- Palmisano, J. F., R. H. Ellis, and V. W. Kaczynski, editors. 1993a. The impact of environmental and management factors on Washington's wild anadromous salmon and trout. Volume 1. Prepared for Washington Forest Protection Association and The State of Washington Department of Natural Resources, Olympia, Washington.
- Palmisano, J. F., R. H. Ellis, and V. W. Kaczynski, editors.
 1993b. The impact of environmental and management factors on Washington's wild anadromous salmon and trout: summary and recommendations. Volume 2.
 Washington Forest Protection Association and The State of Washington Department of Natural Resources, Olympia, Washington.
- Parametrix, I. 1975. Resource and literature review, dissolved gas supersaturation and gas bubble disease. Parametrix, Inc, Environmental Services Section, Seattle. Washington.
- Parkhurst, B. R., R. G. Elder, J. S. Meyer, D. A. Sanchez. R. W. Pennak, and W. T. Waller. 1984. An environmental hazard evaluation of uranium in a Rocky Mountain stream. Environmental Toxicology and Chemistry 3:113–124.
- Pascoe, G. A., R. J. Blanchet, and G. Linder. 1993.
 Ecological risk assessment of a metals-contaminated wetland: reducing uncertainty. Pages 1–9 in W. Sloof, and H. de-Kruijf, editors. Proceedings of the second European conference on ecotoxicology; 1993 vol. Suppl. Pts. Amsterdam (Netherlands), 11–15 May 1992.
- Paulsen, S. G., and R. A. Linthurst. 1994. Biological monitoring in the Environmental Monitoring and Assessment Program. Pages 297–322 in S.L. Loeb and A. Spacie, editors. Biological monitoring of aquatic systems. Lewis, Boca Raton, Florida.
- Paulsen, S. G., D. P. Larsen, P. R. Kaufinann, T. R.
 Whittier, J. R. Baker, D. V. Peck, J. McGue, R. M.
 Hughes, D. McMullen, D. Stevens, J. L. Stoddard, J.
 Lazorchak. W. Kinney, A. R. Selle, and R. Hjort. 1991
 EMAP-Surface Waters monitoring and research

- strategy—fiscal year 1991. EPA/600/3-91/022. U.S. Environmental Protection Agency, Corvallis. Oregon.
- Peacock. K. A. 1994. Valley fill and channel incision in Meyer's Canyon, northcentral Oregon. M. S. thesis. Oregon State University, Corvallis.
- Pearcy. W. G. 1992. Ocean ecology of North Pacific salmonids. University of Washington Press. Seattle.
- Pearson, L. S., K. R. Conover, and R. E. Sams. 1970.
 Factors affecting tlie natural rearing of juvenile coho salmon during the summer low flow season. Oregon Fish Commission. Portland.
- Pease, J. R. 1985. Land use and ownership. Pages 34-39 in A. J. Kimerly and P. L. Jackson, editors. Atlas of the Pacific Northwest. 7th ed., Oregon State University Press, Corvallis.
- Pease, J. R. 1993. Land use and ownership. Pages 31-39 in P L. Jackson and A. J. Kimerling, editors. Atlas of the Pacific Northwest. 8th edition. Oregon State University Press. Corvallis.
- Pedersen, E. R., and M. A. Perkins. 1986. Tlie use of benthic invertebrate data for evaluating impacts of urban runoff. Hydrobiologia 139:13-22.
- Peterjohn, W. T., and D. L. Correll. 1984. Nutrient dynamics in an agricultural watershed: observations on the role of a riparian forest. Ecology 65:1466-1475.
- Peterinan. R. M. 1978. Testing for density-dependent marine survival in Pacific salmonids, Canadian Journal of Fisheries and Aquatic Sciences 35:14341–450.
- Peterman. R. M. 1987. Review of the components of recruitment of Pacific salmon. American Fisheries Society Symposium 1:417-429.
- Peterman, R. M., and G. J. Steer. 1981. Relation between sport-fishing catchability coefficients and salmon abundance. Transactions of the American Fisheries Society 110:585-593.
- Peterson. B. J., L. Deegan, J. Helfrich, J. E. Hobbie, M. Hullar. B. Moller, T. E. Ford. A. Hershey, A. Hiltner, G. Kipphut, M. A. Lock, D. M. Fiebig, V. McKinley, M. C. Miller, J. R. Vestal, R. Ventullo, and G. Volk. 1994. Biological responses of a tundra river to fertilization. Ecology 75:653-672.
- Peterson. N. P. 1982. Immigration of juvenile colio salinon (Oncorhynchus kisutch) into riverine ponds. Canadian Journal of Fisheries and Aquatic Sciences 39:1308–1310
- Peterson, N. P.. A. Hendry, aiid T. P. Quinn. 1992.
 Assessment of cumulative effects on salmonid habitat: some suggested parameters and target conditions TFW-F3-92-001. Prepared for the Washington Department of Natural Resources and The Coordinated Monitoring, Evaluation and Research Committee, Timber Fish and Wildlife Agreement. University of Washington, Center for Streamside Studies, Seattle, Washington.

- Petit, James B. 1994. Solid faith in sinall acts. Illahee 10(4):262-264.
- PFMC (Pacific Fishery Management Council). 1979.

 Freshwater habitat, salmon produced, and escapements for natural spawning along the Pacific coast of the United States. A report prepared by the Anadromous Salmonid Environmental Task Force of the Pacific Fishery Management Council, Portland, Oregon.
- PFMC (Pacific Fishery Management Council), 1993. Review of 1992 ocean salmon fisheries. PFMC, Portland, Oregon.
- PFMC (Pacific Fishery Management Council), 1995. Data synopsis: ocean salmon fisheries off Washington, Oregon, and California. PFMC, Portland, Oregon.
- PFMC (Pacific Fishery Management Council) Habitat Committee. 1994. Vital habitat concerns. NOAA Award No. NA47FC0025. Pacific Fishery Management Council pursuant to U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Portland, Oregon.
- Phillips, J. D. 1989. Evaluation of North Carolina's estuarine shoreline area of environmental concern from a water quality perspective. Coastal Management 17:103–117.
- Phillips. R. W., and H. J. Campbell, 1961. The embryonic survival of coho salmon and steelhead trout as influenced by some environmental conditions in gravel beds. Pages 60-73 in 14th annual report of the Pacific Marine Fisheries Commission, Portland, Oregon.
- Phillips, R. W., H. J. Campbell, W. L. Hug, and E. W. Claire. 1966. A study of the effect of logging on aquatic resources, 1960–1966. Progress Memorandum, Fisheries 3. Oregon Game Commission, Research Division, Portland, Oregon.
- Phillips, R. W., R. L. Lantz, E. W. Claire. and J. R. Moring. 1975. Some effects of gravel mixtures on emergence of coho, salmon and steelhead trout fry. Transactions of the American Fisheries Society 3:461-466.
- Phillips, S. H. 1987. Winter ecology of juvenile coho salmon. Oncorhynchus kisutch. in modified and unmodified sections of a coastal Oregon stream. M.S. thesis. Oregon State University, Corvallis.
- Pianka, E. R. 1978. Evolutionary ecology, 2nd edition. Harper & Row, New York.
- Pinay, G., and H. Decamps. 1988. The role of riparian woods in regulating nitrogen fluxes between the alluvial aquifer aiid surface water: a conceptual model. Regulated Rivers: Research and Management 2:507–516.
- Pinay, G., A. Fabre, P. Vervier, and F. Gazelle. 1992. Control of carbon, nitrogen, phosphorus distribution in soils of riparian forests. Landscape Ecology 6:121-132
- Pinay. G., H. Decamps, E. Chauvet, and E. Fustec. 1990.Functions of ecotones in fluvial systems. Pages 141-170 inR. J. Nairnan and H. Decamps, editors. The ecology and

- management of the aquatic-terrestrial ecotones. UNESCO (United Nations Educational, Social, Cultural Organization), Paris, and Parthenon Publishing Group, Carnforth, United Kingdom.
- Pionke, H. B., J. R. Hoover, R. R. Schnabel, W. J. Gburek, J. B. Urban, and A. S. Rogowski. 1988. Chemicalhydrologic interactions in the near-stream zone. Water Resources Research 24:1101-1110.
- Pitt, R. E., and G. Amy. 1973. Toxic materials analysis of street surface contaminants. U.S. Environmental Protection Agency. U.S. Government Printing Office, Washington, D.C.
- Plafkin, J. L., M. T. Barbour. K. D. Porter, S. K. Gross, and R. M. Hughes. 1989. Rapid bioassessment protocols for use in streams and rivers: benthic macroinvertebrates and fish. EPA/444/4-89-001. U.S. Environmental Protection Agency. Washington, D.C.
- Platts, W. S. 1981. Effects of sheep grazing on a riparianstream environment. Research Note INT-307. U.S.
 Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station, Ogden. Utah.
- Platts. W. S. 1991. Livestock grazing. Pages 389-424 in W. R. Meelian. editor. Influences of forest and rangeland management on salnionid fishes and their habitats. Special Publication 19. Aiiierican Fisheries Society, Bethesda. Maryland.
- Platts, W. S., and R. F. Raleigh. 1984. Impacts of grazing on wetlands and riparian habitat, Pages 1105–1117 in Developing strategies for rangeland management. National Research Council/National Academy of Sciences, Westview Press, Boulder, Colorado.
- Platts, W. S., and R. L. Nelson. 1985a. Impacts of restrotation grazing on stream banks in forested watersheds in Idaho. North Ainerican Journal of Fisheries Management 5:547-556.
- Platts. W. S.. and R. L. Nelson. 1985b. Stream habitat and fisheries response to livestock grazing and instream improvement structures. Big Creek. Utah. Journal of Soil and Water Conservation 40:374–378.
- Platts, W. S., C. Armour. G. D. Booth, and 10 co-authors. 1987. Methods for evaluating riparian habitats with applications to management. General Technical Report INT-221. U.S. Department of Agriculture, Forest Service. Intermountain Research Station. Ogden, Utah.
- Ploskey. G. R. 1983. Review of the effects of water-level changes on reservoir fisheries and recommendations for improved nianagenient, Technical Report VES/TR/E-83-3 U.S. Army, Engineering and Waterways Experiment Station, Vicksburg, Mississippi.
- Pluhowski. E. J. 1970. Urbanization and its effect on the temperature of the streams on Long Island, New York. GS Professional Paper 627-D. U.S. Government Printing Office. Washington. D.C.

- Poe, T. P., H. C. Hansel, S. Vigg, D. E. Palmer, and L. A. Prendergast. 1991. Feeding of predaceous fishes on outmigrating juvenile salmonids in John Day Reservoir, Columbia River. Transactions of the Ainerican Fisheries Society 120:405-438.
- Poff, N. L., and J. V. Ward. 1990. Physical habitat template of lotic system: recovery in the context of historical pattern of spatiotemporal heterogeneity. Environmental Management 14:629-645.
- Porter, S. C., K. L. Pierce, and T. D. Hamilton. 1982. Late Wisconsin mountain glaciation in the western United States. Pages 71-111 in H. E. Wright and S. C. Porter, editors. Late-Quaternary environments of the United States. Volume 1. University of Minnesota Press. Minneapolis.
- Postel, S. 1994. Carrying capacity: Earth's bottom line. Pages 3-21 in State of the World 1994. Worldwatch Institute. W. W. Norton, New York.
- Potter, L. D., J. R. Gosz, and C. A. Carlson Jr. 1984. Water resources in tlie southern Rockies and High Plains. Eisenhower Consortium Institution Series Report 6. University of New Mexico Press, Albuquerque.
- Powell, G. C. 1958. Evaluation of the effects of a power dam water release pattern upon the downstream fishery. Colorado Cooperative Fisheries Unit Quarterly Report 4:31-37.
- Power. G. 1986. Physical influences on age at maturity of Atlantic salmon (*Salmo snlnr*): a synthesis of ideas and questions. Pages 97-101 in D. Meerburg, editor. Salmonid age at maturity. Canadian Special Publication of Fisheries and Aquatic Sciences 89. Canadian Department of Fisheries & Oceans, Ottawa, Ontario.
- Power, M. E., R. J. Stout, C. E. Cusliing, P. P. Harper, F. R. Hauer, W. J. Mattliews, P. B. Moyle, B. Statzner, and I. R. Wais De Badgen. 1988. Biotic and abiotic controls in river and stream communities. Journal of the North Ainerican Benthological Society 7:456–479.
- Pratt, K. L. 1984. Habitat use and species interactions of juvenile cutthroat (*Salmo clarki lewisi*) and bull trout (*Salvelinus confluentus*) in the upper Flathead River basin. M.S. thesis. University of Idaho, Moscow.
- Pratt, K. L. 1992. A review of bull trout life history. Pages 5-9 in P. J. Howell and D. V. Buchanan, editors.
 Proceedings of the Gearhart Mountain bull trout workshop. Oregon Chapter of the Ainerican Fisheries Society, Corvallis.
- Pritcliett. W. L.. and R. F. Fisher. 1987. Properties and management of forest soils. Wiley, New York.
- PSMFC (Pacific States Marine Fisheries Commission). 1994. Habitat Hotline, Number 15. Pacific States Marine Fisheries Commission, Gladstone, Oregon.

- PSWQA (Puget Sound Water Quality Authority). 1988. State of the Sound: 1988 report, May. PSWQA. Seattle. Washington.
- PWD (Public Works Department. City of Olympia. Wasliington). 1995. Impervious surface reduction study. City of Olympia. Public Works Department, Water Resources Program and Washington State Department of Ecology. Olympia, Washington.
- Quigley, T. M. 1992. Forest health in the Blue Mountains: social and economic perspectives. General Technical Report PNW-GTR 296. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, Oregon.
- Quinn. T. P. 1982. Intra-specific differences in sockeye salmon fry compass orientation. Pages 79–85 in E. L.
 Brannon, and E. O. Salo, editors. Proceedings of the salmon and trout migratory behavior symposium.
 University of Washington Press, Seattle.
- Quinn, T. P. 1985. Homing and the evolution of sockeye salmon (*Oncorhynchus nerka*). Pages 353–366 in M. A. Rankin, editor. Migration: mechanisms and adaptive significance. Contributions to Marine Science 27(supplement).
- Quinn, T. P.. and K. Fresh. 1984. Homing and straying in chinook salmon *Oncorhynchus tshawytscha* from Cowlitz River Hatchery, Washington. Canadian Journal of Fisheries and Aquatic Sciences 41:1078–1082.
- Radford. D. S., and R. Hartland-Rowe. 1971. A preliminary investigation of bottom fauna and invertebrate drift in an unregulated and regulated stream in Alberta. Journal of Applied Ecology 8:883-903.
- Raedeke. K. J. 1988. Introduction. Pages xiii-xvi in K. J. Raedeke. editor. Streamside management: riparian wildlife and forestry interactions. Contribution No. 59. University of Washington. Institute of Forest Resources, Seattle.
- Raedeke, K. J., R. D. Taber. and D. K. Paige. 1988. Ecology of large mammals in riparian systems of pacific Northwest forests. Pages 113–132 in K. J. Raedeke, editor. Streamside management: riparian wildlife and forestry interactions. Contribution No. 59. University of Washington, Institute of Forest Resources, Seattle.
- Raleigh. R. F. 1971, Innate control of migrations of salmon and trout fry from natal gravels to rearing areas. Ecology 52:291-297.
- Ralph, S. C. 1990. Stream ambient monitoring field manual: Version 2.1. TFW-16E-90-004. Timber Fish & Wildlife and Center for Streamside Studies. Seattle, Washington.
- Ralph. S. C., G. C. Poole, L. L. Conquest, and R. J. Naiman. 1991. Stream channel morphology and woody debris in logged and unlogged basins of western Washington. Canadian Journal of Fisheries and Aquatic Sciences 51:37-51.

- Rand. G. M., and S. R. Petrocelli, editors. 1985.
 Fundamentals of aquatic toxicology: methods and applications. Hemisphere Publishing Corporation, Washington, D.C.
- Randers, J., and D. Meadows. 1973. The carrying capacity of our global environment: a look at the ethical alternatives. Pages 283–306 in H. E. Daly, editor. Toward a steadystate economy. W. H. Freeman, San Francisco, California.
- Rapport, D. J. 1992. Evolution of indicators of ecosystem health. Pages 121–134 in D.H. McKenzie, D.E. Hyatt, and V.J. McDonald, editors. Ecological indicators. Elsevier. New York.
- Rashin, E., and C. Graber. 1992. Effectiveness of Washington's forest practice riparian management zone regulations for protection of stream temperature. TFW-WQ6-92-001, Ecology Publication #92-64. Prepared for Timber Fish & Wildlife Cooperative Monitoring. Evaluation, and Research Committee, Water Quality Steering Committee. Washington State Department of Ecology, Olympia, Washington.
- Rashin, E., and C. Graber. 1993. Effectiveness of best nianagement practices for aerial application of forest pesticides. TFW-WQ1-93-001. Prepared for Timber/Fish/Wildlife Cooperative Monitoring, Evaluation, and Research Committee, Water Quality Steering Committee. Washington State Department of Ecology, Watershed Assessments Section, Olympia, Washington.
- Ratliff, D. E. 1983. *Ceratomyxa shasta*: longevity, distribution, timing, and abundance of the infective stage in central Oregon. Canadian Journal of Fisheries and Aquatic Sciences 40:1622–1632.
- Ratliff, D. E. 1992. Bull trout investigations in the Metolius River-Lake Billy chinook system. Pages 37-44 in P. J.
 Howell and D. V. Buchanan, editors. Proceedings of the Gearhart Mountain bull trout workshop. Anierican Fisheries Society, Oregon Chapter, Corvallis.
- Ratliff, D. E., and P. J. Howell. 1992. The status of bull trout populations in Oregon. Pages 10-17 in P. J. Howell and D. V. Buchanan, editors. Proceedings of the Gearhart Mountain hull trout workshop. American Fisheries Society, Oregon Chapter, Corvallis.
- Rauzi, F., and C. I. Hanson. 1966. Water intake and runoff as affected by intensity of grazing. Journal of Range Management 19:351-357.
- Rauzi, F., and F. M. Smith. 1973. Infiltration rates: three soils with three grazing levels in northeastern Colorado. Journal of Range Management, 26(2):126-129.
- Raymond, H. L., 1979. Effects of dams and impoundments on migrations of juvenile chinooks salinon and steelhead from the Snake River, 1966 to 1975. Transactions of the American Fisheries Society 108:505-529.
- Reader, J. P., and C. H. Dempsey.1989. Episodic changes in water quality and their effects on fish. Pages 67-84 in R.

- Morris, E. W. Taylor, D. J. A. Brown, and J. A. Brown, editors. Acid toxicity and aquatic animals. Cambridge University Press, Cambridge. England.
- Redding, J. M.. and C. B. Schreck. 1979. Possible adaptive significance of certain enzyme polymorphisms in steelhead trout (*Salmo gairdneri*). Journal Fisheries Research Board of Canada 36:544–551.
- Reed. R. D.. and S. T. Elliott. 1972. Effects of logging on Dolly Varden. Project F-9-4, Job R-IV-B. Alaska Department of Fish and Game. Federal Aid in Fish Restoration. Division of Sport Fisheries. Juneau, Alaska.
- Rees. W. H. 1959. Effects of stream dredging on young silver salmon (Oncorhynchus kisutch) and bottom fauna, Washington Department of Fisheries Technical Report, Research Paper 9:52-65.
- Reeves, G. H.. J. D. Hall. T. D. Roelofs. T. L. Hickman, and C. O. Baker. 1991. Rehabilitating and modifying stream habitats. Pages 519-558 in W. R. Meehan, editor. Intluences of forest and rangeland management on salmonid fishes and their habitats. Special Publication 19. American Fisheries Society. Bethesda, Maryland.
- Reeves, G. H., F. H. Everest, and J. D. Hall. 1987.
 Interactions between the redside shiner (*Richardsonius balteatus*) and the steelhead trout (*Salmo gairdneri*) in western Oregon: the influence of water temperature.
 Canadian Journal of Fisheries and Aquatic Sciences 44: 1603–1613.
- Reeves, G. H., L. E. Benda, K. M. Burnett, P. A. Bisson, and J. R. Sedell. 1995. A disturbance-based approach to maintaining and restoring freshwater habitats of evolutionarily significant units of anadromous salmonids in the Pacific Northwest. American Fisheries Society Symposium 17:334–349.
- Reid, L. M. 1993. Research and cumulative watershed effects. General Technical Report PSW-GTR-141. U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station. Albany, California.
- Reid, L. M., and R. R. Ziemer. 1994. Evaluating the biological significance of intermittent streams. Pages 17-28 in Notes from seminars held at Humboldt Interagency Watershed Analysis Center. U.S. Department of Agriculture, Forest Service. McKinleyville, California.
- Reimers, P. E. 1973. The length of residence of juvenile fall chinook salmon in Sixes River. Oregon. Pages 3-43 in R.
 T. Gunsolus. editor. Research reports of the Fish Commission of Oregon. Volume 4, Number 2. State of Oregon. Portland, Oregon.
- Reisenbichler, R. R. 1987. Basis for managing the harvest of cliinook salmon. North American Journal of Fisheries Management 7:589-591.
- Reiser, D. W. 1986. Habitat rehabilitation, Panther Creek, Idaho. Final Report, Project 84-29. Prepared by Bechtel National, Inc., for U.S. Department of Energy, Bonneville Power Administration, Portland. Oregon.

- Reiser, D. W.. and R. G. White. 1981. Effects of flow fluctuation and redd dewatering on salnionid embryo development and fry quality. Research Technical Completion Report, Contract DE-AC79-79BP10848. Idaho Water and Energy Resources Research Institute, Moscow.
- Reiser. D. W., and R. T. Peacock. 1985. A technique for assessing upstream fish passage problems at small-scale hydropower developments. Pages 423-432 in F. W. Olson, R. G. White, and R. H. Hamre, editors. Symposium on sinall hydropower and fisheries. American Fisheries Society, Bethesda, Maryland.
- Reiser, D. W.. M. W. Vitter. and J. Todd. 1982. Reestablishment of fish and aquatic invertebrate populations in a stream severely impacted by acid mine drainage.
 Proceedings of the Annual Conference Western
 Association of Fish and Wildlife Agencies 62:555-563.
- REO (Regional Ecosystems Office). 1994. A Federal agency guide for pilot watershed analysis. Version 1.2. REO, Portland, Oregon.
- REO (Regional Ecosystems Office). 1995. Watershed analysis: direction for completion of a Federal agency guide to watershed analysis. File No. 485. REO, Portland, Oregon.
- Resli, V. H., A. V. Brown, A. P. Covich, M. E. Gurtz, H. W. Li, G. W. Minshall, S. R. Reice, A. L. Sheldon, J. B. Wallace, and R. C. Wissmar. 1988. The role of disturbance in stream ecology, Journal of the North American Benthological Society 7:433-455.
- Restrepo, V. R., J. M. Hoenig, J. E. Powers, J. W. Baird, and S. C. Turner. 1992. A simple simulation approach to risk and cost analysis, with applications to swordfish and cod fisheries. Fishery Bulletin 90:736-748.
- Reynolds, T. D.. and C. H. Trost. 1980. Tlie response of native vertebrate populations to crested wheatgrass planting and grazing by sheep. Journal of Range Management 33:122-135.
- Rhodes, J., C. M. Skau, D. Greenlee, and D. L. Brown. 1985. Quantification of nitrate uptake by riparian forests and wetlands in an undisturbed headwater watershed. *In* R. R. Johnson. editor. Riparian ecosystems and their management—reconciling conflicting uses. General Teclinical Report RM-120. U.S. Department of Agriculture, Forest Service. Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado.
- Rhodes, J. J., D. A. McCullough, and F. A. Espinosa Jr. 1994, A coarse screening process for potential application in ESA consultations. National Marine Fisheries Service, Portland, Oregon.
- Rich, W. H. 1939. Local populations and migration in relation to the conservation of Pacific salmon in the western states and Alaska. Contribution Number 1. Fish Commission of Oregon, State Printing Office, Salem, Oregon.
- Richards, C., and G. Host. 1994. Examining land use influences on stream habitats and macroinvertebrates: a GIS approach. Water Resources Bulletin 34:729–738.

- Ricker. W. E. 1972. Hereditary and environmental factors affecting certain salmonid populations. Pages 27–160 *in* The stock concept in Pacific salmon. MacMillan Lectures in Fisheries. University of British Columbia, Vancouver.
- Ricker, W. E. 1981. Changes in the average size and average age of Pacific salmon. Canadian Journal of Fisheries and Aquatic Sciences 38:1636-1656.
- Riddell, B. E., and W. C. Leggett. 1981. Evidence of an adaptive basis for geographic variation in body morphology and time of downstream migration of juvenile Atlantic salmon (Salmo solar). Canadian Journal of Fisheries and Aquatic Sciences 38:308–320.
- Roath. L. R., and W. C. Krueger. 1982. Cattle grazing on a mountain riparian zone. Journal of Range Management 35: 100-103.
- Roback, S. S. 1962. Environmental requirements of Trichoptera. Pages 118-126 in C. M. Tarzwell, editor.
 Transactions of the third seminar on biological problems in water pollution. Robert A. Taft Sanitation Engineering Center. Cincinnati, Ohio.
- Roback, S. S., and J. W. Richardson. 1969. The effects of acid mine drainage on aquatic insects. Proceedings of the Academy of Natural Sciences of Philadelphia 121:81-107.
- Robbins. W. G., and D. W. Wolf. 1994. Landscape and the intermontane Northwest: an environmental history.
 General Technical Report PNW-GTR-319. U.S.
 Department of Agriculture, Forest Service, Pacific Northwest Research Station. Portland, Oregon.
- Robison. E. G., and R. L. Beschta. 1990a. Characteristics of coarse woody debris for several coastal streams of southeast Alaska. Canadian Journal of Fisheries and Aquatic Sciences 47:1684–1693.
- Robison, E. G., and R. L. Beschta. 1990b. Identifying trees in riparian areas that can provide coarse woody debris to streams. Forest Science 36:790-801.
- Roesler, C., and D. B. Chelton. 1987. Zooplankton variability in the California current, 1951–1982. California Cooperative Oceanic Fisheries Investigation Report 28:59–96.
- Rogers. D. E. 1987. The regulation of age at maturity in Wood River sockeye salmon (*Oncorhynchus nerka*). Pages 78–89 in H. D. Smith. L. Margolis. and C. C. Wood, editors. Sockeye salmon (*Oncorhynchus nerka*) population biology and future manageinent. Canadian Special Publication of Fisheries and Aquatic Sciences 96. Canadian Department of Fisheries & Oceans, Ottawa, Ontario.
- Rosenau, M. L., and J. D McPhail. 1987. Inherited differences in agonistic behavior between two populations of coho salmon. Transactions of the American Fisheries Society 116:646-654.
- Rothacher, J. 1963. Net precipitation under a Douglas-fit forest. Forest Science 9:423-429.

- Rothacher, J. 1970. Increases in water yield following clearcut logging in the Pacific Northwest. Water Resources Research 6:653-658.
- Rothacher, J. 1971. Regimes of streanitlow and their modification by logging. Pages 40–54 in J. T. Krygier and J. D. Hall, editors. A symposium—forest land uses and stream environment. Continuing Education Publications, Oregon State University, Corvallis.
- Rothacher, J. 1973. Does harvest in west slope Douglas-fir increase peak flow in small forest streams? Research Paper PNW-163. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, Oregon.
- Royce, W. F. 1962. Pink salmon fluctuations on Alaska.

 Pages 15-23 in N. J. Wiliniovsky, editor. Symposium on pink salmon. MacMillan Lectures in Fisheries. University of British Columbia. Institute of Fisheries, Vancouver.
- Rucker, R. R., and E. M. Tuttle. 1948. Removal of excess nitrogen in a hatchery water supply. Progressive Fish-Culturist 10:88–90.
- Rucker, R. R., and P. H. Kangas. 1974. Effect of nitrogen supersaturated water on coho and chinook salmon. Progressive Fish-Culturist 36:152–156.
- Rummel, R. S. 1951. Some effects of livestock grazing on ponderosa pine forest and range in central Washington. Ecology 32:594-607.
- Runyon, J. 1994. Forest practices monitoring program strategic plan. Oregon Department of Forestry, Forest Practices Program, Salem, Oregon.
- Rychert, R. C., J. Skunins, D. Sorensen, and D. Porcella. 1978. Nitrogen fixation by lichens and free-living microorganisms in deserts. Pages 20-30 in N. E. West and J. Skujins, editors. Nitrogen in desert ecosystems. Dowden, Hutchinson. and Ross, Inc., Stroudsburg, Pennsylvania.
- SAB (Science Advisory Board). 1991. Evaluation of the ecoregion concept. EPA-SAB-EPEC-91-003. U.S. Environmental Protection Agency, Washington, D.C.
- Salminen, E. M.. and R. L. Besclita. 1991. Phosphorus and forest streams: the effects of environmental conditions and management activities. Department of Forest Engineering, Oregon State University, Corvallis.
- Salo, E. O. 1991. Life history of chum salmon (Oncorhynchus keta). Pages 231-310 in C. Groot and L. Margolis, editors. Pacific salmon life histories. University of British Columbia Press. Vancouver.
- Salo, E. O., and T. W. Cundy, editors. 1987. Streamside rnanagement: forestry and fishery interactions. Contribution No. 57. University of Washington, Institute of Forest Resources. Seattle.

- Samsel, G. L. 1973. Effects of sedimentation on the algal flora of a sinall recreational impoundment. Water Resources Bulletin 9:1145-1152.
- Sandecki, M. 1989. Aggregate mining in river systems. California Geology, April:88-95.
- Sandercock, F. K. 1991. Life history of coho salmon
 (Oncorhynchus kisutch). Pages 395-446 in C. Groot and
 L. Margolis. editors. Pacific salmon life histories.
 University of British Columbia Press, Vancouver.
- Sarna-Wojcicki, A. M.. D. E. Champion, and J. O. Davis. 1983. Holocene volcanism in the conterminous United States and the role of silicic volcanic ash layers in correlation of latest-Pleistocene and Holocene deposits. Pages 52-77 in Late-Quaternary Environments of the United States. Volume 2. University of Minnesota Press, Minneapolis.
- Sano, S., and A. Nagasawa. 1958. Natural propagation of chum salmon. *Oncorhynchus keto*, in Memu River, Tokachi. Sci. Rep. Hokkaido Salmon Hatchery 12:1-19 (Partial translation from Japanese. Fisheries Research Board of Canada Translation Service 198.)
- Satterlund, D. R., and H. F. Haupt. 1970. Disposition of snow caught by conifer crowns. Water Resources Research 6:649-652.
- Satterlund, D. R., and P. W. Adams. 1992. Wildland watershed management, 2nd edition. John Wiley and Sons. Inc., New York.
- Satterthwaite, T. D., B.P. McPherson, and M. W. Flesher. 1992. Effects of Elk Creek dam on fishery resources in the Rogue River. Completion report for preimpoundment research. Oregon Department of Fish and Wildlife. Portland, Oregon.
- Savory, A. 1988. Holistic resource nianagenient. Island Press, Covelo, California.
- Scliindler, D. W. 1987. Detecting ecosystem responses to anthropogenic stress. Canadian Journal of Fisheries and Aquatic Sciences 44:6–25.
- Schramm, H. L., Jr., and V. Mudrak. 1994. Essay: beneficial aspects of put-and-take trout stocking. Fisheries 19(8):6-7.
- Schueler, T.. and J. Galli. 1992. Environmental impacts of stormwater ponds. In Watershed Restoration Source Book Anacostia Restoration Team. Metropolitan Council of Governments, Washington, D.C.
- Schuett-Hames, D., and A. Pleus. 1994. Ambient Monitoring Program manual. TFW-AM9-94-00], Timber Fish & Wildlife and the Northwest Indian Fisheries Commission, Olympia, Washington.
- Schuett-Hames, D., and G. Pess. 1994. A strategy to implement waterslied analysis monitoring: assessment of parameters and methods nionitoring module outline recommendations. TFW-AM14-94-001. Timber Fish &

- Wildlife. Olympia, Washington. Prepared by the Northwest Indian Fish Commission.
- Schullery, P. 1989. The fires and fire policy. Bioscience 39:686-694.
- Schultz, S. T. 1990. The Northwest coast: a natural history. Timber Press, Portland, Oregon.
- Schultz, T. T., and W. C. Leininger. 1990. Differences in riparian vegetation structure between grazed areas and exclosures. Journal of Range Management 43:295–299.
- Schumacher, E. F. 1973. Small is beautiful: economics as if people mattered. Harper and Row, New York.
- Schumm, S. A., and G. R. Brakenridge. 1987. River responses. Pages 221–240 in W. E. Ruddiman and H. E. Wright Jr., editors. North America and adjacent oceans during the last deglaciation. Volume K-3. The Geological Society of America, Boulder, Colorado.
- Scott. K. M. 1973. Scour and fill of Tujunga Wash—a fanhead valley in urban southern California—1969. Geological Survey Professional Paper 732-B. Physiographic and hydraulic studies of rivers. U.S. Government Printing Office, Washington, D.C.
- Scott, J. B., C. R. Steward, and Q. J. Stober. 1986. Effects of urban development on fish population dynamics in Kelsey Creek, Washington. Transactions of the American Fisheries Society 115:555-567.
- Scrivener, J. C. 1988. Changes in composition of the streambed between 1973 and 1985 and the impacts on salmonids in Carnation Creek. Pages 59-65 in T. W. Chamberlin, editor. Proceedings of the workshop: applying 15 years of Carnation Creek results. Pacific Biological Station, Carnation Creek Steering Committee, Nanaimo, British Columbia, Canada.
- SCST. (Soil Conservation Service), Forest Service, and Economic Research Service. 1984. Southeast Washington cooperative river basin study. U.S. Department of Agriculture, Washington. D.C.
- Sedell, J. R., and J. L. Froggatt. 1984. Importance of streamside forests to large rivers: the isolation of the Willamette River, Oregon, U.S.A.. from its floodplain by snagging and streamside forest removal. Verhandlungen Internationale Vereinigung fur theoretische und angewandte Limnologie 22:1828–1834.
- Sedell, J. R., and K. J. Luchessa. 1982. Using the historical record as an aid to salmonid habitat enhancement. Pages 210-223 in N. B. Armantrout, editor. Acquisition and Utilization of Aquatic Habitat Inventory Information, symposium held 23-28 October 1981, Portland, Oregon. American Fisheries Society, Western Division, Bethesda Maryland.
- Serveiss, V. 1995. EMAP influences environmental management decisions. U.S. Environmental Protection Agency. Washington, D.C.

- Servizi, J. A.. R. W. Gordon. and D. W. Martens. 1969. Marine disposal of sediments from Bellingham Harbor as related to sockeye and pink salmon fisheries. Progress Report 23. International Pacific Salmon Fisheries Commission, New Westminster, British Columbia.
- Seymour, A. H. 1956. Effects of temperature upon young chinook salmon. Doctoral dissertation. University of Washington, Seattle.
- Shapovalov, L.. and W. Berrian. 1940. An experiment in hatching silver salinon *Oncorhynchus kisutch* eggs in gravel. Transactions of the American Fisheries Society 69:135-140.
- Shaver, E., J. Maxsted, G. Curtis, and D. Carter. 1995.
 Watershed protectioo using an integrated approach. *In*Storinwater NPDES related nionitoring needs. Engineering Foundation, American Society of Civil Engineers. 7–12
 August 1994, Crested Butte, Colorado.
- Sliaw, P. A., and J. A. Maga. 1943. The effect of mining silt on yield of fry from salmon spawning beds. California Fish and Game 29:29-41.
- Sheldon. A. L. 1988. Conservation of stream fishes: patterns of diversity, rarity. and risk. Conservation Biology 2:149–156.
- Sheppard, J. D.. and J. H. Johnson. 1985. Probability-of-use for depth, velocity. and substrate by subyearling coho saliiion and steelhead in Lake Ontario tributary stream. North American Journal of Fisheries Management 5:277-282.
- Sheridan. W. L. 1962. Relation of stream teinperature to timing of pink salmon escapements in southeastern Alaska. Pages 87-102 in N. J. Wilimovsky, editor. Symposium on pink salmon. MacMillan Lectures in Fisheries, University of British Columbia, Vancouver.
- Sherk, J. A., J. M. O'Conner, and D. A. Neumann. 1976. Effects of suspended solids on selected estuarine plankton. Miscellaneous Report Number 76-1. Coastal Engineering Research Center. Fort Belvoir, Virginia.
- Shields. F. D., Jr., S. S. Knight. and C. M. Cooper. 1994. Effects of channel incision on base tlow stream habitats and fishes. Environinental Management 18:43-57.
- Sliirazi. M. A., and W K. Seim. 1981. Stream system evaluation with emphasis on spawning habitat for salmonids, Water Resources Research 17:592–594.
- Shisler, J. K., R. A. Jordan. and R. N. Wargo. 1987, Coastal wetland buffer delineation. New Jersey Department of Environmental Protection, Division of Coastal Resources, Trenton.
- Shortreed. K. S., and J. G. Stockner. 1983. Periphyton biomass and species composition in a coastal rainforest stream in British Columbia: effects of environmental changes caused by logging, Canadian Journal of Fisheries and Aquatic Sciences 40:1887-1895.

- Shumway, D. L., C. E. Warren, and P. Doudoroff. 1964. Influence of oxygen concentration and water movement on the growth of steelhead trout and coho salmon embryos, Transactions of the American Fisheries Society 93:342-356.
- Sidle, R. C. 1989. Overview of cumulative effects concepts and issues. Society of American Foresters National Convention, Water Resources Session, Spokane, Washington.
- Sidle, R. C., A. J. Pearce, and C. L. O'Loughlin. 1985 Hillslope stability and land use. Water Resources Monograph Series edition. Volume 11. American Geophysical Union, Washington, D.C.
- Sifiieos, J. C., E. W. Cake, and M. E. Kentula. 1992a. Effects of Section 404 permitting on freshwater wetlands in Louisiana, Alabama. and Mississippi. Wetlands 12:28-36.
- Sifneos, J. C., M. E. Kentula, and P. Price. 1992b. Impacts of Section 404 permits requiring compensatory mitigation of freshwater wetlands in Texas and Arkansas. Texas Journal of Science 44:475-485.
- Sigler, J. W., T. C. Bjornn, and F. H. Everest. 1984. Effects of chronic turbidity on density and growth of steellieads and coho salmon. Transactions of the American Fisheries Society 113:142-150.
- Silver. S. J., C. E. Warren, and P. Doudoroff. 1963. Dissolved oxygen requirements of developing steelhead trout and chinook salmon embryos at different water velocities. Transactions of the American Fisheries Society 92:327-343.
- Simenstad, C., L. Small, and C. McIntyre. 1990. Consumption processes and food web structure in the Columbia River estuary. Progressive Oceanography 25:271-297.
- Simmons, R. C., A. J. Gold, and P. M. Groffiiian. 1992. Nitrate dynamics in riparian forests: groundwater studies Journal of Environmental Quality 21:659–665.
- Singh, P. B., D. E. Kime, P. Epler, and J. Chyb. 1994. Impact of γ-hexachlorocyclohexane exposure on plasma gonadotropin levels and in vitro stimulation of gonadal steroid production by carp hypophyseal homogenate in Carassius auratus. Journal of Fish Biology 44:195–204.
- Sjögren, P. 1991. Extinction and isolation gradients in metapopulations: the case of the pool frog (*Rana lessonae*). Biological Journal of the Linnean Society 42:135-147.
- Skulason, S., D. L. G. Noakes, and S. S. Snorrason. 1989. Ontogeny of trophic morphology in four sympatric morphs of Arctic charr Salvelinus alpinus in Thingvallavatn, Iceland. Biological Journal of the Linnean Society 38:281-301.

- Smart, M. M., J. L. Jones, and J. L. Sebaugli. 1985. Stream-watershed relations in tlie Missouri Ozark Plateau Province. Journal of Environmental Quality 14:77–82.
- Smith, A. K. 1973. Development and application of spawning velocity and depth criteria for Oregon salmonids. Transactions of the American Fisheries Society 102:312-316.
- Smith. J. J., and H. W. Li. 1983. Energetic factors influencing foraging tactics of juvenile steelhead trout, *Salmo gairdneri*. Pages 173-180 in D. L. G. Noakes, editor. Predators and prey in fishes: proceedings of the 3rd biennial conference on the ethology and behavioral ecology of fishes, held at Normal, Illinois. 19-22 May 1981. Dr. W. Junk Publishers, The Hague, The Netherlands.
- Smith, O. R. 1939. Placer mining silt and its relation to salnion and trout on the Pacific Coast. Transactions of the American Fisheries Society 69:225-230.
- Smith. P. W. 1971. Illinois streams: a classification based on their fishes and an analysis of factors responsible for disappearance of native species. Biological Notes 76. Illinois Natural History Survey, Urbana, Illinois.
- Smith, R. A., B. Alexander, and M. G. Wolman. 1987. Water-quality trends in the nation's rivers. Science 235:1607-1615.
- Smith, S. B. 1969. Reproductive isolation in summer and winter races of steelhead trout. Pages 21-38 in T. G. Nortlicote. editor. Symposium on salmon and trout in streams. MacMillan Lectures in Fisheries. University of British Columbia, Vancouver.
- Snyder, G. G., H. F. Haupt. and G. H. Belt. 1975. Clearcutting and burning slash alter quality of stream water in northern Idaho. U.S. Department of Agriculture, Forest Service INT-168, Ogden, Utah.
- Sollins, P., and F. M. McCorison. 1981. Nitrogen and carbon solution chemistry of an old growth coniferous waterslied before and after cutting. Water Resources Research 17:1409-1418.
- Sollins, P., C. C. Grier, F. M. McCorison, K. Cromack Jr., R. Fogel, and R. L. Fredricksen. 1980. The internal element cycles of an old-growth Douglas-fir ecosystem in western Oregon. Ecological Monographs 50:261-285.
- Sollins. S. G. 1954. Pattern of development of summer chum.
 masu, and pink salmon. Tr. Soveslicli. Ikhtiol. Kom.
 Akad. Nauk sssr 4:144-155. Translated from Russian.
 Pages 42-54 in Pacific salmon: selected articles from Soviet periodicals. Israel Program for Scientific Translation, Jerusalem, 1961.
- Sorenson, D. L., M. M. McCarthy, E. J. Middlebrooks, and D. B. Porcella. 1977. Suspended and dissolved solids effects on freshwater biota. EPA-600/3-77-042. U.S. Environmental Protection Agency. Corvallis, Oregon.

- Soutlierland, M. T., and J. B. Stribling. 1995. Status of biological criteria development and implementation.
 Pages 81-96 in W.S. Davis and T.P. Simon, editors.
 Biological assessment and criteria: tools for water resource planning and decision making. Lewis, Boca Raton, Florida.
- Soutliwood, T. R. E. 1977. Habitat, tlie templet for ecological strategies? Journal of Animal Ecology 46:337-365.
- Sparks, R. E., P. B. Bayley, S. L. Koliler, and L. L. Osborne. 1990. Disturbance and recovery of large floodplain rivers. Environmental Management 14:699–709.
- Spaulding, W. M., Jr., and R. D. Ogden. 1968. Effects of surface mining on the fish and wildlife resources of the United States. Resource Publication 68. U.S.
 Department of the Interior, Fish and Wildlife Service, Bureau of Sport Fisheries and Wildlife Washington, D.C.
- Speaker, R., K. M. Moore, and S. V. Gregory. 1984. Analysis of the process of retention of organic matter in stream ecosystems. Verhandlungen Internationale Vereinigung für theoretische und angewandte Limnologie 22:1835-1841.
- Spence, B. C. 1989. Effects of temperature, food availability and social dominance on microhabitat selection by steelhead and rainbow trout (*Oncorhynchus mykiss*). M. S. thesis, Cornell University, Itliaca, New York.
- Spence, B. C. 1995. Geographic variation in timing of fry emergence and smolt migration of coho salmon (Oncorhynchus kisutclz). Doctoral dissertation. Oregon State University, Corvallis.
- Spencer, C. N., B. R. McClelland, and J. A. Stanford. 1991, Shrimp stocking, salmon collapse, and eagle displacement. BioScience 41:14-21.
- Sprague, J. B. 1964. lethal concentrations of copper and zinc for young Atlantic salmon. Journal Fisheries Research Board of Canada 21:17-26.
- Sprague, J. B., and B. A. Ramsay. 1965. Lethal levels of mixed copper-zinc solutions for juvenile salmon. Journal Fisheries Research Board of Canada 22:425-432.
- Stalnaker, C. B. 1990. Minimum flow is a myth. Biological Report 5:31–33.
- Stanford, J. A., and J. V. Ward. 1988. The lipporheic habitat of river ecosystems. Nature 35:64-66.
- Stanford, J. A., and J. V. Ward. 1992. Management of aquatic resources in large catchments: recognizing interactions between ecosystem connectivity and

- environmental disturbance. Pages 91-124 in R. J. Naiman, editor. Watershed management: balancing sustainability and environmental change. Springer-Verlag, New York.
- Stednick, J., and T. J. Kern. 1992. Long-term effects of timber liarvesting in the Oregon coast range: the new Alsea watershed study (NAWS). Presented at: AM Interdisciplinary approaches in hydrology and liythrogeology meeting. Pages 502-509. Portland, Oregon.
- Steedman, R. J. 1988. Modification and assessment of an index of biotic integrity to quantify stream quality in southern Ontario. Canadian Journal of Fisheries and Aquatic Sciences 45:492-501.
- Steinblums, I. J., H. A. Froehlich, and J. K. Lyons. 1984. Designing stable buffers strips for stream protection. Journal of Forestry 82:49-52.
- Stevens, D. G., A. V. Nebeker, and R. J. Baker. 1980. Avoidance responses of salinon and trout to airsupersaturated water. Transactions of the American Fisheries Society 109:751-754.
- Stevens, D. L. 1994. Implementation of a national monitoring program. Journal of Environmental Management 42: 1-29.
- Stevenson, R., D. Flett, and B. T. Raymond. 1993. Enteric redmouth (ERM) and other enterobacterial infections of fish. Pages 80–106 in V. Inglis, R. J. Roberts, and N. R. Bromage, editors. Bacterial diseases of fish. Halsted Press, New York.
- Steward, C. 1983. Salmonid populations in an urban environment—Kelsey Creek, Washington. M.S. thesis. University of Washington, Seattle.
- Steward, C. R., and T. C. Bornn. 1987. The distribution of chinook salmon juveniles in pools at three discharges. Proceedings of the Annual Conference Western Association. of Fish and Wildlife Agencies 67:364-374.
- Steward. C. R., and T. C. Bjornn. 1990. Supplementation of salmon and steelliead stocks with hatchery fish: a syntliesis of tlie published literature. Part X pages 1-126 in W. H. Miller, editor. Analysis of salmon and steelhead supplementation. Technical Report 90-1.
 Bonneville Power Administration, Portland, Oregon.
- Stober. Q. J., R. W. Tyler, G. L. Thomas, L. Jensen, J. A. Knutzen, P. L. Smith, and R. E. Nakatani. 1976. Operational effects of irrigation and pumped/storage on tlie ecology of Banks Lake, Washington, Third Annual Progress Report. FRI-UW-7610. College of Fisheries, Fisheries Research Institute, University of Washington, Seattle.

- Storcli, R. L. 1979. Livestock-streamside management programs in eastern Oregon. Pages 56-59 in O. B. Cope, editor. Proceedings, grazing and riparian-stream ecosystems forum. Trout Unlimited, Vienna, Virginia.
- Stottlemyer, R. 1987. Natural and anthropogenic factors as determinants of long-term streamwater chemistry. In C. A. Troendle, M. R. Kaufinann, R. H. Hamre, aiid R. P. Winokur, editors. Management of subalpine forests: building on 50 years of research. U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, Ft. Collins, Colorado.
- Stuart, T. A. 1953. Spawning migration, reproduction and young stages of the loch trout (S. trutta L.).

 Freshwater and Salinon Fisheries Research Report 5.

 Scottish Home Department, Edinburgh.
- Stuart, T. A. 1962. Tlie leaping beliaviour of salmon and trout at falls and obstructions. Freshwater and Salinon Fisheries Research Report 28. Department of Agriculture and Fisheries for Scotland, Edinburgh.
- Stuehrenberg, L. C. 1975. Tlie effects of granitic sand on the distribution and abundance of salmonids in Idaho streams. M.S. thesis. University of Idaho, Moscow.
- Stumm, W., and J. J. Morgan. 1981. Aquatic chemistry, 2nd edition. Wiley Interscience, New York.
- Sullivan, G. D. 1967. Current research trends in minedland conservation and utilization. Mining Engineering 19:63-67.
- Sullivan, K., and T. A. Adams. 1990. An analysis of temperature patterns in stream environments based on physical principles and field data. Technical Report. Weyerhaeuser, Federal Way, Washington.
- Sullivan, K. J., K. Doughty, J. E. Caldwell, and P. Knudsen. 1990. Evaluation of prediction models and characterization of stream temperature regimes in Washington. TFW-WQ3-90-006. Washington Department of Natural Resources, Olympia.
- Sullivan, K., S. H. Duncan, P. A. Bisson, J. T. Heffner, J. W. Ward, R. E. Bilby, and J. L. Nielsen. 1987. A summary report of the Deschutes River Basin: sediment, flow, temperature aiid fish habitat. Research Report, Paper No. 044-5002/87/1. Weyerliaeuser, Federal Way, Washington.
- Summers, R. 1983. Trends in riparian vegetation regrowth following timber liarvesting in western Oregon watersheds. M.S. thesis. Oregon State University, Corvallis.
- Svardson, G., and A. Fagerstrom. 1982. Adaptive differences in the long-distance migration of some trout (Salmo trutta L.) stocks. Report of the Institute of Freshwater Research in Drottningholm 60:51-80.

- Swain, D. P., and L. B. Holtby. 1989. Differences in morphology and agonistic behavior in coho salmon (Oncorhynchus kisutch) rearing in a lake or its tributary stream. Canadian Journal of Fisheries and Aquatic Sciences 46:1406-1414.
- Swan, G. A., T. G. Withrow, and D. L. Park. 1980.
 Survey of fish protective facilities at water withdrawals on the Snake and Columbia rivers. Coastal Zone and Estuarine Studies, National Marine Fisheries Service, Seattle, Washington, and Portland, Oregon.
- Swan, G. A., T. G. Withrow, and D. L. Park. 1981.
 Survey of fish protective facilities at water withdrawals on the Snake and Columbia rivers. Phase II. Coastal Zone and Estuarine Studies. National Marine Fisheries Service, Seattle, Washington and Portland, Oregon.
- Swanson, F. J., and D. R. Berg. 1991. The ecological roots of new approaches to forestry. Forest Perspectives 1(3):6–8.
- Swanson, F. J., aiid C. T. Dyrness. 1975. Impact of clearcutting and road construction on soil erosion by landslides in the western Cascade Range, Oregon. Geology 3:393-396.
- Swanson, F. J., and G. W. Lienkaemper. 1978. Physical consequences of large organic debris in Pacific Northwest streams. General Technical Report PNW-69. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, Oregon.
- Swanson, F. J., G. W. Lienkaemper, and J. R. Sedell. 1976. History, physical effects, and management implications of large organic debris in western Oregon streams. General Technical Report PNW-56. U.S. Department of Agriculture, Forest Service, Portland, Oregon.
- Swanson, F. J.. L. E. Benda, S. H. Duncan, G. E. Grant, W. F. Megahan, L. M. Reid, and R. R. Ziemer. 1987.
 Mass failures and other-processes of sediment production in Pacific Northwest forest landscapes.
 Pages 9-38 in E. O. Salo and T. W. Cundy, editors.
 Streamside management: forestry and fishery interactions. Contribution No. 57. University of Washington, Institute of Forest Resources. Seattle.
- Swanson, F. J., R. L. Fredrickson, and F. M. McCorrison. 1982a. Material transfer in a western Oregon forested watershed. Pages 231-266 in R. L. Edmonds, editor. Analysis of coniferous forest ecosystems in the western United States. Hutchinson Ross Publishing Co., Stroudsburg, Pennsylvania.
- Swanson, F. J.. S. V. Gregory, J. R. Sedell, and A. G.
 Campbell. 1982b. Land-water interactions: tlie riparian zone. Pages 267-291 in R. L. Edmonds, editor.
 Analysis of coniferous forest ecosystems in tlie

- Western United States. Volume 14. Hutchinson Ross Publishing Company, Stroudsburg, Pennsylvania.
- Swanston, D. N. 1991. Natural processes. Pages 139-179 in W. R. Meelian, editor. Influences of forest and rangeland management on salmonid fishes and their habitat. Special Publication 19. American Fisheries Society, Bethesda, Maryland.
- Swanston, D., F. Swanson, and D. Rosgen. 1980. Chapter V, soil mass movement. *In* An approach to water resources evaluation of non-point silvicultural sources (A procedural liandbook). EPA-600/8-80-012. U.S. Environmental Protection Agency, Office of Research and Development, Athens, Georgia.
- Sylvester, R. O., and C. P. Ruggles. 1957. A water quality and biological study of the Wenatchee and middle Columbia rivers prior to dam construction. University of Washington, Department of Civil Engineering, Seattle.
- Sylvester, R. O., and R. W. Seabloom. 1962. A study on the character and significance of irrigation return flows in the Yakima River Basin. University of Washington, Department of Civil Engineering, Seattle.
- Szaro, R. C., and C. P. Pase. 1983. Short-term changes in a cottonwood-ash-willow association on a grazed and ungrazed portion of Little Ash Creek in central Arizona. Journal of Range Management 36:382-384.
- Tabor, R. A., R. S. Shively, and T. P. Poe. 1993. Predation on juvenile salmonids by smallmouth bass and northern squawfish in the Columbia River near Richland, Washington. North American Journal of Fisheries Management 13:831-838.
- Tait, C. K., J. L. Li, G. A. Lamberti, T. N. Pearsons, and H. W. Li. 1994. Relationships between riparian cover and community structure of high desert streams. Journal of the North American Bentliological Society 13:45-56.
- Takahashi, K., N. Okamoto, A. Kumagai, M. Maita, Y. Ikeda, and J. S. Roliovec. 1992. Epizootics of erythrocytic inclusion body syndrome (EIBS) in colio salmon cultured in seawater in Japan. Journal of Aquatic Animal Health 4:174-181.
- Tallman, R. F. 1986. Genetic differentiation among seasonally distinct spawning populations of chum salmon, *Oncorhynchus keta*. Aquaculture 57:211-217
- Tarrant, R. F., and J. M. Trappe. 1971. Tlie role of Alnus in improving tlie forest environment. Pages 335-348 in T. A. Lie and E. G. Mulder, editors. Biological nitrogen fixation in natural aiid agricultural habitats. Plant and Soil, Special Volume. Martinu Nijhoff, Tlie Hague, Netherlands.

- Tarzwell, C. M. 1938. An evaluation of the methods and results of stream improvement in the Southwest. Transactions of the Anierican Fisheries Society 3:339-364.
- Taylor. E. B. 1988. Adaptive variation in rlieotactic and agonistic behaviour in newly-emerged fry of chinook salmon (*Oncorhynchus tshawytscha*) from ocean- and stream-type populations. Canadian Journal of Fisheries and Aquatic Sciences 45:237-243.
- Taylor, E. B. 1989. Precocial male maturation in laboratory reared populations of juvenile chinook salmon, *Oncorhynchus tshawytscha*. Canadian Journal of Zoology 67:1665–1669.
- Taylor, E. B. 1990a. Environinental correlates of life liistory variation in juvenile chinook salmon, Oncorhynchus tshawytscha (Walbaum). Journal of Fish Biology 37:1-17.
- Taylor, E. B. 1990b. Phenotypic correlates of life history variation in juvenile chinook salmon, *Oncorhynchus* tshawytscha (Walbaum). Journal ot Animal Ecology 59:455-468.
- Taylor, E. B. 1991. A review of local adaptation in Salmonidae, with particular reference to Pacific and Atlantic salmon. Aquaculture 98:185-207.
- Taylor. E. B., and J. D. McPhail. 1985. Variation in body morphology among British Columbia populations of coho salmon, *Oncorhynchus kisutch*. Canadian Journal of Fisheries and Aquatic Sciences 42:2020–2028.
- Taylor, R. L., and P. W. Adamus. 1986. Red alder leaf litter and streamwater quality in western Oregon. Water Resources Bulletin 22:629-635.
- Teensma, P. D., J. T. Rienstra, and M. A. Yeiter. 1991 Preliminary reconstruction and analysis of change in forest stand age classes of the Oregon Coast Range from 1850 to 1940. Technical note OR 9. U.S. Department of the Interior, Bureau of Land Management, Portland, Oregon.
- Thiele. S. A., C. W. Kilsgaard, and J. M. Omernik. 1993. The subdivisions of the Coast Range Ecoregion of Oregon and Washington. U.S. Environmental Protection Agency, Corvallis, Oregon.
- Thomas,,A. E. 1975. Migration of chinook salmon fry from simulated incubation channels in relation to water temperature, tlow, and turbidity. Progressive Fish-Culturist 37:219–223.
- Thomas, J. W., editor. 1979. Wildlife habitats in managed forests of the Blue Mountains of Oregon and Washington. Agricultural Handbook 533. U.S. Department of Agriculture: Forest Service, LaGrande, Oregon.

- Thomas, J. W., C. Maser, and J. E. Rodiek. 1979. Edges. Pages 48-59 in J. W. Thomas, editor. Wildlife habitats in managed forests of the Blue Mountains of Oregon and Washington. Agricultural Handbook 533. U.S. Department of Agriculture, Forest Service, LaGrande, Oregon.
- Thomas, J. W., E. D. Forsman, J. B. Lint, E. C. Meslow,
 B. R. Noon, and J. Verner. 1990. A conservation strategy for the northern spotted owl: a report of the Interagency Scientific Coininittee to address the conservation of the northern spotted owl. U.S.
 Department of Agriculture, Forest Service; U.S.
 Department of Interior, Bureau of Land Management,
 Fish and Wildlife Service, and National Park Service,
 Portland, Oregon.
- Thompson, K. 1972. Determining stream flows for fish life. Pages 31-50 *in* Proceedings, instream flow requirements workshop. Pacific Northwest River Basins Commission, Vancouver, Washington.
- Thompson, K. 1976. Columbia Basin fisheries, past, present, future. Columbia River Fisheries Project Report. Prepared by the Oregon Department of Fish and Wildlife for the Pacific Northwest Regional Commission, Vancouver, Washington.
- Thompson, R. S., C. W. Whitlock, P. J. Bartlein, S. P. Harrison, and G. W. Spaulding. 1993. Climatic changes in the western United States since 18,000 yr B.P. Pages 468-513 in H. E. Wright Jr., J. E. Kutzbach, T. Webb III, W. F. Ruddiman, F. A. Street-Perrott, and P. J. Bartlein, editors. Global climates since the last glacial maximum. University of Minnesota Press, Minneapolis.
- Thorson, R. M. 1987. Geomorphic processes of the Alaskan Pacific Coast and mountain system. Pages 518-528 in W. L. Graf, editor. Geomorphic systems of North America. Centennial Special Volume, Volume 2. The Geological Society of America, Boulder, Colorado.
- Thut, R. N. and E. P. Haydu. 1971. Effects of forest chemicals on aquatic life. Pages 159-171 in J. T.
 Krygier, and J. D. Hall, editors. A symposium—forest land uses and stream environment. Continuing Education Publications, Oregon State University, Corvallis.
- Titus, R. G., and H. Mosegaard. 1989. Smolting at age 1 and its adaptive significance for migratory trout, *Salmo trutta* L. in a small Baltic-coast stream. Journal of Fish Biology 35(Supplement A):351-354.
- Trimble, S. W., and F. H. Weirich. 1987. Reforestation reduces streamflow in the southeastern United States. Journal of Soil and Water Conservation 42:274–276.
- Triska, F. J., J. H. Duff, and R. J. Avanzino. 1990. Intluences of exchange flow between the channel and

- liyporlieic zone On nitrate production in a small mountain stream. Canadian Journal of Fisheries and Aquatic Sciences 47:2099-2111.
- Triska, F. J., J. R. Sedell, and S. V. Gregory. 1982.
 Coniferous forest streams. Pages 292-332 in R. L.
 Ednionds. editor. Analysis of coniferous forest
 ecosystem in the Western United States. United
 States-International Biological Program. Hutcliinson
 Ross Publishing Company, Stroudsburg, Pennsylvania.
- Triska, F. J., J. R. Sedell, K. Cromack Jr., S. V. Gregory, and F. M. McCorison. 1984. Nitrogen budget for a sinall coniferous forest stream. Ecological Monographs 54:119-140.
- Troendle, C. A. 1983. The potential of water yield augmentation from forest management in the Rocky Mountain Region. Water Resources Bulletin 19:359-373.
- Trojnar, J. R. 1977. Egg hatchability and tolerance of brook trout *Salvelinus fontinalis* fry at low pH. Journal of Range Management 27:318-321.
- Trotzky, H. M.. and R. W. Gregory. 1974. The effects of water flow manipulation below a hydroelectric power dam on the bottom fauna of the upper Kennebec River, Maine. Transactions of the American Fisheries Society 103:318-324.
- Tschaplinski, P. J., and G. F. Hartman. 1983. Winter distribution of juvenile coho salmon *Oncorhynchus* kisutch before and after logging in Carnation Creek, British Columbia, and some implications for overwinter survival. Canadian Journal of Fisheries and Aquatic Sciences 40:452-461.
- TT (Tetra Tech). 1992. Component 7: point source discharges and waste loading to the Willamette River basin during 1991. TC 8983-07. TT, Bellevue, Washington.
- TWS (The Wilderness Society). 1993. Pacific salmon and Federal lands: a regional analysis. A report of Tlie Wilderness Society's Bolle Center for Forest Ecosystem Management. TWS, Washington. D.C.
- UCS (Union of Concerned Scientists). 1992. World's leading scientists issue urgent warning to humanity UCS, Washington, D.C.
- Urawa, S. 1993. Effects of *Ichthyobodo necator* on seawater survival of juvenile chum salmon (*Oncorhynchus keto*). Aquaculture 110:101–110.
- UGRRTWG (Upper Grand Rhonde River Technical Work Group). 1992. Upper Grand Rhonde River anadromous fish habitat protection, restoration, and monitoring plan. N.p., N.p.

- Vadenboncouer, Y. 1988. Evaluation and revision of the measured hoop method for monitoring embeddedness.
 Pages 120-134 in Y. Vadenboncouer, S. Luchessa, and R.P. Kramer, editors. Fisheries habitat and aquatic environments 1987 and 1988 monitoring report:
 Bitterroot, Deerlodge and Lolo National Forest, Idaho.
- Valett, H. M., S. G. Fisher, and E. H. Stanley. 1990.
 Physical and chemical characteristics of the hyporheic zone of a Sonoran desert stream. Journal of the North American Benthological Society 9:201-215.
- Vanderholm, D.H., and E. C. Dickey. 1978. ASAE Paper No. 78-2570. Presented at the ASAE 1978 winter nieeting, Chicago, Illinois.
- Van Meter, W. P., and C. E. Hardy. 1975. Predicting effects on fish of fire retardants in streams. Research Paper INT-166. U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station, Ogden. UT.
- Vannote, R. L., G. W. Minsliall, K. W. Cuminins, J. R. Sedell, and C. E. Cushing. 1980. Tlie river continuum concept. Canadian Journal of Fisheries and Aquatic Sciences 37:130-137.
- Van Sickle, J., and S. V. Gregory. 1990. Modeling inputs of large woody debris to streams from falling trees. Canadian Journal of Forest Research 20:1593-1601.
- Varley, J. D., and R. E. Gresswell. 1988. Ecology, status and management of the Yellowstone cutthroat trout. American Fisheries Society Symposium 4:13-24.
- Verspoor, E., and W. C. Jordan. 1989. Genetic variation at the Me-2 locus in the Atlantic salmon within and between rivers: evidence for its selective maintenance. Journal of Fish Biology 35(Supplement A):205-213.
- Vigg, S., and C. C. Burley. 1991. Temperature-dependent maximum daily consumption of juvenile salmonids by northern squawfish (*Ptychocheilus oregonensis*) from tlie Columbia River. Canadian Journal of Fisheries and Aquatic Sciences 48:2491–2498.
- Vincent, E. R. 1996. Whirling disease and wild trout: the Montana experience. Fisheries 21:32-33.
- Vitousek, P., and J. Melillo. 1979. Nitrate losses from disturbed forests: patterns and mechanisms. Forest Science 25:605-619.
- Vomocil, J., and J. Hart. 1993. Rural domestic water supply. EC 1374 Oregon State University Extension Service, Corvallis.
- Vronskiy, B. B. 1972. Reproductive biology of the Kamchatka River chinook salmon (*Oncorhynchus tshawytscha* [Walbaum]). Journal of Ichthyology 12:259–273.

- WACT (Watershed Analysis Coordination Team). 1995 draft. Ecosystem analysis at tlie watershed scale. version 2.1. Regional Ecosystem Office. Portland, Oregon.
- Wagner. R. H. 1971. Environment and man. W.W. Norton, New York.
- Wakabayashi, H. 1993. Columnaris disease. Pages 23-39 in V. Inglis, R. J. Roberts, and N. R. Bromage. editors. Bacterial diseases of fish. Halsted Press. New York.
- Waldicliuk. M. 1993. Fish habitat aid tlie impact of human activity with particular reference to Pacific salmon. Pages 295-337 in L. S. Parsons and W. H. Lear, editors. Perspectives on Canadian marine fisheries management. Canadian Bulletin of Fisheries and Aquatic Sciences 226.
- Walters, C. J., R. Hilborn, R. M. Peterinan, and M. J. Staley. 1978. Model for examining early ocean limitation of Pacific salmon production. Journal Fisheries Research Board of Canada 35:1303-1315.
- Wanielista, M. P. 1978. Stormwater management: quantity and quality. Ann Arbor Science, Ann Arbor, Michigan.
- Wankowski, J. W. J., and J. E. Tliorpe. 1979. Spatial distribution and feeding in Atlantic salmon, *Salmo snlnr* L. juveniles. Journal of Fish Biology 14:239–247.
- Waples. R. S. 1991a. Genetic interactions between hatchery and wild salmonids: lessons from the Pacific Northwest, Canadian Journal of Fisheries and Aquatic Sciences 48(Supplement 1):124-133.
- Waples, R. S. 1991b. Pacific salmon, *Oncorhynchus* spp., and the definition of "species" under the Endangered Species Act. Marine Fisheries Review 53:11-22.
- Waples, R. S. 1995. Evolutionarily significant units and the conservation of biological diversity under the Endangered Species Act. American Fisheries Society Symposium 17:8-27.
- Ware, D. M., and G. A. McFarlane. 1989. Fisheries production domains in the Northeast Pacific Ocean. Pages 359-379 in Canadian Special Publications of Fisheries and Aquatic Sciences 108. Canadian Department of Fisheries & Oceans, Ottawa, Ontario.
- Ware, D. M., and R. E. Tlioinson. 1991. Link between long-teim variability in upwelling and fish production in the Northeast Pacific Ocean. Canadian Journal of Fisheries and Aquatic Sciences 48:2296–2306.
- Warren. C. E. 1971. Biology and water pollution control. W. B. Saunders Company, Philadelphia, Pennsylvania.

- Water Quality 2000. 1992. Phase III report: recommendations for improvement. Water Environment Federation, Alexandria, Virginia.
- Waters, T. F. 1983. Replacement of brook trout by brown trout over 15 years in a Minnesota stream: production and abundance. Transactions of the American Fisheries Society 112:137-146.
- WDAFS (Western Division American Fisheries Society). 1994. Western Division American Fisheries Society policy statement: reform of the 1872 mining law. American Fisheries Society, Bethesda, Maryland.
- WDF (Washington Department of Fisheries), Washington Department of Wildlife, and Western Washington Treaty Indian Tribes. 1993. 1992 Washington State salinon and steelhead stock inventory (SASSI). WDF, Information arid Education Division, Olympia, Washington.
- WDNR (Washington Department of Natural Resources).
 N.y. Watershed analysis unit (WAU) map. Map scale
 1:100,000. Washington Department of Natural
 Resources, Photo & Map Sales, Olympia, Washington.
- Weaver, W., D. Hagans, and M. A. Madej. 1987.

 Managing forest roads to control cumulative erosion and sedimentation effects. *In* Proceedings, California watershed management conference. Wildland Resources Center Report 11. University of California, Berkeley.
- Webb, R. H., and S. S. Stielstra. 1979. Sheep grazing effects on Mojave desert vegetation and soils. Environmental Management 3:517-529.
- Webb, R. H., J. W. Steiger, and H. G. Wilshire. 1986. Recovery of compacted soils in Mojave-Desert ghost towns. Soil Science Society of America Journal 50:1341-1344.
- Wedemeyer, G. A., R. L. Saunders, and W. C. Clarke. 1980. Environmental factors affecting smoltification and early marine survival of anadromous salmonids. Marine Fisheries Review 42:1-14.
- Weitkamp, D. E. 1975. Dissolved gas supersaturation: live bioassays at Rock Island Dam, Washington. *In* Proceedings of the Gas Bubble Disease Workshop. Battelle Northwest, Richland, Washington.
- Weitkainp, L. A., T. C. Wainwright, G. J. Bryant, G. B. Milner, D. J. Teel, R. G. Kope, and R. S. Waples.
 1995. Status review of coho salmon from Washington, Oregon, and California. NOAA Technical Memorandum NMFS-NWFSC-24. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, National Technical Information Service, Springfield, Virginia.

- Welcomme, R. L. 1988. On the nature of large tropical rivers, floodplains, and future research directions. Journal of the North American Benthiological Society 7:525-526.
- Welsh, H. H. 1990. Relictual amphibians and old-growth forests. Conservation Biology 4:309-319.
- Wetzel, R. G. 1983. Limnology, 2nd edition. Saunders College Publishing, Philadelphia, Pennsylvania.
- WFPB (Waslington Forest Practices Board). 1994. Board manual: standard methodology for conducting waterslied analysis. Version 2.1. Washington Department of Natural Resources, Forest Practices Division, Olympia, Washington.
- White, R. J., J. R. Karr, and W. Nehlsen. 1995. Better roles for fish stocking in aquatic resource management. American Fisheries Society Symposium 15:527-547.
- Whitlock, C. 1992. Vegetational and climatic history of the Pacific Northwest during the last 20,000 years: implications for understanding present-day biodiversity. The Northwest Environmental Journal 8:5–28.
- Whittier, T. R., R. M. Hughes, and D. P. Larsen. 1988 The correspondence between ecoregions and spatial patterns in stream ecosystems in Oregon. Canadian Journal of Fisheries and Aquatic Sciences 45:1264-1278.
- Wickett, W. P. 1958. Review of certain environmental factors affecting the production of pink and chum salmon. Journal Fisheries Research Board of Canada 15:1103-1126.
- Wilkinson, C. F. 1992. Crossing the next meridian: land, water, and the future of the West. Island Press, Washington, D.C.
- Williams, J. E., J. E. Johnson, D. A. Hendrickson, S. Contreras-Balderas, J. D. Williams, M. Navarro-Mendoza, D. E. McAllister, and J. D. Deacon. 1989. Fishes of North America endangered, threatened, or of special concern. Fisheries 14(6):2-20.
- Wilson, L. G. 1967. Sediment removal from tlood water by grass filtration. Transactions of tlie American Society of Agricultural Engineers 10:35–37.
- Wilson, R. C. H. 1972. Prediction of copper toxicity in receiving waters. Journal Fisheries Research Board of Canada 29:1500-1502.
- Wincgar, H. H. 1977. Camp Creek channel fencing—plant, wildlife, soil, and water response Rangeman's Journal 4:10-12.
- Wischmeier, W. H., and D. D. Smith. 1978. Predicting rainfall erosion losses: a guide to conservation planning. Agriculture Handbook No. 537 (Supersedes

- Agriculture Handbook No. 282, 1965). U.S. Department of Agriculture, Science and Education Administration. U.S. Government Printing Office, Washington, D.C.
- Wisler, C. O., and E. F. Brater. 1959. Hydrology, 2nd edition. John Wiley and Sons, Inc., New York.
- Wissmar, R. C., J. E. Smith, B. A. McIntosh, W. L. Hiram, G. H. Reeves, and J. R. Sedel. 1994.

 Ecological health of river basins in forested regions of eastern Washington and Oregon. General Technical Report PNW-GTR-326. U.S. Departnient of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, Oregon.
- Witliler, F. C. 1982. Transplanting Pacific salmon. Canadian Technical Report of Fisheries and Aquatic Sciences 1079. Canadian Department of Fisheries and Oceans, Ottawa, Ontario.
- Wohl, E. E., K. R. Vincent, and D. J. Merritts. 1993. Pool and riffle characteristics in relation to channel gradient. Geomorphology 6:99–110.
- Wolf, K. 1988. Fish viruses and fish viral diseases. Comstock Publishing Associates, Cornell University Press. Itliaca, New York.
- Wood, C. C. 1987a. Predation of juvenile Pacific salmon by the common merganser (*Mergus merganser*) on eastern Vancouver Island. I: Predation during the seaward migration. Canadian Journal of Fisheries and Aquatic Sciences 44:941–949.
- Wood, C. C. 1987b. Predation of juvenile Pacific salmon by the common merganser (Mergus merganser) on eastern Vancouver Island. II: Predation of streamresident juvenile salmon by merganser broods. Canadian Journal of Fisheries and Aquatic Sciences 44:950-959.
- Woodward, D. F., W. G. Brumbaugh, A. J. DeLonay, E. E. Little, and C. E. Smith. 1993. Effects on rainbow trout fry of a metals-contaminated diet of benthic invertebrates from tlie Clark Fork River, Montana. Transactions of tlie American Fisheries Society 123:51-62.
- Worona, M. A., and C. Whitlock. 1995. Late-Quaternary vegetation and climate history near Little Lake, central Coast Range, Oregon. Geological Society of America Bulletin 107:867-876.
- Wyrick, G. 1968. U.S. Geological Survey statement for interagency stream disturbance symposium. Pages 44-45 in D. W. Robinson and A. D. Gerwig, editors. Proceedings: interagency stream disturbance symposium. West Virginia Department of Natural Resources, Charleston, West Virginia.

- Wunderlicli, R. C., B. D. Winter, and J. H. Meyer. 1994. Restoration of the Elwha River ecosystem. Fisheries 19(8):11-19.
- Xu, L., J. W. Gilliam, and R. B. Daniels. 1992. Nitrate movement and loss in riparian buffer areas. Page 342 in Agronomy Abstracts. American Society of Agronomy, Madison, Wisconsin.
- Yoder, C.O. 1991. Answering some concerns about biological criteria based on experiences in Ohio. Pages 95-104 in Water quality standards for the 21st century. U.S. Environmental Protection Agency. Washington, D.C.
- Yoder, C.O., and E.T. Rankin. 1995. Biological criteria program development and implementation in Ohio. Pages 109-144 in W. S. Davis arid T. P. Simon, editors. Biological assessment and criteria: tools for water resource planning and decision making. Lewis, Boca Raton, Florida.
- Young. R. A., and R. L. Giese. 1990. Introduction to forest science, 2nd edition. John Wiley and Sons, New York.
- Young, R. A., T, Huntrods, and W. Anderson. 1980.
 Effectiveness of vegetated buffer strips in controlling pollution from feedlot runoff. Journal of Environmental Quality 9:483-497.
- Zarnowitz, J. E., and K. J. Raedeke. 1984. Winter predation on coho fingerlings by birds and mammals in relation to pond characteristics. Report (Contract 1480) to Washington Department of Fisheries, Olympia, Washington.
- Ziemer. R. R. 1981. Storm tlow response to road building and partial cutting in small streams of northern California. Water Resources Research 17:907-917.
- Ziemer, R. R. 1986. Water yields from forests: an agnostic view. Pages 74-78 in R. Z. Callahan and J. J. DeVries, editors. Proceedings of the California watershied rnanagement conference, 18-20 November, West Sacramento, California.
- Zinke, P. J. 1967. Forest interception studies in the United States. Pages 137-161 in W. E. Sopper and H. W. Lull, editors. International symposium on forest hydrology. Pergamon Press, New York.
- Zinn, J. L., K. A. Johnson, J. E. Sanders, and J. L. Fryer. 1977. Susceptibility of salmonid species and hatchery stocks of chinook salmon (*Oncorhynchus tshawytscha*) to infections by *Ceratomyxa shasta*. Journal Fisheries Research Board of Canada 34:933–936.
- Zitko, V., and W. G. Carson. 1977. Seasonal and developmental variation in the lethality of zinc to

- juvenile Atlantic salmon (Salmo salar). Journal Fisheries Research Board of Canada 34:139-141.
- 16 USC 1531 et *seq.* 1973. Endangered Species Act (ESA). Originally PL 92-205, 28 December; bound as § 2, 87 Stat. 884. Amendments in 1976, 1978, 1979 (added plants), 1980, 1982, 1984, 1986, 1988.
- 16 USC 1600 et seq. 1974. Forest and Rangeland Renewable Resources Planning Act (FRRRPA). Passed as PL 93-378, 17 August. Most commonly known as tlie National Forest Management Act. Amended by: National Forest Management Act of 1976 (PL 94-588. 22 October 1976); Renewable Resources Extension Act of 1978 (PL 95-306, 30 June 1978); Forest and Rangeland Renewable Resources Research Act of 1978 (PL 95-307, 30 June 1978); Renewable Resources Extension Act Amendments of 1987 (PL 100-231, 5 January 1988); Forest Ecosystems and Atmospheric Pollution Research Act of 1988 (PL 100-521, 24 October 1988); Renewable Resource Assessment amendments of 1990 (PL 101-624, 28 November 1990); Forest Service decisionmaking and appeals reform (PL 102-381, 5 October 1992); Renewable resource management research (PL 101-513, 5 November 1990 and PL 102-574, 29 October 1992).
- 16 USC 2101 et seq. 1978. Cooperative Forestry Assistance Act (CFAA). Originally passed as PL 95-313; § 3, 92 Stat 365, 1 July 1978. Amended 5 November 1990 by PL 101-513, Title VI, § 6ll(b)(2)[607(b)(2)], 104 Stat 2072; 28 November 1990, PL 101-624, Title XII, Subtitle A, § 1212, 104 Stat 3521; 29 October 1992, PL 102-574, § 2(a)(1), 106 Stat 4593. Act intended to complement the Forest and Rangeland Renewable Resources Planning Act of 1974 (16 USC 1600 et seq.).
- 33 USC 1251 et seq. 1948, amendments through May 1994. Federal Water Pollution Control Act (FWPCA) also known as the Clean Water Act (CWA). Codifiedversion of the Clean Water Act (PL 92-500, 18 October 1972; bound as § 2, 86 Stat 816), which extensively reorganized tlie FWPCA; includes amendments from 1977 through May 1994.
- 33 USC 1271. 1992. National Contaminated Sediment Assessment and Management Act (NCSAMA). An amendment to Clean Water Act (33 USC 1251 et seg.) under § 1271, "Sediment survey and monitoring".
- 33 USC 1311 et seq. 1948, amendments through May 1994. Federal Water Pollution and Control Act: Standards and Enforcement. Contains the Clean Water Act (33 USC 1251 et seq.) that reorganized sections of the Federal Water Pollution aid Control Act aid its amendments called the Water Quality Act of 1987.
- 33 USC 1330. 1987. National Estuary Program (NEP). An amendment to the Clean Water Act (33 USC 1251 *et seq.*), including the Water Pollution Control Act (33 USC 1311 *et seq.*), under § 1330.

- 42 USC 4321 et seq. 1969. National Environmental Policy Act (NEPA). Passed as PL 91-190, dated I January 1970. Amended 3 July 1975 (41 USC 4343, 4346a, 4346b, 4347) and 9 August 1975 (42 USC 4332). See also Ex. Or. No. 12852 and Ex. Or. No. 12855 which establish the President's Council on Sustainable Development.
- 42 USC 4321 et seq. 1970. NEPA Regulations: 40 CFR Part 6--Implementation of procedures under NEPA. Presidential Executive Orders (Nixon)--Environmental Protection Agency. Reorg. Plan No. 3 of 1970, effective 2 December, 35 Fed. Reg. 15623. and Messages (2) to Congress relative to Reorganization
- Plan No. 3 of 1970, signed by President Nixon, 9 July: Establishes EPA, NOAA. In the closing comments, President Nixon wrote: "Ultimately, our objective should be to insure that the Nation's environmental and resource protection activities are so organized as to maximize both the effective coordination of all and the effective functioning of each."
- 42 USC 4321. 1990. Pollution Prosecution Act (PPA). Passed as PL 101-593, 16 November.
- 99 Stat 1354. 1985. Food Security Act (FSA). Passed as PL 99-198, 23 December 1985, Title XII--Conservation.

